



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

JAN 3 0 2013

Patrick Mccain Syngenta Crop Protection, LLC P.O. 18300 Greensboro, NC 27419-8300

SUBJECT: Supplemental Label Amendment

BION 500FS

EPA Reg. No. 100-1363; Decision No. 473912

Your Submission Dated January 14, 2013

Dear Mr. Mccain:

The supplemental labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA) as amended, to add the new use for sunflower that was approved on the Master Label dated January 9, 2013 has been reviewed and found to be acceptable.

Enclosed please find a copy of the label stamped "Accepted".

If you have any questions regarding this correspondence, contact Rose Kearns of my staff by phone at 703-305-5611 or via email at kearns.rosemary@epa.gov or myself at 703-308-9443 or via email at kish.tony@epa.gov.

Sincerely,

Wellans for

Product Manager 22

Fungicide Branch

Registration Division (7504P)

Enclosure: Label stamped Accepted

SUPPLEMENTAL LABELING

Syngenta Crop Protection, LLC P. O. Box 18300 Greensboro, North Carolina 27419-8300 SCP 1363-S1 0113

Bion™ 500FS

Under the Federal Insecticide, Pungicide, and Rodenticide Aca, as amended, for the pestacide registered under EPA Reg. No. 100-1303

ACCEPTE

JAN 3 0 2013

Fungicide

This supplemental label expires on 01-09-2016 and must not be used or distributed after that date.

Active ingredients:					
Acibenzolar-S-methy	yl*	 	 	 	42.0%
Other Ingredients:					58.0%
Total:					100.0%

Contains 4.17 pounds of Acibenzolar-S-methyl per gallon.

KEEP OUT OF REACH OF CHILDREN.

CAUTION

EPA Reg. No. 100-1363

All applicable directions, restrictions and precautions on the EPA-registered label are to be followed. Before using Bion 500FS as permitted according to this supplemental label, read and follow all applicable directions, restrictions, and precautions on the EPA-registered label on or attached to the pesticide product container. This Supplemental Labeling contains revised use instructions and or restrictions that may be different from those that appear on the container label. This Supplemental Labeling must be in the possession of the user at the time of pesticide application. It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DIRECTIONS FOR USE

CROP USE DIRECTIONS

Crop	Target Disease	Amount of Active Ingredient (Acibenzolar-S- Methyl)	Maximum Total Seasonal Application Rates	Comments
Sunflower	For early season Protection from Downy Mildew caused by Plasmopara halstedii	0.021-0.029 mg ai/seed*	0.005 lbs ai/A	target rate = 0.025 mg ai/seed *mg ai per seed rates
				based on 4,500 seeds per pound

• 1 fluid ounce of Bion 500FS contains 14.8 g Acibenzolar-S-Methyl.

Bion™ and the Syngenta logo are trademarks of a Syngenta Group Company

©2013 Syngenta

Bion 500FS 1363-S1 0113 - dt - 01-11-13 000100-01363.20130114.BION500FS-SUP0114.pdf