

**A Highly effective multi-purpose Phenolic Germicide and Soapless Detergent**

**Use-Dilution Confirmation**  
(A.O.A.C. 20°C)  
Salmonella choleraesuis ..... 1 to 175  
Staphylococcus aureus ..... 1 to 175  
Pseudomonas aeruginosa ..... 1 to 175  
Bichophyton meningophytes ..... 1 to 175

**Active Ingredients**  
Ortho-benzyl-para-chlorophenol ... 4.37%  
Para-tertiary-amyphenol ..... 4.18%  
Ortho-phenylphenol ..... 3.47%  
Inert Ingredients ..... 87.97%

**DANGER: KEEP OUT OF REACH OF CHILDREN**  
See Left Panel for Additional Precautions



**CENTRAL SOLUTIONS, INC.**


3130 BRINKERHOFF RD.  
P.O. BOX 15276  
KANSAS CITY, KANSAS 64115

ACCEPTED  
with COMMENTS  
in New York dated:

SEP 28 1989

Under the provisions of the  
Food, Drug, and Cosmetic Act,  
as amended, the following  
requirements are met:  
211-26

LEFT PANEL



**PRECAUTIONARY STATEMENTS**  
Hazardous to Humans and Domestic Animals

**DANGER**

Keep Out of Reach of Children. Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Wear goggles or face shield and rubber gloves when handling. Avoid contamination of food. Remove and wash contaminated clothing.

**STATEMENT OF PRACTICAL TREATMENT**

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, ~~drink milk, egg whites, gelatin, or oil. If these are not available,~~ drink large quantities of water. Call a physician.

**NOTE TO PHYSICIAN**

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.

**STORAGE** - Store in securely closed original container. Store in area that will prevent cross contamination of other pesticides, fertilizer, food and feed. Avoid storage at temperature extremes or in sunlight.

**PESTICIDE DISPOSAL** - Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide is in violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the hazardous waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL** - Triple rinse (or equivalent), then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

EPA Reg. No. 211-26

EPA Est. No. 211-KS-1

NET CONTENTS ONE GALLON

ACCEPTED  
with COMMENTS  
in the State Office  
SEP 28 1985  
[Signature]

*Right label 2/3*

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its' labeling.

Cen-O-Phen is a phosphate free, concentrated, hospital grade germicidal-detergent effective in 10 minutes at 20 C. Cen-O-Phen's multi-synthetic phenolic formula is designed to clean, disinfect and deodorize any washable, inanimate, non-porous surface. When used as directed, Cen-O-Phen is strong enough to kill a broad spectrum of pathogenic bacteria, yet it is mild enough to have no harmful effects on the surface being disinfected, when used as directed.

Cen-O-Phen is recommended for use by hospitals, nursing homes and any health care institutions that are dedicated to controlling the hazards of cross contamination in their establishments. For use on any hard, inanimate surface in patient rooms, restrooms, halls and public areas on carts, bed frames, walls, floors, stainless steel, porcelain, glass and chrome.

**DISINFECTION:**

~~Pre-clean the surface to be disinfected with a solution of Cen-O-Phen or a compatible detergent and rinse with water. For broad spectrum disinfection of gram negative and gram positive bacteria, including Pseudomonas aeruginosa, add 3/4 ounce Cen-O-Phen to the gallon of water. Remove heavy soil or gross filth then apply solution with a mop, cloth, sponge or mechanical sprayer so as to wet the surface thoroughly. Allow to remain wet for 10 minutes and then let air dry. Where Tuberculocidal activity is required, clean the surface prior to application of the disinfectant solution. If higher detergency is desired, increase dilution to 2 ounces per gallon of water. Prepare a fresh solution for each use.~~

**OR**

Pre-clean the surface to be disinfected with a solution of Cen-O-Phen or a compatible detergent and rinse with water. For broad spectrum disinfection of gram negative and gram positive bacteria, including Pseudomonas aeruginosa, add 3/4 ounce Cen-O-Phen to the gallon of water. Remove heavy soil or gross filth then apply solution with a mop, cloth, sponge or mechanical sprayer so as to wet the surface thoroughly. Allow to remain wet for 10 minutes and then let air dry. Where Tuberculocidal activity is required, allow the disinfectant solution to remain on the surface for 15 minutes. If higher detergency is desired, increase dilution to 2 ounces per gallon of water. Prepare a fresh solution for each use.

← "The product is fungicidal against Trichophyton mentagrophytes (the athlete's foot fungus) in use areas such as shower room floors, locker room benches, bathmats, or hard, nonporous, inanimate environmental surfaces."

ACCEPTED  
with COMMENTS  
in L.A. Letter Dated:

SEP 28 1968

Under the terms of the certificate,  
Firm will not be permitted to act  
as a distributor for this product  
Region of California, PA Reg. No.

*211-26*