PROFESSIONAL PRODUCTS

DISINFECTANT

Directions

CELLO LEMON DISINFECTANT is intended to be used on hard surfaces such as floors, walts, and woodwork in clinics, restaurants, hospitals, schools, stores, and factories where positive disinfection and deodorizing is required.

Remove gross filth and heavy soil deposits before applying this disinfectant. Dilute CELLO LEMON DISINFECTANT using 2 oz. of disinfectant per gallon of water.

Thoroughly wet areas to be disinfected with a mop or other applicator and allow 10 minutes contact time for maximum kill. CELLO LEMON DISINFECTANT is non-selective and is equally effective against Salmonella typhosa, Staphylococcus aureus and Salmonella choleraesuis. Also effective against the pathogenic funcii. Trichophyton interdinitale, at this dilution.

For hospitals and clinical disinfection and to disinfect Pseudomonas, use 3 oz. of CELLO LEMON DISINFECTANT per gallon. Where maximum deodorizing effect is to be obtained, leave solution for extended periods of contact time before mopping up. This disinfectant, when not mopped off, has residual bacteriostatic activity in the presence of moisture.

Authorized by the USDA for use in federally inspected meat and poultry plants.

Do not mix with soap or anionic solutions.

STATEMENT OF QUALITY: CELI O LEMON DISINFECTANT is guaranteed to meet A.O.A.C. Use Dilution Confirmation Test against Salmonella choleraesuis, Staphylococcus aureus, Pseudomonas aeruginosa, when tested in accordance with A.O.A.C. official methods in stated use dilutions. DANGER: Keep out of reach of children. Corrosive. Causes eye damage and skin irritation. Do not get in eyes or on skin. Protect eyes and skin when handling concentrated product. Harmful if swallowed. Avoid contamination of food.

FIRST AID: In case of contact with the eyes, flush with plenty of clear water for at least 15 minutes and get immediate medical attention. In case or skin contact, flush off immediately with plenty of water. Remove and wash contaminated clothing before reuse.

If swallowed, promptly drink a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call physician immediately.

STORAGE AND DISPOSAL

Store only in tightly closed, original container In a secure area inaccessible to children. Do not contaminate water, food, or feed by storage or disposal. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a voilation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the hazardous waste representative at the nearest EPA Regional Office for guidance. Do not reuse empty container. Triple rinse empty container with water. Return metal drums to reconditioner or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities. Plastic containers may be disposed of in a sanitary landfill, incinerated, or if allowed by local authorities, by burning. If burned, stay out of smoke.

INGREDIENT STATEMENT: HAZARDOUS INGREDIENTS: n-Alkyl (60% C₁₄, 30% C 16, 5% C₁₂, 5% C₁₃) dimethyl benzyl ammonium chloride (CAS #68391-01-5), n-Alkyl (68% C₁₂, 32% C₁₄) dimethyl ethylbenzyl ammonium chloride (CAS #68956-72-6)

OTHER INGREDIENTS: Water (CAS #7732-18-5), Nonylphenoxypoly(ethyleneoxy)ethanol (CAS #9016-45-9), Sodium Carbonate (CAS #497-19-8) Made for Professional Use Only.

ACTIVE INGREDIENTS:
n-Allyl (60% C _{cc} 30% C is, 5% C _{cc} 5% C _{cc})
Dimethyl Benzyl Ammonium Chloride
n-Alicyl (68% C., 32% C.,.) Dimethyl Ethylbenzyl Ammorsum Chloride 1.6%
MERT INCREDIENTS:
TOTAL: 100.00%

EPA Reg. No. 257-317

EPA Est. 257-MD-1

DANGER: KEEP OUT OF REACH OF CHILDREN.
See Above for Additional Precautionary Statements and First Aid.

Grow Group, Inc.

MADE FOR PROFESSIONAL USE ONLY

55 GALLONS

Havre de Grace, MD 21078 ● Ft. Worth, TX 76119 ● Santa Fe Springs, CA 90670