

CODE 3214

NET WEIGHT
50 LBS.

ACCEPTED

FURADAN® 5 GRANULES

INSECTICIDE

APR 22 1974

RECEIVED
FURADAN 5 GRANULES
EPA REG. NO. 279-2874 AA
AT FINE LINE, N.Y.

DIRECTIONS FOR USE

SUGARCANE: Sugarcane borer - Apply 10 to 15 pounds FURADAN 5 GRANULES per acre using ground or aerial equipment. Check sugarcane fields weekly, beginning in early June and continuing through August. Make first application only after visible joints form and 5% or more of the plants are infested with young larvae feeding in or under the leaf sheath and which have not bored into the stalks. Repeat whenever field checks indicate the infestation exceeds 5 percent. Do not apply within 17 days of harvest. Do not use in Hawaii.

RICE: To control Rice Water Weevil and Dark Rice Field Mosquito in Arkansas, Louisiana, Mississippi and Texas apply 10 pounds of FURADAN 5 GRANULES per acre one day before or within 21 days after flooding. Do not make more than one application per season. The subsequent use of propanil herbicide may result in crop injury.

For effective control of the dark rice field mosquito, application must be made within 2 to 4 days after flooding.

To control Rice Water Weevil in California apply 10 pounds of FURADAN 5 GRANULES per acre prior to flooding and planting. Do not make more than one application per season. The subsequent use of propanil herbicide may result in crop injury.

EPA REG. NO. 279-2874 AA

ACTIVE INGREDIENT:

*Carbofuran 5.0%

INERT INGREDIENTS: 95.0%
100.0%

*2,3-dihydro-2, 2-dimethyl-7-benzofuranyl methylcarbamate

FURADAN - FMC Trademark

U.S. Patent No. 3,474,171

WARNING**KEEP OUT OF REACH OF CHILDREN.**

Poisonous if swallowed. Do not get in eyes. For eyes, get medical attention. In the meantime, flush eyes with plenty of water for at least 15 minutes. Do not apply to areas occupied by unprotected humans or beneficial animals. Do not contaminate feed or foodstuffs.

NOTE FOR PHYSICIAN: Atropine is antidotal. Give 2 mg. Intramuscularly. If in eye, use 1 drop of Homatropine.

For Emergency Assistance Call 716-735-3765

ENVIRONMENTAL AND DISPOSAL CAUTIONS

This product is toxic to fish, birds and other wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

Dispose of wastes by burying in non-crop lands away from water supplies. Container should be disposed of by burying with waste or burning. Keep out of smoke. Do not reuse empty bags.

Dealers Should Sell in Original Packages Only.

TERMS OF SALE OR USE: On purchase or use of this product buyer and user agree to the following conditions:

WARRANTY: FMC warrants that this product, as of the time of sale by FMC, (1) conforms to the ingredient statement on the label, and (2) is reasonably fit for the purposes set forth in the Directions for Use. EXCEPT AS SO WARRANTED THE PRODUCT IS SOLD AS IS. FMC MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.

DAMAGES: Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages. Notice of any claim must be reported to FMC within 10 days of discovery by buyer or user, failing which buyer or user waives any claim for such damage.

EXCUSE FROM NON-CONTROLLABLE CONDITIONS: Because of certain critical conditions created or incurred by buyer or user or over which FMC has no control, buyer and user, as a condition of purchase or use, assume responsibility for and release FMC from, liability arising out of the handling or use of the product attributable to such causes. No person is authorized to vary or waive any statement contained herein.

MANUFACTURED IN U.S.A. BY
FMC CORPORATION
AGRICULTURAL CHEMICAL DIVISION
MIDDLEPORT, N.Y. 14105

024

FMC Chemicals

Printed in U.S.A.