

524-537

07/30/2009

1/b



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

Stephen A. Adams
Registration Manager
Monsanto Company
1300 I St., N.W., Suite 450 East
Washington, DC 20005

JUL 30 2009

SUBJECT: Applications for Pesticide Notification – Revised Final Printed Supplemental Labeling for In-Crop Use with Corn Hybrids by Adding “Status Herbicide” to List of Tank-Mix Products

Roundup WeatherMAX® Herbicide	EPA Reg. No. 524-537
Roundup PowerMAX® Herbicide	EPA Reg. No. 524-549
Applications Dated June 2, 2009	

Dear Mr. Adams:

The Agency is in receipt of your Applications for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above products. The Registration Division (RD) has conducted a review of these requests for their applicability under PRN 98-10 and finds that the actions requested fall within the scope of this PRN. The labels submitted with the applications have been date-stamped “Notification” and will be placed in our records.

If you have any questions, please contact me directly at (703) 305-6249 or Terri Stowe of my staff at (703) 305-6117.

Sincerely,

A handwritten signature in black ink, appearing to be "Linda Arrington".

Linda Arrington
Notifications & Minor Formulations Team Leader
Registration Division (7505P)
Office of Pesticide Programs

MONSANTO



MONSANTO COMPANY
1300 I (EYE) STREET, NW
SUITE 450 EAST
WASHINGTON, D.C. 20005
PHONE (202) 383-2866
FAX (202) 789-1748
<http://www.monsanto.com>

HAND DELIVERED

June 2, 2009

Document Processing Center (NOTIF)
Office of Pesticide Programs (7504C)
U.S. Environmental Protection Agency
One Potomac Yard
2777 S. Crystal Drive, Room S4900
Arlington, Virginia 22202


Attention: Mr. James A. Tompkins
Team Leader 25

Subject: **Roundup WeatherMAX® Herbicide, EPA Reg. No. 524-537;
Notification of a Revised Final Printed Supplemental Labeling for Tank Mixtures for
In-Crop Use with Corn Hybrids with Roundup Ready® 2 Technology**

Dear Mr. Tompkins:

Monsanto would like to take this opportunity to notify the Agency that we have revised the final printed supplemental labeling that describes the use of Roundup WeatherMAX herbicide, EPA Reg. No. 524-537, in tank mixtures for in-crop use with corn hybrids with Roundup Ready 2 Technology. This supplemental labeling was first printed (Print Plate Number 63003G1-71) in May 2008 and submitted to the Agency via Notification on May 2, 2008, and included Impact (topramezone) and Status (diflufenzopyr and dicamba) herbicides. This revised printing keeps both Impact and Status herbicides on the label and adds another, Callisto herbicide, which is included on the approved supplemental labeling but omitted from the previous printing. The text of this final printed supplemental labeling is an accurate transcription of that approved by the Agency on April 2, 2008, with the following exception:

- As we did previously, we have added Status Herbicide to the list of tank-mix products on the label. Status Herbicide, manufactured by BASF Corporation, EPA Reg. No. 7969-242, is a relatively new herbicide containing the active ingredients diflufenzopyr and dicamba. We added Status herbicide to this final printed supplemental labeling in accordance with the statement, *Insert active ingredient(s) or brand name of product(s) containing the following active ingredients that, at the time of printing, are registered for use postemergence (in-crop) to corn, on the approved supplemental labeling.* Since the active ingredients in Status herbicide are included in the approved list and the product is registered for use postemergence (in-crop) to corn at the time of this printing, its addition to the list is in complete compliance with the approved supplemental labeling. We appreciate the Agency allowing us to keep our product use directions up-to-date with the most current products on the market in this manner.



JUL 30 2009

SUPPLEMENTAL LABELING

READ THE ENTIRE LABEL FOR ROUNDUP WEATHERMAX® HERBICIDE BEFORE PROCEEDING WITH THE USE DIRECTIONS CONTAINED IN THIS SUPPLEMENTAL LABELING.

When using Roundup WeatherMAX Herbicide as permitted according to this supplemental labeling, read and follow all applicable directions, restrictions, and precautions on the label booklet provided with the pesticide container and on this supplemental labeling. This supplemental labeling must be in the possession of the user at the time of pesticide application.



EPA Reg. No. 524-537

WeatherMAX, Roundup Ready and TranSorb are trademarks of Monsanto Technology LLC.

Tank Mixtures for In-Crop Use with Corn Hybrids with Roundup Ready® 2 Technology

Keep out of reach of children

CAUTION!

In case of an emergency involving this product, call collect, day or night, 314-694-4000.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

This labeling must be in the possession of the user at the time of herbicide application.

ROUNDUP READY CROPS CONTAIN A PATENTED GENE THAT PROVIDES TOLERANCE TO GLYPHOSATE, THE ACTIVE INGREDIENT IN THIS PRODUCT. THIS PRODUCT WILL CAUSE SEVERE CROP INJURY OR DESTRUCTION AND YIELD LOSS IF APPLIED TO CROPS THAT ARE NOT GLYPHOSATE TOLERANT. AVOID CONTACT WITH FOLIAGE, GREEN STEMS, OR FRUIT OF CROPS, OR ANY DESIRABLE PLANTS THAT DO NOT CONTAIN A GLYPHOSATE TOLERANCE GENE, SINCE SEVERE PLANT INJURY OR DESTRUCTION WILL RESULT.

See the "GENERAL INFORMATION", "MIXING" and "ROUNDUP READY CROPS" sections of the label booklet for Roundup WeatherMAX herbicide for essential product information.

Postemergence (In-crop)

TANK MIXTURES: This product may be tank-mixed with the following products. Ensure that the specific product being used in the tank mixture is registered for application postemergence (in-crop) to corn. Read and follow label directions of all products in the tank mixture.

Bullet, Micro-Tech, alachlor, Degree, Degree Xtra, Harness, Harness Xtra, Harness Xtra 5.6L, acetochlor, 2,4-D, Aim EC, atrazine, Banvel, Basis, Basis Gold, Callisto, Clarity, Distinct, Equip, Hornet, Impact, Marksman, Option, Resolve, Resource, Status,

0000
0000
0000

Tank-mix Partner	Maximum Height Of Corn At Application
Degree Degree Xtra Harness Harness Xtra Harness Xtra 5.6L	11 inches
Bullet* Micro-Tech*	5 inches
atrazine	12 inches

* Bullet and Micro-Tech herbicides are not registered for use as a postemergence application in Texas.

PRECAUTIONS, RESTRICTIONS: Allow a minimum of 10 days between in-crop applications of this product. Allow a minimum of 50 days between application of this product and harvest of corn forage or grain. Refer to individual tank mixture product label for restrictions and precautions; use according to the most restrictive precautionary statements for each product in the tank mixture.

Read the "Limit of Warranty and Liability" in the label booklet for Roundup WeatherMAX Herbicide before using. These terms apply to this supplemental labeling and if these terms are not acceptable, return the product unopened at once.

MONSANTO COMPANY
800 N. LINDBERGH BLVD.
ST. LOUIS, MISSOURI 63167 USA
©2009

4/2/2008

63003H2-71

