

Buckeye

SANITIZER LEMON QUAT

CLEANER—DISINFECTANT—DEGREASER—FUNGICIDE—VIRUCIDE FOR INSTITUTIONAL USE

ACTIVE INGREDIENTS	
Didecyl dimethyl ammonium chloride	2.5%
Tetraoicum ethylenediamine tetraacetate	2.0%
Sodium carbonate	1.5%
INERT INGREDIENTS 94.0%	
100.0%	

WARNING: KEEP OUT OF REACH OF CHILDREN.

SEE ADDITIONAL PRECAUTIONARY STATEMENTS AND FIRST AID.

NET CONTENTS 1 U.S. GALLON

**DIRECTION FOR USE
GENERAL CLASSIFICATION**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Add two ounces per gallon water.

Apply LEMON QUAT to floors, walls and other hard surfaces such as tables, chairs, and bedframes with a cloth or mop.

At two ounces per gallon use-level, LEMON QUAT is effective against *Staphylococcus aureus*, *Salmonella choleraesuis*, *Escherichia coli*, and *Trichophyton Interdigitale*, the athlete's foot fungus. Germicidal performance against the first three organisms has been confirmed by the AOAC Use-Dilution Test. Fungicidal performance against *T. Interdigitale* was determined by the AOAC Fungicidal Test.

*At two ounces per gallon use-level, LEMON QUAT is virucidal against Herpes Simplex (a member of the virus family that causes infectious mononucleosis), Vaccinia (representative of the pox viruses), and Influenza A₁, as represented by the strains commonly called the Hong Kong Flu and the London Flu Virus, on inanimate environmental surfaces.

Note, this product is not effective against *Ps. aeruginosa* at this use-level.

For sanitizing add one ounce per gallon of water.

Use LEMON QUAT for sanitizing and cleaning utensils, equipment, and other hard surfaces. When sanitizing food processing equipment and utensils and food contact surfaces, a potable water rinse is required.

STORAGE AND DISPOSAL

1. PROHIBITIONS

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

2. PESTICIDE DISPOSAL

Pesticide, spray mixture or rinsate that cannot be reprocessed should be disposed of in a landfill or buried in a safe place away from water supply.

3. CONTAINER DISPOSAL

Triple rinse (or equivalent) and dispose in an approved pesticide container, or bury in a safe place.

4. GENERAL

Consult Federal, State or local disposal authorities for procedures such as limited open burning.

STATEMENT OF PRACTICAL USE

Precautionary Statement:


Hazards to Humans and domestic animals:

Keep out of reach of children. May cause severe damage. Causes skin irritation. Do not get in eyes. Harmful if swallowed. Avoid contamination of food. In case of contact, immediately flush eyes or skin with water for at least 15 minutes. For eyes, call a physician. Wash contaminated clothing before reuse. If swallowed, drink large quantities of water. Avoid alcohol immediately.

EPA REGISTRATION NO. 559-24 For Institutional Use
EPA EST. 559-MO-1

davies
co.

3705 Wagner Place



**DIRECTION FOR USE
GENERAL CLASSIFICATION**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Add two ounces per gallon water.

Apply LEMON QUAT to floors, walls and other hard surfaces such as tables, chairs, and bedframes with a cloth or mop.

At two ounces per gallon use-level, LEMON QUAT is effective against *Staphylococcus aureus*, *Salmonella choleraesuis*, *Escherichia coli*, and *Trichophyton Interdigitale*, the athlete's foot fungus. Germicidal performance against the first three organisms has been confirmed by the AOAC Use-Dilution Test. Fungicidal performance against *T. Interdigitale* was determined by the AOAC Fungicidal Test.

*At two ounces per gallon use-level, LEMON QUAT is virucidal against Herpes Simplex (a member of the virus family that causes infectious mononucleosis), Vaccinia (representative of the pox viruses), and Influenza A₁, as represented by the strains commonly called the Hong Kong Flu and the London Flu Virus, on inanimate environmental surfaces.

Note, this product is not effective against *Ps. aeruginosa* at this use-level.

For sanitizing add one ounce per gallon of water.

Use LEMON QUAT for sanitizing and cleaning utensils, equipment, and other hard surfaces. When sanitizing food processing equipment and utensils and food contact surfaces, a potable water rinse is required.

STORAGE AND DISPOSAL

1. PROHIBITIONS

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

2. PESTICIDE DISPOSAL

Pesticide, spray mixture or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

3. CONTAINER DISPOSAL

Triple rinse (or equivalent) and dispose in an incinerator or landfill approved for pesticide containers, or bury in a safe place.

4. GENERAL

Consult Federal, State or local disposal authorities for approved alternative procedures such as limited open burning.

STATEMENT OF PRACTICAL TREATMENT

Precautionary Statements —

Hazards to Humans and domestic animals

Keep out of reach of children. May cause severe eye irritation or eye damage. Causes skin irritation. Do not get in eyes, on skin, or on clothing. Harmful if swallowed. Avoid contamination of food.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

EPA REGISTRATION NO. 559-24 For Institutional & Industrial Use Only
EPA EST. 559-MQ-1

MFG by **the
davies-young
company**

3700 Wagner Place / Maryland Heights / Missouri 63043

