

MGK McLAUGHLIN GORMLEY KING COMPANY

ACCEPTED
13 EVERCIDE® Total Release Aerosol 2615
DEC 1995
Under the Federal Insecticide, Fungicide, and Plant Growth Regulator Act
Registered for the pesticide
Registered under
EPA Reg. No. 1021-1676

EVERCIDE® Total Release Aerosol 2615

8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4372 U.S.A.

TELEPHONE (612) 544-0341

[] OR () indicates alternate or optional wording

[Nylar®] [brand name] is an insect growth regulator similar to the naturally occurring insect growth hormones which interferes [stops] their growth or development

[Nylar®] [brand name] stops [prevents] the flea from developing into egg laying adults

[Nylar®] [brand name] can be used as part of an integrated pest management [IPM] program

[Nylar®] [brand name] can be a biorational approach to insect control

[Nylar®] [brand name] keeps working in areas exposed to the sun

Inhibits reinfestation by cockroaches for up to 180 days [26 weeks] [6 months]

Kills [controls] existing cockroaches and effectively breaks the cockroach life cycle

Works with nature to interrupt [break] the life cycle of the cockroach

Effectively controls [eliminates] cockroach populations by preventing reproduction [thereby eliminating future generations]

[Nylar®] [brand name] keeps working on cockroaches for 180 days [26 weeks] [6 months]

Stops cockroaches from generating reproductive offspring

Prevents [stops] [inhibits] nymphal cockroaches from becoming adults [breeding adults] [reproductive adults] [egg laying adults]

[Nylar®] [brand name] works for 180 days [26 weeks] [6 months] against hatching cockroaches [nymphal (preadult) cockroaches] [hatching eggs (nymphs)]

Inhibits reinfestation by fleas for up to 210 days [30 weeks] [7 months]

Kills adult and preadult fleas, including flea eggs for 210 days [30 weeks] [7 months]

If adult fleas are introduced from untreated areas, their offspring will not become biting [reproductive] adults

Prevents fleas from developing into the biting adult stage

Prevents [stops] eggs, hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)] from becoming full grown [developing into] biting adults

One treatment works for 210 days [30 weeks] [7 months] against eggs, hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)]

Kills present [today's] fleas and prevents new [tomorrow's] fleas from growing up to bite

[Nylar®] [brand name] keeps working on fleas for 210 days [30 weeks] [7 months]

Controls [stops (kills) (prevents)] stages of fleas that don't resemble fleas

Kills Ticks, Spiders, Ants and other listed insects

Also kills [controls] Deer Ticks and other Ticks that may carry and transmit Lyme Disease

ONE UNIT TREATS UP TO 6,000 CUBIC FEET

ACTIVE INGREDIENTS:

Pyrethrins	0.050%
* Piperonyl butoxide, Technical	0.100%
** N-Octyl bicycloheptene dicarboximide	0.167%
(S)-cyano(3-phenoxyphenyl)methyl-(S)-4-chloro-alpha-(1-methylethyl)benzeneacetate	0.100%
*** 2-[1-Methyl-2-(4-phenoxyphenoxy) ethoxy] pyridine	0.600%
INERT INGREDIENTS	98.983%
	100.000%

- * Equivalent to 0.080% (butylcarbityl) (6-propylpiperonyl) ether and 0.020% related compounds
- ** MGK® 264, Insecticide Synergist
- *** NYLAR®
Contains petroleum distillate

EVERCIDE, MGK, NYLAR® - Registered trademarks of McLaughlin Gormley King Co.

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

- IF SWALLOWED: Call a physician or Poison Control Center immediately. Do not induce vomiting because of aspiration pneumonia hazard.
- IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.
- IF ON SKIN OR CLOTHING: Remove contaminated clothing and wash before reuse. Wash with plenty of soap and warm water. Get medical attention if irritation persists.
- IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

IF INHALED:

Get medical attention if irritation persists.
Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth.
Get medical attention.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION


Harmful if swallowed, inhaled or absorbed through the skin. Contains petroleum distillate. Do not induce vomiting because of aspiration pneumonia hazard. Do not breathe vapors or spray mist. Avoid contact with skin, eyes, or clothing. In case of contact, flush with plenty of water. Wash with soap and warm water after use. Obtain medical attention if irritation persists. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Avoid contamination of food or feedstuffs.

Do not treat establishments where livestock feed is present.

Remove pets, birds, and cover fish aquariums before spraying.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130 F may cause bursting.



[EVERCIDE® TOTAL RELEASE AEROSOL 2615] [brand name] contains a combination of three active ingredients that stops [blocks] (interrupts) (terminates) the cockroach and flea life cycle in three ways and controls [kills] other listed insects. The first active ingredient is [NYLAR®] [brand name], an insect growth regulator, that will not allow the cockroach or flea to reproduce viable offspring thereby providing long term [residual] control. [Nylar®] [brand name] inhibits development of the immature stages of the cockroach and flea preventing them from reaching the adult stage. [Nylar®] [brand name] is similar to insect growth hormones that occur naturally in insects causing interference with their growth and development.

[EVERCIDE® TOTAL RELEASE AEROSOL 2615] [brand name] with [Nylar®] [brand name] will inhibit [stop] the cockroaches' natural ability to reproduce, thereby eliminating future generations and contains an active ingredient [adulticide] that kills existing cockroaches. This powerful formula reaches cockroaches through cracks and crevices to kill them where they hide. Cockroaches exposed to [Nylar®] [brand name] will have crinkled wings, showing it has affected the population and that these cockroaches cannot reproduce. Immature cockroaches [nymphs] are prevented from developing into reproductive adults, thereby effectively breaking the cockroach life cycle. [EVERCIDE® TOTAL RELEASE AEROSOL 2615] [brand name] inhibits the cockroaches natural ability to reproduce future generations by preventing [stopping] [inhibiting] nymphal cockroaches from becoming adults [breeding adults] [reproductive adults] [egg laying adults].

[This fogger] [brand name] kills adults, eggs and hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)]. It kills hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)] [before they grow up to bite]. [Nylar®] [brand name], the insect growth regulator in this fogger, continues to kill [control] eggs, hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)] for 210 days [30 weeks] [7 months] by preventing their development into the adult biting stage. [EVERCIDE® TOTAL RELEASE AEROSOL 2615] [brand name] can be used to control [kill (interrupt) (terminate) (block)] fleas hidden in carpets, rugs, draperies, upholstery, pet bedding, floors, cracks, crevices and cabinets. Occasionally, adult fleas may be present in treated areas when reintroduced from infested animals.

To protect your pet against and to minimize reintroduction of adult fleas from outdoors, use EPA registered flea and tick products, [brand name] flea or flea and tick collar, [brand name] pet powder, [brand name] pet spray, [brand name] pet dip, [brand name] pet shampoo, flea shampoo or flea and tick pet shampoo, in conjunction with this application and prior to re-entry. As part of a complete flea control program use EPA registered [brand name] outdoor [lawn] [home and garden] spray, [brand name] [pressurized] flea and tick [indoor] [premise] spray.

Kills [controls] insects [on contact] [such as]:

- Cockroaches [adults (nymphs)]
- Smokey Brown Cockroach [adults (nymphs)]
- Brown Banded Cockroach [adults (nymphs)]
- Asian Cockroach [adults (nymphs)]
- German Cockroach [adults (nymphs)]
- American Cockroach [adults (nymphs)]
- Australian Cockroach [adults (nymphs)]
- Oriental Cockroach [adults (nymphs)]
- Waterbugs [adults (nymphs)]
- Palmetto Bugs [adults (nymphs)]
- Crickets [adults (nymphs)]

- Sowbugs
- Spiders
- Millipedes
- Scorpions
- Beetles
- Ground Beetles
- Elm Leaf Beetles
- Boxelder Bug
- Earwigs
- Lice
- Dust Mites
- Pillbugs
- Clover Mites
- Dermestids [Carpet Beetles (Trogoderma)]

- Fleas [adults (larvae) (eggs) (preadult)]
- Ticks [that carry and transmit Lyme Disease]
- Brown Dog Ticks
- Long Star Ticks
- Deer Tick
- Other Ixodid Species
- American Dog Tick
- Gulf Coast Tick

- Foraging Ants [Fire Ants] [Pharaoh Ants]
- Carpenter Ants [Eastern (Western)]

- Granary Insects
- Flat Grain Beetle
- Cadellles
- Rice Weevils
- Flour Beetles
- Cigarette Beetles
- Drugstore Beetles
- Lesser Grain Borer
- Merchant Grain Beetle
- Sawtoothed Grain Beetle
- Grain Weevils
- Warehouse Beetle
- Red Flour Beetle
- Confused Flour Beetle
- Grain Mites
- Cheesemites

- Centipedes
- Midges
- Flies
- Gnats
- Cluster Fly
- Mosquitoes
- Sciariid Fly
- Firebrat
- Silverfish
- Booklice
- Bedbugs
- Wood Borers (exposed stages)

- Flying Moths
- Almond Moth
- Chocolate Moth
- Tobacco Moth
- Indian Meal Moth
- Indian Mealworm
- Angoumois Grain Moth
- Hornets
- Carpenter Bees
- Wasps
- Yellowjackets [Eastern (Western)]

Warehouse Beetle
Red Flour Beetle
Confused Flour Beetle
Grain Mites
Cheesemites

Silverfish
Booklice
Bedbugs
Wood Borers (exposed stages)

Carpenter Bees
Wasps
Yellowjackets (Eastern (Western))

For use in [including, but not limited to] [such as]:

Apartments, Atriums, Attics, Automobiles, Basements, Bathrooms, Boats, Cabins, Campers, Cat Sleeping Quarters, Closed Porches, Clothes Storage, Condominiums, Dens, Dormitories, Drive-Ins, Drugstores, Factories, Food Plants, Garages, Homes, Hospitals, Hotels, Institutions, Kennels, Kitchens, Lanais, Living Rooms, Locker Rooms, Motels, Nursing Homes, Office Buildings, Other Public Buildings, Pet Grooming Parlors, Pet Sleeping Areas, Pet Stores, Play Rooms, Railroad Cars, Recreation Vehicles, Restaurants, Rooms, Schools, Ships, Solariums, Storage Areas, Sun Rooms, Supermarkets, Taverns, Theaters, Trailers, Trucks, Utility Rooms, Verandas, Veterinaries, Warehouses, Washrooms and Zoos.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product
in a manner inconsistent with its labeling.

READ ALL DIRECTIONS COMPLETELY BEFORE USE

For use only when building has been vacated by human beings and pets. Ventilate area for 30 minutes before re-entry.

For best results, treat all infested areas [sites]. Use one fogger for each 6,000 cubic feet (approximately 27 ft x 27 ft x 8 ft ceiling) of unobstructed area. Use additional units for remote rooms or where the free flow of mist is not assured. Do not use more than one unit per average size room. Do not use this unit in a cabinet or under a counter or table.

Do not use in food areas of food handling establishments, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. In the home all food processing surfaces and utensils should be covered during treatment or thoroughly washed before reuse. Exposed food should be covered or removed. Not for use in USDA Meat and Poultry Plants.

PREPARATION:

Remove or cover exposed food, dishes, utensils, surfaces and food-handling equipment. Shut off fans and air conditioners. Put out all flames and pilot lights. Close outside doors and windows. Remove pets and birds but leave pets' bedding as this is a primary hiding place for fleas and must be treated for best results. No need to discard pet bedding after treatment. Cover or remove fish tanks and bowls. Leave rugs, draperies and upholstered furniture in place. This product will not harm furniture when used as directed. Open interior closet doors and cabinets or areas to be treated.

For more effective control of Cockroaches [Smokey Brown Cockroach, Brown Banded Cockroach, Asian Cockroach, German Cockroach, American Cockroach, Australian Cockroach, Oriental Cockroach], [Crickets, (Waterbugs and Palmetto Bugs)] and storage pests [Flour Beetles, Cigarette Beetle, Drugstore Beetle, Lesser Grain Borer, Merchant Grain Beetle, Sawtoothed Grain Beetle, Grain Weevils, Warehouse Beetle, Red Flour Beetle, Confused Flour Beetle] open all cupboard doors [kitchen, bathrooms, pantry], and drawers for better penetration of fog. Remove all infested foodstuffs and dispose of in outdoor trash.

For flea and tick control, thoroughly vacuum all carpeting, upholstered furniture, along baseboards, under furniture and in closets. Put vacuum bag into a sack and dispose of in outside trash. Mop all hard floor surfaces.

READ ALL DIRECTIONS AND CAUTIONS BEFORE USING

TO START FOGGING: SHAKE FOGGER WELL BEFORE USE: Hold can at arm's length with top of can pointing away from face and eyes. Push down on finger pad until it locks. This will start fogging action. Set canister in an upright position on a table, stand, etc. (up to 30 inches in height in the center of the area) and place several thicknesses of newspaper under the canister to prevent marring of the surface. Treat the whole dwelling using additional units as required but not to exceed one unit per room. Leave the building at once.

DO NOT RE-ENTER BUILDING FOR TWO HOURS. After two hours, open all outside doors and windows, turn on air conditioners and/or fans and let treated area air for 30 minutes before reoccupying. If additional units are used for remote rooms or where free flow of mist is not assured, increase airing-out time accordingly. Thoroughly clean all food processing areas before using. After first use, treat twice more about 3 months apart.

Do not use this unit in a cabinet or under a counter or table. Do not use this unit in an area less than 100 cubic feet.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in a cool, dry place. Keep container closed.

DISPOSAL: Replace cap and discard container in trash. Do not incinerate or puncture.

Net Contents _____

Manufactured by:
Mc LAUGHLIN GORMLEY KING COMPANY
8810 Tenth Avenue North
Minneapolis, MN 55427