

CENTER PANEL

ENVIRON-D®

EPA Reg. No. 1043-14

PHENOLIC • DISINFECTANT

ACTIVE INGREDIENTS:


potassium o-benzyl-p-chlorophenate	5.51%
potassium p-tertiary amyphenate	5.52%
potassium o-phenylphenate	5.51%
INERT INGREDIENTS:	83.40%

**KEEP OUT OF REACH OF CHILDREN
DANGER**

Statement of Practical Treatment

In case of eye contact, flush with water for 15 minutes. Get medical attention. For skin contact, flush thoroughly with water. See side panel for additional precautionary statements and first aid.

CONTENTS: 1 U.S. GALLON (3.78 Liters)



RIGHT PANEL

Environ-D Phenolic Disinfectant is an effective germicide for disinfecting and deodorizing pre-cleaned farm and poultry buildings, equipment, animal confinement and rearing areas, and veterinary facilities. A 1/2% solution kills pathogenic bacteria and fungi such as Staphylococcus aureus, Pseudomonas aeruginosa, Salmonella enteritidis, Salmonella sp. serovar pullorum, Salmonella choleraesuis, Trichophyton mentagrophytes, Mycobacterium tuberculosis and is virucidal* against Influenza A₂ [Hong Kong], Herpes simplex Type 1, Adenovirus Type 2, Vaccinia, Hog cholera virus and Marek's Disease virus on hard inanimate environmental surfaces.

GERMICIDAL QUALIFICATION: A.O.A.C. Use Dilution Confirmation, 10 minutes at 20°C when diluted at 1:200.

TUBERCULOCIDAL ACTIVITY TEST: A.O.A.C., M. tuberculosis (BCG); effective in 10 minutes at 20°C when diluted at 1:200. Remove heavy soil and gross filth and thoroughly clean surfaces.

FUNGICIDAL TEST: A.O.A.C., T. mentagrophytes, effective in 10 minutes at 20°C when diluted at 1:200.

***VIRUCIDAL ACTIVITY:** Use Dilution confirmation, effective in 10 minutes at 20°C when diluted at 1:200.

STORAGE AND DISPOSAL


Prohibitions: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

Pesticide Disposal: This germicide, its solutions or rinsings from empty containers should be disposed of in a toilet or service sink served by sanitary sewer or in a landfill approved for pesticides.

Container Disposal: Triple rinse. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary land fill or by other approved state and local procedures.

General: Consult Federal, State or Local disposal authorities for approved alternative procedures such as limited open burning. If frozen, thaw and remix before use.

Calgon Vestal Laboratories, Inc.
St. Louis, MO 63110



LEFT PANEL

Precautionary Statements
Hazard to Humans and Domestic Animals:

DANGER

Corrosive to tissues. Causes eye and skin damage.

Harmful or fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles and rubber gloves when handling. Avoid contamination of food. Do not use, pour, spill or store near fire or open flame.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, do not induce vomiting, drink promptly a large quantity of water. Avoid alcohol. Call a physician immediately. **Note to Physician:** Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Disinfecting Washable Hard Surfaces: This product is a concentrate and must be diluted for use. A 1/2% solution (2/3 ounce per gallon of water) is recommended for all disinfecting applications. Apply by wiping, mopping, spraying with a coarse spray or scrubbing to wet surfaces thoroughly with the use-solution. Allow the surface to remain wet for 10 minutes. Remove excess solution with a wrung-out applicator. Discard solution when soiled and replace with a fresh solution. Pre-clean and rinse all heavily soiled surfaces before disinfection. Always remove heavy soils and gross filth before applying solutions of this product.

When cleaning and disinfecting animal, poultry or veterinary facilities, first remove all livestock from the premises, cover or remove all feed and foodstuffs, and remove all dirt, litter and debris. Thoroughly clean all surfaces with soap or detergent and rinse with water. Then thoroughly saturate all pre-cleaned surfaces with use-solution. Allow the surfaces to remain wet for 10 minutes. (Wash all feeders and waterers with a detergent, then rinse with potable water before reuse.) Ventilate buildings, coops, and other closed spaces and allow disinfected surfaces to dry before rehousing livestock. Do not use in milking stalls, milking parlors, or milk houses. This is a complete product. Use only as directed. Do not add other chemicals.

DILUTION TABLE

Quantity of Environ-D Concentrate to make 1/2% Use Dilutions		
Water	1 Gallon	5 Gallons
Concentrate	2/3 fl. oz.	3-1/3 fl. oz.