A ready-to-use, clear liquid with pleasant odor which combines the unique potentials of two broad spectrum insecticides to kill, not only by contact, but also by long lasting residual action and immediate panetrating turnes which reach places where insects hide.

RESIDUAL: Retains its activity for several days

ECONOMICAL: Protects your plant and your product.

RECOMMENDED: For industrial and food processing plants, ware-houses, theatres, restaurants, garages, sheds, outhouses, garbage disposal areas, kennels, zoos and similar areas.

DIRECTIONS

APPLICATION FOR NON-FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS:

GENERAL—Use this product as furnished, without dilution. and follow instructions as given for specific insects. Do not apply to areas which will be contacted frequently by children, and do not allow them in treated areas until surfaces are dry. Do not contaminate food, water, food containers, cooking utensils or similar equipment. Do not treat animals. Do not remain in treated areas and ventilate the area after treatment is completed.

SPOT APPLICATION—For control of Cockroaches, Ants, Crickets, Clover Mites, Earwigs, Sliverfish, Spiders, Centipedee, Scorpions, Pantry Pests (exposed stages of Saw-toothed Grain Beetle, Flour Beetle, Rice Weevil, Cigarette Beetle, Drug Store Beetle, and Indian Meal Moth), Brown Dog Ticks, Fleas, Carpet Beetles, Clothes Moth's Larvee, apply by means of a coarse spray or paint brush to window sills, baseboards, under sinks, in cracks and crevices, along back of shelving, beneath book shelves, on and around water pipe openings, around heat duct openings and electrical outlets and other areas frequented by these pasts.

For Carpet Beetles and Clothes Moths—Apply to baseboards and floors (including areas under carpets, along margins of carpets, and in closets), behind radiators and other lint accumulation areas, closet shelves and walls, and infested surface areas of carpeting, such treatment will control the larval stages of clothes moths in these areas. However, clothing or woolen goods should receive a regular, sultable moth-proofing treatment for complete protection. Dry clean all treated articles before using as clothing or bedding. Flees and Brown Dog Ticks in animal quarters may be controlled by liberal application to floors, cracks, crevices and other pest-frequented areas of kennels, pens, yards, lawns, and under houses after removing animals.

Do not treat animals directly. Replace bedding with fresh material after treatment. Repeat in 3 to 4 weeks if necessary.

APPLICATION WITHIN FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS: Such as industrial plants, warehouses, bekeries, dairies, restaurants, hotels, motels, food processing plants and clubs. LIMITED TO CRACKS AND CREVICE TREATMENT ONLY—Use apray equipment that can deliver a pencil thin stream of insecticide directly into cracks and crevices, expansion joints between elements of construction or between equipment bases and the floor, wall voids, motor housing, junction boxes, conduits or hollow equipment legs where cockroaches, ants, crickets, clover miles, earwigs, silverlish,



ACTIVE INGREDIENTS:

Malathion (0, 0-Dimethyl Dithiophosphate of	
Diethyl Mercaptosuccinate)	2.00%
Dichlorvos (2, 2-Dichlorovinyl Dimethyl Phosphate*)	0.51%
Related Compounds	0.049
Aromatic Petroleum Distillates	
Petroleum Distillates	80.279
INERT INGREDIENTS:	0.499

12, 2-Dichlorovinyl Dimethyl Phosphate is also known as ODVP.

Total 100.00%

SOLD FOR COMMERCIAL AND INDUSTRIAL PURPOSES ONLY. NOT FOR HOUSEHOLD USE.

WARNING: KEEP OUT OF REACH OF CHILDREN.
SEE RIGHT PANEL FOR REQUIRED PRECAUTIONS.

Delta Foremost Chemical Corp.

3915 AIR PARK STREET, MEMPHIS, TENNESSEE, 38130

spiders, centio foregoing explitaken to scilintroducing-the food processin APPLICATION HANDLING EL CREVICE TRES

STO Do not contam PESTICIDE SA

temperature. A leakage, soak i waste.
PESTICIDE DIS disposed of ac disposal facilit CONTAINER E recycling or re landfill, or by c WARNING: Do not use in servi inhaled or abloc contact with ai


and before est

inhibition. If c

If Swallowed: induce vomitin high amount of pneumonia. IF INHALED: respiration If it in Eyes or einitation persis NOTE TO PH lavage is indicholinesterase Antidotal. 2-F conjunction will

Keep out of reproduct is toxic cleaning of eqvaluable ornam NOTICE—The trol and involwarranty, expaccordance witabel. EPA Reg. No.





RESIDUAL INSECTICIDE

ACTIVE INGREDIENTS:
Malathian / A. Dimethyl Dithianhaeahate of

10age

rhich

peted

food

nala

int la

kets

ions.

retie.

Oth)

ly by arris.

insth duct

hese

000

d in

080 Buch

1008

able

ated

7cks

xora.

L/YIS

after

ING ries.

JDn.

Dray

ictly

1 0

Hda.

watathion to, o-philethyl philophosphate or	
Diethyl Mercaptosuccinate)	2.00%
Dichlorvos (2, 2-Dichlorovinyl Dimethyl Phosphate*)	0.51%
Related Compounds	
Aromatic Petroleum Distillates	
Petroleum Distillates	0.27%
INERT INGREDIENTS:	0.49%

12. 2-Dichlorovinyl Dimithyl Phosphate is also known as DDVP.

Total 100.00%

SOLD FOR COMMERCIAL AND INDUSTRIAL PURPOSES ONLY, NOT FOR HOUSEHOLD USE.

WARNING: KEEP OUT OF REACH OF CHILDREN.

SEE RIGHT PANEL FOR REQUIRED PRECAUTIONS.

Net Contents_____ Gallons___ Delta Foremost Chemical Corp.

3915 AIR PARK STREET, MEMPHIS, TENNESSEE, 38130

spiders, centipedes, clothes moths, fless and brown dog ticks hide. The foregoing application aids in-control of carnet beetles. Care should be taken to amid depositing the product onto exposed surfaces or introducing the material months all. Avoid contamination of food or food processing surfaces.

APPLICATION OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS, OTHER THAN AS A CRACK AND

CREVICE TREATMENT, IS NOT PERMITTED.

STORAGE AND DISPUSAL

Do not contaminate water, food or feed by grornos or disposal

PESTICIDE STORAGE AND SETLL PROCEDURE. Store upright at room temperature. Avoid exposure to extreme temperature, in case of split or leakage, soak up with an absorpant material. Dispose of with chemical waste.

PESTICIDE DISCOSAL: Pesticide, apray mixture or rinse water must be disposed of fing to label instructions at or by an approved waste. disposal facility

CONTAINER DISPOSAL: Triple rinse (or equivalent) then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved state and local procedure

WARNING: Do not use, pour, splil or store near heat or open flame. Do not use in serving areas while food is exposed. May be fatal if swallowed, inhaled or absorbed through skin. Avoid breathing of spray mist. Avoid contact with skin. Wash thoroughly with soap and water after handling and before eating or smoking. This product may cause cholinesterase inhibition. If poisoning occurs, get prompt medical aid.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Contact a physician or Polson Control Center. Do not induce vomiting unless directed by a physician. This product contains a high amount of petroleum distillate. Vomiting may cause aspiration pneumonia.

IF INHALED: Romove affected person to fresh air. Apply artificial respiration if indicated.

If in Eves or on Skin: Flush with plenty of water. Contact a physician if irritation persists.

NOTE TO PHYSICIAN-Solvents presents aspiration hazard. Gastric lavage is indicated if material was taken internativ. If symptoms of cholinesterase inhibition are present. Atropine Sulfate by injection is Antidotal. 2-PAIA is also entidotal and may be administered in conjunction with Atropine.

ENVIRONMENTAL HAZARDS

Keep out of reach of children, pets, poultry, and domestic animals. This product is toxic to fish, wildlife, and birds. Do not contaminate water by cleaning of equipment or disposal of waste. Avoid spraying directly on valuable ornamental plants or injury may occur.

NOTICE-The use of this product being beyond our knowledge and control and involving elements of risk if misused, we do not make any warranty, expressed or implied as to the effects of any use not in explicit accordance with the claims directions and cautions set forth on this label

EPA Reg. No. 1203-35

EPA Est. No. 1203-TN-1