



OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

June 6, 2024

Joanna Holcombe
Senior Product Regulatory Specialist
Innovate Water Care, LLC
Electronic Transmittal: jholcombe@solenis.com

Subject: Notification per PRN 98-10 – Adding Graphics to the Label
Product Name: AEW35-36
EPA Registration Number: 1258-1342
Received Date: 3/26/2024
Action Case Number: 00559403

Dear Joanna Holcombe:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Antimicrobials Division (AD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The label submitted with the application has been stamped “Notification” and will be placed in our records.

Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) lists examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website

contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Assurance.

If you have any questions, please contact Aline Heffernan via email at Heffernan.aline@epa.gov.

Sincerely,

A handwritten signature in cursive script, appearing to read 'Aline Heffernan', written in black ink.

Aline Heffernan
Senior Regulatory Advisor
Immediate Office
Antimicrobials Division
Office of Pesticide Programs

Note to reviewer:

[Items in brackets [AAA] are optional and may/may not be included on final label]

{Items in braces {AAA} are for information purposes and will not appear on final label}

AW35-36

Active Ingredients:

Trichloro-s-Triazinetrione93.5%

Copper sulfate pentahydrate1.5%

Other Ingredients.....5.0%

Total:.....100.0%

NOTIFICATION

1258-1342

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

06/06/2024

KEEP OUT OF REACH OF CHILDREN

[MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS]

DANGER [/] [PELIGRO]

{Note to reviewer: Although this product has a "Danger" signal word, as per the EPA label review manual "The Agency may permit reasonable variations in the placement of the First Aid statement as long as the reference statement, "See First Aid (or Statement of Practical Treatment) on (identify appropriate panel)" appears on the front panel." If the First Aid Statements are placed on the front panel of the final graphic label, the statement below will only refer to the Precautionary Statements}

See [left] [right] [side] [back] panel for precautionary [and first aid] statements.

[Manufactured for][Sold by]:

Innovative Water Care, LLC

1400 Bluegrass Lakes Parkway

Alpharetta, GA 30004

EPA Reg. No. 1258-1342

[[Superscript Used in Lot Number]

EPA Est. No. XXXX-YY-ZZ

NET WEIGHT:

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive. Causes irreversible eye damage. Causes eye and skin burns. May be fatal if inhaled or absorbed through skin. Harmful if swallowed. Irritating to nose and throat.

- [·] Open in a well-ventilated area. Avoid breathing dust and fumes.
- [·] Do not get in eyes, on skin or on clothing. Wear goggles and rubber gloves. For additional protection of skin, wear long sleeves and long pants.
- [·] Wash hands after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.
- [·] Remove contaminated clothing and wash clothing before reuse.

FIRST AID:

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

IN CASE OF EMERGENCY CALL: 1-800-654-6911

PHYSICAL AND CHEMICAL HAZARDS:

DANGER. If product is exposed to small amounts of water, it can react violently to produce heat and toxic gas and spatter. Do not add water to this product. Add only into water.

- [·] [Do not mix this product with a small amount of water. Only add this product directly to your pool.] *{This statement will appear on Pool use labels only.}*

- [·] Do not allow to become wet or damp before use.

Can react with other materials, including other water treatment products, to cause fire, explosion, and the release of toxic gases.

- [·] Keep all foreign matter, including other water treatment products, away from this product.
- [·] Use only clean and dry utensils to dispense this product.
- [·] Do not allow this product to contact other water treatment products. If used in a skimmer, make sure skimmer is completely clean and free of residue from other water treatment products before putting this product in a skimmer.
- [·] Avoid spilling this product.

Exposure to heat can cause this product to rapidly decompose, leading to fire, explosion, and the release of toxic gases.

- [·] Store in a cool, dry, well-ventilated area away from heat or open flame.

Strong oxidizing agent. This product can increase fire intensity.

- [·] Keep away from heat and from flame and burning material (like a lighted cigarette).

{First sentence of paragraph below for containers 50 lb. or less; complete paragraph for all other sizes}

ENVIRONMENTAL HAZARDS:

This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, ponds, streams, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

{Household/residential use products}

STORAGE AND DISPOSAL:

Pesticide Storage:

Keep this product dry in its tightly closed container when not in use. Store in a cool, dry, well-ventilated area. Keep away from heat or open flame.

Pesticide Disposal:

Nonrefillable container. Do not reuse or refill this container. Rinse empty container thoroughly with water to dissolve all material prior to disposal. Offer for recycling if available. If not, discard in trash. FOR DISPOSAL OF A CONTAMINATED OR DECOMPOSING PRODUCT SEE EMERGENCY HANDLING.

EMERGENCY HANDLING: In case of contamination or decomposition – Do not reseal container. Immediately remove container to an open and well-ventilated outdoor area by itself. Flood with large amounts of water. Dispose of the container and any remaining contaminated material in an approved landfill area.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **Read all precautionary statements and first aid statements before use.**

[For crystal clear pool water, follow our 4 step pool care program: Step 1: Test and balance pool water, Step 2: Sanitize, Step 3: Shock at least once a week, and Step 4: Add algaecide as directed by that product.]

METHOD OF APPLICATION: Use in a floating dispenser, automatic chlorinator, or feeder designed for this product, or place in skimmer. Use in a new chlorinating device or any device which has previously contained only this product or trichloro-s-triazinetriene. If placed in the skimmer, run the pump a minimum of eight hours daily. **DO NOT** Use in floaters or feeders that have been used with other water treatment products. **DO NOT** Throw tablets directly into pool. **DO NOT** Permit tablets to contact plastic pool linings or metal objects. **DO NOT** Use in any chlorinating device which has been used with other chlorinating compounds.

WATER BALANCE:

[To provide optimum product performance, swimmer comfort and crystal clear water always maintain pH from 7.2 to 7.6, total alkalinity from 80 to 120 parts per million (ppm), and calcium hardness above 200 ppm. Test frequently using an HTH test kit that measures all these ranges. Make any necessary adjustments promptly with the appropriate HTH pool care products. Re-entry into treated pools is prohibited with chlorine levels above 4 ppm for risk of bodily injury.]

{or}

[Adjust and maintain pool water pH from 7.2 to 7.6, total alkalinity from 80 to 120 parts per million (ppm) and calcium hardness above 200 ppm. Test frequently using a[n] [brand] [test kit] [or] [test strips] that measure[s] all of the above ranges. [Bring a pool water sample to your [brand] dealer frequently to test for water balance.] Maintain free available chlorine between 1 - 4 ppm [using a stabilized chlorine product] {or} [brand granular shock].

OPENING YOUR POOL: Balance pool water, shock treat, and stabilize your pool using [brand] Stabilizer & Conditioner and by following directions on that label. Then follow "ROUTINE CHLORINATION" directions.

ROUTINE CHLORINATION:

{For single tablet pack}

Follow "METHOD OF APPLICATION". Add one tablet per 10,000 gallons of pool water every week or as often as needed to maintain a chlorine residual at 1–4 ppm. This dosage may vary depending upon bather load, water temperature and other conditions. Pool must not be entered until the chlorine residual is 1–4 ppm as measured with a reliable test kit.

{Directions for use with tablet form of this product in skimmer or floater}

[Ensure that the skimmer basket or floater is free of any other chemicals, tablets, or residue. Place this product in the skimmer basket or floater. Use one tablet per 10,000 gallons of water. Do not add other chemicals to the skimmer or floater while this product is present. Run filter pump a minimum of 8 hours per day, otherwise vinyl liner damage may occur. If free available chlorine goes above 4 ppm, reduce skimmer flow rate or daily pump operation time. Reentry into treated swimming pool is prohibited above levels of 4 ppm free available chlorine due to risk of bodily injury. If chlorine residual goes below 1 ppm, add enough [brand] granular shock to maintain 1-4 ppm of chlorine, and increase skimmer flow rate or daily pump operation time. The number of [tablets*] and frequency of use will vary with bather load, water temperature, rain, and pump operating time.]

{Directions for use with cartridge form of this product in a [brand] feeder}

[Turn off filter pump. Open [brand] feeder, remove cartridge container and allow any water remaining in the empty cartridge to drain back into the feeder. Dispose of empty cartridge material. Refill cartridge container with new [AW35-36 or other brand] cartridge. Replace cartridge container, then close the feeder and turn filter pump back on. Set chlorine delivery rate to maintain available chlorine at 1 – 4 ppm.

After 24 hours check chlorine residual level with a test [kit [or] strip]. If free available chlorine is above 4 ppm, reduce the feed rate and retest in 24 hours. Reentry into treated swimming pools is prohibited above levels of 4 ppm free available chlorine due to risk of bodily injury.

Test chlorine residual on a regular basis, and if below 1 ppm free available chlorine, increase dial setting. Be sure to refill cartridge when contents are fully dissolved.]

{OPTIONAL MARKETING CONTENT}

{Clarity /Softness}

[Clarifies pool water]
[Contains a [clarifier][filter aid]]
[Contains clarifying additive]
[Delivers sparkling [pool] water]
[For crystal clear, sparkling blue water]
[Keeps pool water clean [and][&] crystal clear]
[Keeps [pool] water clear]
[Keeps [your] pool clear blue]
[Maintains brilliantly clear water]
[[Produces] sparkling [clean swimming] pool water]
[Restores clarity to pool water]
[Restore[s] crystal clarity to water]
[Softens Water]
[Sparkling pool water]
[Water softener]
[[With][Contains] built-in clarifier]

{Ease of Use}

[Convenient one week dosage]
[Convenient to use]
[Easy, economical, convenient to use]
[Individually wrapped for easy handling]
[Easy to use]
[Economical]
[Less work, with no daily dosing]
[No daily dosing required]
[No measuring [, no mess] [, no hassle]]
[No hassle]
[Spend less time maintaining the pool]

{Multipurpose Claims}

[[2-in-1][Dual] Action: Sanitizes and prevents algae]
[Two products in One]
[3-in-1 Action: Sanitizes, prevents algae, and clarifies water]
[Three products in One]
[4-in-1 Action: Sanitizes, prevents algae, prevents staining & scale formation, and clarifies water]
[Four products in One]
[Multipurpose tablet]
[Multi-action sanitizer]
[[Multifunctional][Multi-action] [chlorinating] [tablet]]

{Shock}

[Shock weekly with [brand]][product name]]

{Sanitizer}

[93.5% trichlor]
[Controlled release sanitizer]
[High available chlorine]
[Provides chlorination [at an economical price]]
[Provides long lasting [chlorination][sanitization]]
[Regulates chlorine release]

AW35-36

EPA Reg. No. 1258-1342

EPA ~~Stamped-Draft~~ Label 2017-01-31/2024-03-25

[Regulates chlorine levels]
[[Routine] Sanitizer [for chlorine pools]]
[Sanitizer]
[Sanitizer [for Chlorine Pools]]
[Sanitizer for swimming pool water]
[Sanitizes for [brilliantly] clear water]
[Sanitizes pool water]
[Stabilized [Sanitization][Chlorination]]
[Stabilized [Sanitizer][Chlorinator]]
[Swimming pool sanitizer]

{Bacteria Control}

[Bacteria [destroying][killing]]
[Begins working [quickly] to destroy bacteria]
[Destroys bacteria]
[Destroys organic contaminants]
[[Eliminates][Kills] bacteria]
[Kills and prevents bacteria, while maintaining proper chlorine levels]
[Kills bacteria and destroys organic contaminants]

{Algae}

[Algae [destroying][killing][fighting]]
[Algaecide]
[[Controls][Destroys][Kills][Inhibits][Prevents] algae]
[Kills algae]
[Sanitizes & Prevents Algae]
[[With][Contains] built-in algae [protection][fighter]]

{Bacteria & Algae}

[Bacteria [and][&] algae control]
[[Destroys] [Kills] [Inhibits] [Bacteria] [and][&] Algae]
[Kills [bacteria and] [controls] algae]
[Kills bacteria, destroys organic contaminants [and][&] controls algae]
[[Prevents][Controls] bacteria and algae]
[Protects against bacteria [and][&] algae]
[Routine use protects water from bacteria [[and][&] algae]]

{Residue/ Solubility/Scale}

[Corrosion inhibitor]
[Gentle on Equipment and Liners]
[Leaves no residue]
[No fading of liner[s] when used as directed]
[Non-staining [formula]]
[Prevents metal staining [and] [, corrosion] [, and scale formation]]
[Prevents Staining & Scaling Formation]
[Protection pool surfaces and equipment]
[Protects pool equipment [against scaling] for longer life]
[Reduces scale formation]
[Totally Soluble]
[With built in scale preventative & sunlight protector]
[[Won't][Will not] [cause staining] [or] [damage liners] when used as directed]
[[Won't][Will not] [fade] liner when used as directed]

{Compatibility}

[Compatible with all pool surfaces]
[Compatible with salt [water] [systems] [pools]]
[Compatibility with salt pools]
[Concentrated chlorinator for routine use]

AW35-36

EPA Reg. No. 1258-1342

EPA ~~Stamped-Draft~~ Label 2017-01-312024-03-25

[For all pool types]
[For Pop-Up Pools]
[[For use] [Ideal] [with] [for] all pool types [including vinyl-liner pools]]
[[For use] [Ideal] [with] [for] all pool [surfaces]][types]]
[Good for all pool surfaces]
[Ideal for [in ground] [and][&] [above ground] [pools] [with a skimmer]]
[Ideal for [vinyl-lined pools][pools with vinyl liners] when used as directed]
[Salt [water] [system] [pool] compatible]

{Stabilization}

[Contains built-in resistance to sunlight]
[Provides sun defense [for pool water]]
[Stabilized for [extended][longer] chlorine life]
[[Stabilized][Sun resistant][Sun [[protected][protection]]] for extended chlorine life]
[Sun resistant] for [extended][longer] chlorine life]]
[[With][Contains] built-in resistance to sunlight]

{Step Programs}

[Step 1 {in the [brand] System}]
{The “[Brand or POOLIFE] 3-Step System” below may be placed on the label to allow easy product identification by consumers.}
[[[Brand or POOLIFE] 3-Step System][:]
[Step] 1 [Sanitize It!] [POOLIFE [AW35-36 Additional Brand Name]]
[Step] 2 [Shock It!] [POOLIFE Exclusive Pool Care Collection TurboShock Shock Treatment]
[Step] 3 [Defend It!] [POOLIFE Exclusive Pool Care Collection Defend +]]]



[[For best results, follow the [brand] 4 step pool care program:]
[[Step] [1][:] [Balance]]
[[Step] [2][:] [Sanitize]]
[[Step] [3][:] [Shock] [Weekly]]
[[Step] [4][:] [Prevent Algae]]]



[]





{Product Support}

[[For product questions/support [from [brand] pool [[and][&] spa] care experts:]
[[Call] [\[HELPLINE\]\[Consumer Engagement Center\]](#): [brand number] [866-HTH-Pool][[800-455-4311](#)]]
[Chat online: [brand website] [hthpools.com]]]

[We're available 7 days a week from 8 AM to 10 PM EST]]

HELPLINE
866-HTH-POOL
(4 8 4 - 7 6 6 5)
Call 7 days a week with
your pool care questions.
8:00 AM - 10:00 PM EST
Visit us online:
www.hthpools.com

HELPLINE
866-HTH POOL
(4 8 4 - 7 6 6 5)
Call 7 days a week with
your pool care questions.
8:00 AM - 10:00 PM EST
Visit us online:
www.hthpools.com



VISIT
www.poolife.com

HELPLINE
888-433-3029
PoolBreeze.com

HELPLINE
866-476-6538
poolife.com

HELPLINE
800-455-4311
GLBPool.com

HELPLINE
866-HTH-POOL
(484-7665)
hthpools.com

HELPLINE
800-455-4311
AppliedBio.net

HELPLINE
877-929-7945
SironaSpaCare.com

HELPLINE
800-455-4311
LeisureTimeSpa.com

HELPLINE
844-908-2848
PristineBlue.com

HELPLINE
877-929-7945
Baquacil.com

[Get social with us at:] [Connect and Swim with us on Social:] [www.youtube.com/brand]
[www.facebook.com/brand]
[www.instagram.com/brand]
[www.pinterest.com/brand]
[use social icons]]
[Visit: [brand website] [hthpools.com]]

{Other Marketing Language}

[Assists filtration]

[[Chlorinates][Chlorine lasts] up to one week]

[Concentrated chlorinator for routine use]

[Contamination or improper use may cause fire, explosion or the release of toxic gases. Do not allow product to contact any foreign matter, including other water treatment products. If product is exposed to small amounts of water, it can react violently to produce heat and toxic gases and spatter. Do not add water to this product. Add only into water. {Optional – for use on residential use swimming pool products} [Do not remove floater or other dispensing device from water for an extended period of time if it contains a tablet or tablet residue.] {The following optional statement is for use on residential use swimming pool and spa products.} [Do not mix this product with a small amount of water. Only add directly to your pool.]

[Enhanced filter performance]

[For routine use in automatic feeders, floaters and skimmers]

[Here to Help] [since 1928]]

[hth and the hth logo are trademarks of Lonza or its affiliates]

[Improved][advanced] formula as compared to Enduraclean Tablets {product name for 1258-1244}]

[Innovative, patented exclusive technology]

[Less work, more [pool] [family] fun]

AW35-36

EPA Reg. No. 1258-1342

EPA ~~Stamped-Draft~~ Label 2017-01-31/2024-03-25

Page 8 of 22

[Less work, more swimming]
 [No guessing]
 [No measuring]
 [No more spills]
 [One tablet treats 10,000 gallons [for a week]]
 [Pool [Care] Experts since 1928]



]{Poollife logo}

[Precipitating agent included]
 [[Provides] 84% available chlorine]
 [Sequestering agent]
 [Slow dissolving]
 [Test and Add*]{Application frequency per routine maintenance directions.}
 [*Please refer to directions for use]



[WHY YOU SHOULD USE THIS PRODUCT]: [AW35-36 or other brand] [tablet[s]*]¹ are a unique and effective pool water sanitizer.] [Routine sanitization is important to keep your pool water free of bacteria and contaminants.] [These convenient and easy to use [BRAND] [chlorinating] [tablet[s]*] are formulated to protect against chlorine loss in direct sunlight, and can be used in skimmers, [and] floaters [and feeders]. [In addition to sanitizing, [brand] [tablets] prevent algae growth and clarify your pool water.] [They are designed to dissolve slowly to provide a steady source of available chlorine.]



[] []

¹ *The term “tablet[s]” may be replaced with “stick[s]”, “capsule[s]”, “cube[s]”, “cartridge[s]”, or other compacted form or descriptive term, either singular or plural, according to each respective product design.

TO DETERMINE POOL CAPACITY IN U.S. GALLONS Use the appropriate formula below	
POOL SHAPE	FORMULA (Use measurement in feet)
Rectangular:	Length x width x average depth x 7.5 = total gallons
Round:	Diameter x diameter x average depth x 5.9 = total gallons
Oval:	Maximum length x maximum width x average depth x 5.9 = total gallons
Freeform:	Surface area (sq. feet) x average depth x 7.5 = total gallons

HOW TO CALCULATE POOL CAPACITY IN U.S. GALLONS	
POOL SHAPE	FORMULA (Dimensions in feet)
Rectangular:	L x W x AD x 7.5 = total gallons
Round:	Di x Di x AD x 5.9 = total gallons
Oval:	Maximum L x maximum W x AD x 5.9 = total gallons
Freeform:	Surface area (sq. feet) x AD x 7.5 = total gallons

L = Length, W = Width, AD = Average Depth, Di = Diameter]

[To calculate your pool's capacity, visit hthpools.com/XXXX.]

{Optional marketing statements that may be used with pool sanitization with 3 inch tablets.}

[[[3"] Chlorinating Tablets] [with patented exclusive technology]]

[3" Sanitizer Tablets]

[4-in-1 Action][3"][Chlorinating][Tabs]

[Controlled Release Sanitizer for use in Automatic Feeders or Floaters]

[Slow Dissolving Sanitizer for use in Automatic Feeders or Floaters]

[Multifunctional][Multi-action][3"][Chlorinating][Tablets]

[Multifunctional][Multi-action][3"][Chlorinating][Tabs]

AW35-36 {Pre-Filled Floater}

Active Ingredients:

Trichloro-s-Triazinetrione	93.5%
Copper sulfate pentahydrate	1.5%
Other Ingredients	5.0%
Total:	100.0%

KEEP OUT OF REACH OF CHILDREN

[MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS]

DANGER [/] [PELIGRO]

{Note to reviewer: Although this product has a “Danger” signal word, as per the EPA label review manual “The Agency may permit reasonable variations in the placement of the First Aid statement as long as the reference statement, “See First Aid (or Statement of Practical Treatment) on (identify appropriate panel)” appears on the front panel.” If the First Aid Statements are placed on the front panel of the final graphic label, the statement below will only refer to the Precautionary Statements}

See [booklet][peel back label] for precautionary [and first aid] statements.

[Manufactured for][Sold by]:

Arch Chemicals, Inc.

1200 Bluegrass Lakes Parkway

Alpharetta, GA 30004

EPA Reg. No. 1258-1342

[[Superscript Used in Lot Number]

EPA Est. No. XXXX-YY-ZZ

NET WEIGHT:

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive. Causes irreversible eye damage. Causes eye and skin burns. May be fatal if inhaled or absorbed through skin. Harmful if swallowed. Irritating to nose and throat.

- [·] Open in a well-ventilated area. Avoid breathing dust and fumes.
- [·] Do not get in eyes, on skin or on clothing. Wear goggles and rubber gloves. For additional protection of skin, wear long sleeves and long pants.
- [·] Wash hands after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.
- [·] Remove contaminated clothing and wash clothing before reuse.

FIRST AID:

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

IN CASE OF EMERGENCY CALL: 1-800-654-6911

PHYSICAL AND CHEMICAL HAZARDS:

DANGER. If product is exposed to small amounts of water, it can react violently to produce heat and toxic gas and spatter. Do not add water to this product. Add only into water.

- [·] Do not mix this product with a small amount of water. Only add this product directly to your pool.
- [·] Do not allow to become wet or damp before use.

Can react with other materials, including other water treatment products, to cause fire, explosion, and the release of toxic gases.

- [·] Keep all foreign matter, including other water treatment products, away from this product.
- [·] Use only clean and dry utensils to dispense this product.
- [·] Do not allow this product to contact other water treatment products.
- [·] Avoid spilling this product.

Exposure to heat can cause this product to rapidly decompose, leading to fire, explosion, and the release of toxic gases.

- [·] Store in a cool, dry, well-ventilated area away from heat or open flame.

Strong oxidizing agent. This product can increase fire intensity.

- [·] Keep away from heat and from flame and burning material (like a lighted cigarette).

ENVIRONMENTAL HAZARDS:

This pesticide is toxic to fish and aquatic organisms.

{Household/residential use products}

STORAGE AND DISPOSAL:

Pesticide Storage:

Keep this product dry in its tightly closed container when not in use. Store in a cool, dry, well-ventilated area. Keep away from heat or open flame.

Pesticide Disposal:

Nonrefillable container. Do not reuse or refill this container. Rinse empty container thoroughly with water to dissolve all material prior to disposal. Offer for recycling if available. If not, discard in trash. FOR DISPOSAL OF A CONTAMINATED OR DECOMPOSING PRODUCT SEE EMERGENCY HANDLING.

EMERGENCY HANDLING: In case of contamination or decomposition – Do not reseal container. Immediately remove container to an open and well-ventilated outdoor area by itself. Flood with large amounts of water. Dispose of the container and any remaining contaminated material in an approved landfill area.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **Read all precautionary statements and first aid statements before use.**

{Note to reviewer: large floater treats up to 15,000 gallons, small floater treats up to 10,000 gallons}

[HOW TO USE:] [METHOD OF APPLICATION:]

[The][product name][This product][This floater] is a single-use chlorine dispenser that treats up to [10,000][15,000] gallons of water [25 days][3 weeks][for weeks]. It sanitizes, prevents algae and stabilizes pool water. **Do not allow contents of floater to get damp or wet before use. Do not allow contents of floater to contact other water treatment products.**

[Simply:]

- [Tear perforated edge.] [Tear Here][Remove the plastic sleeve by tearing along the perforated edge.]
{Note: The following statement is required to appear on a container label only if perforation allows for full removal of label.} **[Keep the label for future reference.]**
- [To Open: Squeeze tabs on side of base and twist counter clockwise to expose openings.]
- [Twist dial to medium setting.][Twist the base dial to the medium setting and adjust up or down, based on chlorine level [needed].]
- [Place [the] [floater] in your pool.] [[The][product name] [This product] dispenses the chlorine needed to keep your pool clear and blue.]
- Test free available chlorine residual with [a][an][brand] [pool] test [kit] [[or] [test] strip[s]]. Do not enter pool until the free available chlorine residual is 1- 4 ppm.
- [[If needed,] [Next,] shock pool immediately with [brand] shock product and weekly thereafter while the floater is in use.]
- [Adjust dial up or down, depending on chlorine level [needed].][You may adjust the opening at the bottom of your floater depending on the chlorine reading in the pool. For optimum performance, dial down the floater one [setting][position][opening] if testing indicates a chlorine level above 4 ppm or dial up the floater one [setting][position][opening] if testing indicates a chlorine level drops below 1 ppm.]
{OR}

For Optimum Performance	
If chlorine level is > 4	Twist dial down one [setting][position][click][opening]
If chlorine level is < 1	Twist dial up one [setting][position][click][opening]

- [Replace floater when it has tipped onto its side.][(Floater will tip gradually as it empties.][Do not discard floater until it is completely empty.)]
- Regular water testing is recommended to insure proper chlorine levels are maintained.

NOTE: Do not remove from pool until floater it is completely empty and residual water drains into the pool. [Shake floater gently to insure [contents of floater][all tablets] have completely dissolved. Do not refill. This is a single-use floater.

[A shock treatment will be needed each week while the floater is in use.] [See "SHOCK TREATMENT/SUPERCHLORINATION" section.]

[WATER BALANCE:

[Adjust and maintain total alkalinity from 80 to 120 parts per million (ppm), pH from 7.2 to 7.6, and calcium hardness above 200 ppm. [Always check and adjust total alkalinity before adjusting pH levels.] Test frequently using [a brand] [test kit] [or] [test strips] that measure[s] all of the above ranges. [Follow label directions and adjust with appropriate product.]]

[[Download the [FREE] [Test to Swim™] [application name] app from your smartphone] [for expert water analysis, product recommendations, and dosage instructions].]

[Visit a Test to Swim™ Station, at participating retailers, for expert water analysis, product recommendations and dosage instructions. [To find a participating retailer near you, visit www.hthpools.com/XXX.]

[Use a Test to Swim™ Station (at participating retailers) or download the Test to Swim™ [application name] app from your smartphone] [for expert water analysis, product recommendations, and dosage instructions].]

{or}

{Chart may be used in whole or part}

[Adjust and maintain pool water to recommended ranges:

Acceptable Range for Balance	
Total Alkalinity	80-120 ppm
pH	7.2-7.6
Calcium Hardness	Above 200 ppm
Available Chlorine	1-4 ppm
Cyanuric Acid	20-50 ppm

NOTE: Always check and adjust total alkalinity before adjusting pH levels. {The following sentence will appear on the final graphic label only if cyanuric acid is included in the chart} [High cyanuric acid levels (100 ppm and above) may result in insufficient free chlorine and harmful bacteria in your pool water.]]

[OPENING YOUR POOL:

[[Balance pool water per levels in WATER BALANCE section. Shock treat with a [brand] shock product and stabilize your pool using [brand] stabilizer. Follow label directions for each of these products.]

{or}

[Balance pool water, shock treat, and stabilize your pool using [brand] Stabilizer, following label directions.]]

[Pools that exceed [10,000][15,000] gallons may require the use of [multiple floaters][more than one floater]]

[SHOCK TREATMENT/SUPERCHLORINATION:

As a preventative treatment, shock treat your pool once per week [with [brand] shock treatment]. Additional shock treatments may be necessary to remedy problems which may occur when bathing loads are high, water appears hazy or dull, unpleasant odors or eye irritation occur, after heavy wind and rainstorms, or if algae does develop with resulting green color and slimy feeling.]

[Test free available chlorine residual with [a][an][brand] [pool] test [kit] [[or] [test] strip[s]]. Do not enter pool until the free available chlorine residual is 1- 4 ppm. **Re-entry into treated swimming pool is prohibited at available chlorine levels above 4 ppm due to risk of bodily harm.**]

[We recommend using [hth® time to shock? test strips] [Brand test strips] to determine if additional shock treatments are necessary, outside of the recommended weekly treatments.]

[FOR POOLS WITH VISIBLE ALGAE:

If your pool has visible algae, a separate algae treatment may be necessary. Use a[n] [brand] algaecide per label directions to rid your pool of visible algae.]

{SMALL CONTAINER LABEL PLACED ON FLOATER THAT MAY BE USED WITH BOOKLET LABEL}

AW35-36

Active Ingredients:

Trichloro-s-Triazinetrione	93.5%
Copper sulfate pentahydrate	1.5%
Other Ingredients	5.0%
Total:	100.0%

KEEP OUT OF REACH OF CHILDREN

[MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS]

DANGER [/] [PELIGRO]

See [booklet][peel back label] for Precautionary Statements and Directions for Use.

[Manufactured for] [Sold by]:
Arch Chemicals, Inc.
1200 Bluegrass Lakes Parkway
Alpharetta, GA 30004

EPA Reg. No. 1258-1342]

{OPTIONAL MARKETING CONTENT FOR AUTOMATIC FLOATER}

{Clarity /Softness}

[Clarifies & Softens Water]
[Clarifies pool water]
[Contains a [clarifier][filter aid]]
[Contains clarifying additive]
[Delivers sparkling [pool] water]
[For crystal clear, sparkling blue water]
[Keeps [pool] water clean [and][&] crystal clear]
[Keeps [pool] water clear]
[Keeps [your] pool clear blue]
[Maintains brilliantly clear water]
[[Produces] sparkling [clean swimming] pool water]
[Restores clarity to pool water]
[Restore[s] crystal clarity to water]
[Softens Water]
[Sparkling pool water]
[Water softener]
[[With][Contains] built-in clarifier]

{Ease of Use}

[[Convenient] to use]
[Easy, economical, convenient to use]
[Easy to use]
[Economical]
[Individually wrapped for easy handling]
[Less work, with no daily dosing]

AW35-36

EPA Reg. No. 1258-1342

EPA Stamped Label 2017-01-31

{PRE-FILLED FLOATER}

[No daily dosing required]
[No measuring [, no mess] [, no hassle]]
[No hassle]
[Spend less time maintaining the pool]

{Multipurpose Claims}

[[2-in-1][Dual] Action: Sanitizes and prevents algae]
[Two products in One]
[3-in-1 Action: Sanitizes, prevents algae, and clarifies water]
[Three products in One]
[4-in-1 Action: Sanitizes, prevents algae, prevents staining & scale formation, and clarifies water]
[4-in-1 Action][3"][Chlorinating][Tabs]
[Four products in One]
[Multi-action [Pool Floater][Floater]]
[Multi-action sanitizer]
[[Multifunctional][Multi-action] [3"] [chlorinating] [tablets]]
[[Multifunctional][Multi-action] [3"] [chlorinating] [tabs]]
[Multipurpose tablets]
[[Non-refillable] [Single Use] [Multifunctional] [Large] [Small]Pool Floater]

{Shock}

[Shock weekly with [brand][product name]]

{Sanitizer}

[3" Sanitizer Tablets]
[93.5% trichlor]
[Chlorinates [25 days][3 weeks][for weeks]][when used as directed]
[Controlled release sanitizer]
[Delivers chlorine [25 days][3 weeks][for weeks]][when used as directed]
[Easy to use treatment that lasts [25 days][3 weeks][for weeks]][when used as directed]
[Lasts [25 days][3 weeks][for weeks]][when used as directed]
[Provides chlorination [at an economical price]]
[[Provides] [long lasting] [chlorination][sanitization]]
[Provides sanitization [that lasts] [25 days][3 weeks][for weeks]][when used as directed]
[Regulates chlorine release]
[Regulates chlorine levels]
[[Routine] Sanitizer [for chlorine pools]]
[Sanitizer]
[[Sanitizer] [Chlorine] lasts [25 days][3 weeks][for weeks]][when used as directed]
[Sanitizer [for Chlorine Pools]]
[Sanitizer for swimming pool water]
[Sanitizer that lasts [25 days][3 weeks][for weeks]][when used as directed]
[[Sanitizes] [Chlorinates] [25 days][3 weeks][for weeks]][when used as directed]
[Sanitizes for [brilliantly] clear water]
[Sanitizes pool water]
[Single-use floater [that lasts [25 days][3 weeks][for weeks]][when used as directed]
[Stabilized [Sanitization][Chlorination]]
[Stabilized [Sanitizer][Chlorinator]]
[Swimming pool sanitizer]
[The smart[er] way] to [sanitize] [chlorinate] your pool.]

{Bacteria Control}

[Bacteria [destroying][killing]]
[Begins working [quickly] to destroy bacteria]
[Destroys bacteria]
[Destroys organic contaminants]
[[Eliminates] [Kills] bacteria]
[Kills and prevents bacteria, while maintaining proper chlorine levels]

AW35-36

EPA Reg. No. 1258-1342

EPA Stamped Label 2017-01-31

{PRE-FILLED FLOATER}

[Kills bacteria and destroys organic contaminants]

{Algae}

[Algae [destroying]][killing][fighting]]

[Algaecide]

[[Controls][Destroys][Kills][Inhibits][Prevents] algae]

[Kills algae]

[Sanitizes & Prevents Algae]

[[With][Contains] built-in algae [protection][fighter]]

{Bacteria & Algae}

[Bacteria [and][&] algae control]

[[Destroys] [Kills] [Inhibits] [Bacteria] [and][&] Algae]

[Kills [bacteria and] [controls] algae]

[Kills bacteria, destroys organic contaminants [and][&] controls algae]

[[Prevents][Controls] bacteria and algae]

[Protects against bacteria [and][&] algae]

[Routine use protects water from bacteria [[and][&] algae]]

{Residue/ Solubility/Scale}

[Corrosion inhibitor]

[Gentle on Equipment and Liners]

[Leaves no residue]

[No fading of liner[s] when used as directed]

[Non-staining [formula]]

[Prevents metal staining [and] [.,] corrosion] [, and scale formation]]

[Prevents Staining & Scaling Formation]

[Protection pool surfaces and equipment]

[Protects pool equipment [against scaling] for longer life]

[Reduces scale formation]

[Totally Soluble]

[With built in scale preventative & sunlight protector]

[[Won't][Will not] [cause staining] [or] [damage liners] when used as directed]

[[Won't][Will not] [fade] liner when used as directed]

{Treatment}

[1 floater [treats] [[10,000][15,000] gallons]

[Treats [10,000][15,000] gallons]

[Treats up to [10,000][15,000] gallons]

[One click does the trickTM][when used as directed]

[Dial up the CleanTM]

[Dial up the ClearTM]

[Twist and TreatTM]

[Twist to TreatTM]

{Compatibility}

[Compatible with all pool surfaces]

[Compatible with salt [water] [systems] [pools]]

[Compatibility with salt pools]

[Concentrated chlorinator for routine use]

[For all pool types]

[[For use] [Ideal] [with] [for] all pool types [including vinyl-liner pools]]

[[For use] [Ideal] [with] [for] all pool [surfaces][types]]

[Good for all pool surfaces]

[Ideal for [in ground] [and][&] [above ground] [pools]]

[Ideal for [vinyl-lined pools][pools with vinyl liners] when used as directed]

[Salt [water] [system] [pool] compatible]

{Stabilization}

[Contains built-in resistance to sunlight]

[Provides sun defense [for pool water]]

[Stabilized for [extended][longer] chlorine life]

[[Stabilized][Sun resistant][Sun [[protected][protection]]] for extended chlorine life]

[Sun resistant] for [extended][longer] chlorine life]]

[[With][Contains] built-in resistance to sunlight]

{Step Programs}

[Step 1 (in the [brand] System)]

[[For best results, follow the [brand] 4 step pool care program:]

[[Step] [1][:] [Balance]]

[[Step] [2][:] [Sanitize]]

[[Step] [3][:] [Shock] [Weekly]]

[[Step] [4][:] [Prevent Algae]]]



[]

{Product Support}

[[For product questions/support [from [brand] pool [[and][&] spa] care experts:]


[Call: [brand number] [866-HTH-Pool]]

[Chat online: [brand website] [hthpools.com]]

[We're available 7 days a week from 8 AM to 10 PM EST]]

HELPLINE
866-HTH-POOL
(4 8 4 - 7 6 6 5)
Call 7 days a week with
your pool care questions.
8:00 AM - 10:00 PM EST
Visit us online:
www.hthpools.com

HELPLINE
866-HTH POOL
(4 8 4 - 7 6 6 5)
Call 7 days a week with
your pool care questions.
8:00 AM - 10:00 PM EST
Visit us online:
www.hthpools.com



[Get social with us at:][Connect and Swim with us on Social:] [www.youtube.com/brand]
[www.facebook.com/brand]
[www.instagram.com/brand]
[www.pinterest.com/brand]
[use social icons]]
[Visit: [brand website] [hthpools.com]]

{Other Marketing Language}

[Assists filtration]
[Adjustable dial to treat your [specific] pool [size]]
[Automatic floater]
[Because [pool care] [it] doesn't have to be rocket science]
[Concentrated chlorinator for routine use]

[Contamination or improper use may cause fire, explosion or the release of toxic gases. Do not allow product to contact any foreign matter, including other water treatment products. If product is exposed to small amounts of water, it can react violently to produce heat and toxic gases and spatter. Do not add water to this product. Add only into water. Do not remove floater from water for an extended period of time if it contains a tablet or tablet residue. Do not mix this product with a small amount of water.

Only add directly to your pool.]

[Continual action]
[Convenient, hands-free chlorine treatment] [Lasts for weeks]
[Customizable for your [specific] pool [size]]
[Disposable]
[Enhanced filter performance]
[[Floater] Dispenses [necessary amount of] chlorine]
[[Floater] Dispenses [necessary amount of] pool cleaning actives]
[[Floater] [Tips][Tilts] when empty]
[For routine use]
[Here to Help] [since 1928]]
[hth and the hth logo are trademarks of Lonza or its affiliates]
[Immediate action]
[It works wonders for your pool [...]]
[It's not rocket science]
[[Large][Small] Pool Floater]
[Less work, more [pool] [family] fun]
[Less work, more swimming]
[Multifunctional] [Non-refillable] [Large][Small] [Pre-Filled] Pool Floater
[No guessing]
[No measuring]
[No more spills]
[No need to handle the chlorine]
[Pool [Care] Experts since 1928]
[Pre-measured [floater]]
[Pre-filled floater]
[Precipitating agent included]
[[Provides] 84% available chlorine]
[Self-Dispensing]
[Sequestering agent]
[Set and Swim]
[Single-use [floater] [no need to refill]]
[Slow dissolving]
[So you never have to wonder [...]]
[Tear Here]
[Test and Add*]{Application frequency per routine maintenance directions.}
[*Please refer to directions for use]
[Toss, Treat and Relax]
[Toss, Treat, Take a break]
[Treats up to [10,000][15,000] gallons]

AW35-36

EPA Reg. No. 1258-1342

EPA Stamped Label 2017-01-31

{PRE-FILLED FLOATER}

[Treats [25 days][3 weeks][for weeks]]
 [When it's empty, it [tips][tilts]]
 [Works automatically]
 [Works wonders, so you never have to wonder]
 [You'll know when it's empty when it [tips][tilts] [onto its side]]



TO DETERMINE POOL CAPACITY IN U.S. GALLONS Use the appropriate formula below	
POOL SHAPE	FORMULA (Use measurement in feet)
Rectangular:	Length x width x average depth x 7.5 = total gallons
Round:	Diameter x diameter x average depth x 5.9 = total gallons
Oval:	Maximum length x maximum width x average depth x 5.9 = total gallons
Freeform:	Surface area (sq. feet) x average depth x 7.5 = total gallons

HOW TO CALCULATE POOL CAPACITY IN U.S. GALLONS	
POOL SHAPE	FORMULA (Dimensions in feet)
Rectangular:	L x W x AD x 7.5 = total gallons
Round:	Di x Di x AD x 5.9 = total gallons
Oval:	Maximum L x maximum W x AD x 5.9 = total gallons
Freeform:	Surface area (sq. feet) x AD x 7.5 = total gallons

L = Length, W = Width, AD = Average Depth, Di = Diameter]

[To calculate your pool's capacity, visit hthpools.com/XXXX.]

Approved alternate brand name:

Poolife Exclusive Pool Care Collection MPT Extra

HTH Multi-Action Small Pool Floater

HTH Multi-Action Large Pool Floater

Proposed alternate brand names: