

# FLUSH A'KILL<sup>®</sup> INSECTICIDE

contains **DURSBAN**®

- Residual Kill
- Good Flushing Action

An aqueous pressurized spray specifically developed to provide residual and contact control of the following insects: Cockroaches, Crickets, Carpet Beetles, Silverfish, Clover Mites, Centipedes, Millipedes, Firebrats, Fleas, Earwigs, Sowbugs, Spiders, Brown Dog Ticks, Lone Star Ticks, and Ants (including Imported Fire Ants).

A Blend of Insecticides Designed to Give Good Flushing Action, Quick Kill, and Residual Kill of Cockroaches.

#### ACTIVE INGREDIENTS:

**† Resmethrin	0.10% w/w
*Chlorpyrifos [0,0-diethyl 0-(3,5,6-trichloro-2-pyridyl) phosphorothioate]	0.50%
INERT INGREDIENTS:	99.40%
<b>TOTAL</b>	<b>100.00%</b>

\*TM Dow Chemical Company, U. S. Patent No. 3,244,586.  
\*\*Cis/trans isomer ratio: max. 30% (±) cis, min. 70% (±) trans.  
†U. S. Patent Nos. 3,465,007 and 3,542,928.

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

**SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY  
STATEMENTS**

**FOR INDUSTRIAL AND INSTITUTIONAL USE ONLY**

E.P.A. REG. NO. 1270-217

PROD. #0135

NET CONTENTS... 1 L 6.5 OZ. (638g)

E.P.A. REG. NO. 1270-217  
**ACCEPTED**  
489

NOV 20 1990

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 1270-217

#### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed. Avoid contact with eyes, skin, and clothing. Wash hands after using. DO NOT contaminate food or food dishes with this spray. DO NOT allow children or pets to contact treated surfaces until spray has dried. Remove pets and cover fish bowls (aeris) before spraying. DO NOT use this product in edible product areas of food processing plants, restaurants, or other areas where food is commercially processed or prepared. DO NOT use in serving areas while food is exposed.

FIRST AID: In case of contact, immediately flush eyes and skin with plenty of water. If irritation develops or persists, get medical attention.

NOTE TO PHYSICIAN: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Antidote only by injection is an anticholinergic.

PHYSICAL OR CHEMICAL HAZARDS: Contents under pressure. DO NOT puncture or incinerate container. DO NOT use near heat or open flame. Exposure to temperatures above 130°F. may cause bursting.

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**STORAGE AND DISPOSAL:** DO NOT store near heat or open flame. Replace cap, wrap container in newspaper and discard in trash. DO NOT incinerate or puncture.

For use in non-food areas inside and outside the premises of Hotels, Motels, of Apartment, Commercial, Office, Institutional, Storage and Recreational Buildings, or on Ships and in their Cabins, and in Hospitals. IN HOSPITALS, remove patients prior to treatment. Ventilate room for two hours before returning patients.

Also may be used in and around campers, mobile homes, buses, and automobiles. In freight conveyances, such as cargo planes, trucks, busses, and ship holds, this product can be used only if the vehicles are not for the transport of food or food products at any time.

This product can be used in non-food areas only, such as corridors, offices, foyers, lavatories, garages, utility rooms, storage rooms, and basements of packaging and processing plants, milk handling areas of milk plants, milk storage rooms, egg processing plants, supermarkets, restaurants, bottling plants, canneries, flour and feed mills, and bakeries.

Also for use in dog kennels and horse stables. DO NOT spray on horses and dogs. DO NOT spray dog and horse food or feed items.

DO NOT apply this water-based product in conduits, motor housings, junction and switch boxes, or other electrical equipment because of possible shock hazard. If there is a need to treat such areas, use only oil-based sprays.

**SHAKE WELL BEFORE USE! INDOOR PESTS — CONTACT SPRAY:** To Kill and Reduce Infestations of Cockroaches, Crickets, Silverfish, Clover Mites, Centipedes, Millipedes, Firebrats, Earwigs, Sowbugs, Spiders: Spray thoroughly into hiding places, such as cracks and crevices, moist areas, openings around pipes and sinks, baseboards, and in storage areas. Spray directly on insects where possible. Repeat as necessary.

To Kill Ants: Spray trails, nests, and points of entry. Spray directly on ants where possible. Repeat as necessary.

To Kill Fleas, Brown Dog Ticks and Lone Star Ticks: Thoroughly apply as a spot treatment to infested areas, such as pet's beds and nesting quarters; nearby cracks and crevices; along and behind baseboards, window and door frames, and localized areas of floor and floor covering, where these pests may be present. Old bedding of pets should be removed and replaced with clean, fresh bedding after treatment of pet areas. DO NOT TREAT PETS WITH THIS PRODUCT. Treat pets with a product registered for animal application to control the source of the flea and tick infestation.

To Kill Carpet Beetles: Thoroughly apply as a spot treatment along baseboards and edges of carpeting, under carpeting, rugs, and furniture, in closets and on shelving, and wherever else these insects are seen or suspected.

**RESIDUAL SPRAY:** Aids in the Control of Cockroaches, Crickets, Silverfish, Centipedes, Millipedes, Earwigs, and Sowbugs. Apply on baseboards, in cracks and crevices, around door and window frames, in closets, in back of and under appliances, sinks, and cupboards in kitchens and bathrooms.

**OUTDOOR PESTS:** Use to Control Ants, Clover Mites, Crickets, Earwigs, Millipedes, and Sowbugs on Outside Surfaces of Buildings. By application as a residual spray to outer surfaces of buildings, including porches, screens, window frames, eaves, patios, garages, refuse dumps, and other areas where these pests congregate or have been seen. DO NOT treat or allow the spray to contact plants (flowering plants, shrubs, trees, evergreens, etc.) because of possible injury. Repeat treatment as needed to maintain effectiveness.

**IMPORTED FIRE ANTS:** Connect injection rods together and tap assembly against hard surface to secure sections before attaching nozzle to aerosol can. DO NOT DISTURB MOUND PRIOR TO TREATMENT. Attach injection probe to can. While holding injection rod in one hand and aerosol can in other, slowly drive probe into the mound until resistance is felt, indicating bottom of nest. Inject the mound at 3 to 6 sites at a rate of 5 to 10 seconds spray per site. For very large mounds (over 36" diameter), increase the number of injection sites. Space injection sites in a circular pattern on the mound surface with one site in the center. To control ants on mound surface, sweep surface with spray from a distance of 12 inches. For best results, apply in cool weather, 60° to 80°F., or in early morning or late evening hours. Treat new mounds as they appear. CAUTION: DO NOT detach injection rod while in use. Direct spray assembly away from face when detaching rod.

**WARRANTY STATEMENT:** This product is designed exclusively for industrial and institutional use by trained professional maintenance personnel. Label directions and precautions must be followed exactly. Zep Manufacturing will not be responsible for any injury, loss, or damage if product is used in any manner not in compliance with label directions or if precautions are not observed.

Manufactured by  
ZEP MANUFACTURING COMPANY • ATLANTA, GEORGIA 30301 • Division of National Service Industries, Inc. •  
Principal Cities, U.S.A. and Throughout the World