NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indersement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this. Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA, section 3(c)(7)(A) provided that you:

- 1. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
- 2. Add the phrase "EPA Registration No. 1386-615" to your label before you release the product for shipment.
- 3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Dennis H. Edwards, Jr. Product Manager (12) Insecticide-Rodenticide Branch Registration Division (TS-767C)

Enclosures

ATTACHMENT IS APPLICABLE			
SIGNATURE OF APPROVING OFFICIAL	Dennis	H. Edwardsfr	8/26/87

Termite Kill. II

Product

Contains Chlorpyrifos. Controls Termites, Carpenter Ants, and Other Wood Destroying Insects.

AUG 26 3987

he Federal Insecticids, n, and Rodenticide Act for the pesticide er EPA Rog. No.

KEEP OUT OF REACH OF CHILDREN - 12 Pt WARNING -- i8pt

See Side Panel For Additional Precautionary Statements

ACTIVE INGREDIENTS: *Chlorpyrifos [0,0-diethyl 0-(3,5,6-trichloro-2-pyridyl)	
phosphorothicate]	12.6%
Xylene	29.4%
INERT INGREDIENTS	58.0%
Total	100.0%
*Contains 1 Pound Of Active Ingredient Per Gallon.	
	,

Net Contents: 1 Gallon

EPA Reg. No. 1386-EPA Est. No.

Do not take internally. May be fatal if swallowed, inhaled, or absorbed through the skin. Do not get in eyes, on skin, or clothing. Wash thoroughly after handling. Wash contaminated clothing before reuse. Avoid breathing vapors or mist. Avoid spraying food crops. Keep away from food, feedstuffs, and domestic water supplies. Keep container closed when not in use. Handle concentrate in a ventilated area.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Do not induce vomiting. Call a physician or poison control center immediately. Aspiration bazard exists with this product.

If on Skin: Remove contaminated clothing and immediately wash skin with plenty of soap and water.

If in Eyes: Flush eyes with plenty of water. Call a physician.

NOTE TO PHYSICIAN: Chlorpyrifus is a cholinesterase inhibitor. Treat symptomatically. Atropine only by injection is antidotal.

PHYSICAL OR CHEMICAL HAZARDS

COMBUSTIBLE. Do not use or store near heat or open flame. Do not cut or weld container.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Do not apply directly to water. Shrimp and crabs may be killed at application rates recommended on this label. Do not apply where these are important resources. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on plants. Protective information may be obtained from your Cooperative Agricultural Extension Service.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Wear suitable protective clothing when using or handling this product to help avoid exposure to eyes and skin. Rubber gloves and footwest, a long-sleeved shirt and long-legged pants or coveralls are recommended. To avoid breathing spray mist during application in confined areas, wear a mask or respirator suitable for filtering spray mists. The manufacturer does not recommend use of this product where there is insufficient ventilation.

SUBTERRATEAGEERALITES - DIRECTIONS FOR HORE. LEEK USE

TERMITE CONTROL IN EXISTING STRUCTURES, BUILDINGS WITH BASEMENTS, OR CRAML SPACES.

First remove all wood debris and wood forms. Around piers, pipes, chimney bases and along foundations of poured concrete dig a trench 6 inches wide and 4 inches deep. For brick and block foundations dig the trench about 12 inches deep. If footing is more than 12 inches deep, make holes with a crowbar, pipe, or a rod about one foot apart that extend from the trench bottom to the top of the footing. Make holes closer in hard-packed clay soils. NEVER DIG BELOW THE TOP OF THE FOOTING. Mix at the rate of 1 gallon of product per 10 gallons of water. Apply the emulsion (or solution) in the trench at a rate of 4 gallons per 10 linear feet per foot of depth. Apoly half of this to the back-fill. Likewise, treat along the inside of foundations of crawl-space buildings. Cover treated soil with a thin layer of untreated soil.

For raised porches, terraces, and entrance slabs, drill holes at one foot intervals, 6 inches from the foundation, and pour one-half gallon of exulsion (or solution) into each hole. Refill holes. Slabs with heat ducts or radiating heat pipes should be treated by commercial pest control operator.

The object is to establish a treated soil barrier which will prevent termite entry. Other critical areas may also require treatment, particularly if there are inaccessible areas, basements or slab-type construction. It is suggested that you contact the Agricultural Cooperative Extension Service for advice or consult-a Commercial Pest Control Service.

Avoid contamination of public and private water supplies by following these precautions. Do not allow a hose or any type of faucet extension to reach into the termite chemical solution while filling or mixing this material with · Water. Use antiback-flow or anti-siphonage equipment on all filling equipment. . These devices can be purchased at hardware or plumbing supply stores. Use of eatiback-flow equipment will help to insure that the user of this toxic chemical will not contaminate domestic water supplies. Refer to Pederal (Pederal Housing Administration), state, and local specifications for safe distances of treatment areas from Wells. Soil in the vicinity of wells, cisterns or ponds should not be treated if it is water saturated, subject to excessive saturation due to an accumulation of water or if the soil to be treated around the perimeter of the structure is at a grade lower than surrounding yard or property area. If this is the situation treat as follows: Do Not Apply Under Pressure. Soil should be removed to an area safe from well or domestic water contamina-... tion, treated, allowed to stand undisturbed for two to four hours then returned to the trench which has been lined with 4 mil, plastic sheeting. Be careful not to puncture the plastic sheeting When returning soil to the trench. Do not** treat structures that contain disterns or wells.

- 1. Retreatment for subterranean termites should only be made when there is evidence of reinfestation subsequent to the initial treatment, or there has been a disruption of the chemical barrier in the soil due to construction, excavations, landscaping, etc.
- Retreatments may be made to critical areas in accordance with the application techniques described above.
 This application should be made as a spot treatment to these areas.

Routine retreatment of the entire premises should be avoided.

CONTROL OF WOOD INFESTING BEETLES, CARPENTER ANTS, AND TERMITES (Localized Areas in Structures)

Dosage And Mixing Instructions: Termite Kill II is recommended for use as an aqueous emulsion containing 0.5% chlorpyrifos. To prepare a 0.5% emulsion add 1 1/3 fl. oz. of product per quart of water.

To control wood-infesting beetles of the families Lyctidae, Bostrichidae, Anobildae, and Cerambycidae in homes and other structures, apply as an emulsion containing chlorpyrifos. For treatment of small areas, apply by brushing the emulsion evenly on wood surfaces. For large or overhead areas, apply as a coarse spray to the point of runoff. When spraying overhead interior areas of homes, apartment buildings, etc. to the point of runoff, cover all suffaces below the area being sprayed with plastic sheeting or other material which could be disposed of by placing in trash if contamination from dripping occurs. Sprayed surfaces should be avoided until the spray has totally dried. Do not apply in food serving areas while food is exposed. Do not use in structures occupied by animals to be used for food purposes or which produce products for human consumption. Do not use in food areas of food handling establishments, restaurants or other areas where food is commercially prepared or processed.

1261

tures, apply as a 0.5% | chlorpyrios solution around doors and windows and other places where carpenter ants enter the premises and where they crawl and k... Also spray into cracks and crevices or through open igs or small newly drilled holes into wall voids where these ants or their nests are present. Use a sufficient amount of coarse spray to cover the area to the point of run-ofi.

For control of termites (localized areas of infested wood in structures), apply a 0.5% emulsion to voids and channels in damaged wood and in spaces between wooden members of a structure and between wood and foundations where termite infestation is likeky to occur. Application may be made to inaccessible areas by drilling, and then injecting the emulsion. Use a sufficient amount of coarse spray to cover the area to the point of run-off. Treatment of localized areas is intended to kill workers and winged reproductive forms of termites in the treated areas and to prevent infestations for a temporary period. This type of application is not intended to be a substitute for soil treatment or mechanical alteration to control subterranean termites.

STORAGE AND DISPOSAL

STORAGE: Store product lightly sealed in original container. Store in a cool, dry place which is inaccessible to children or pests, preferably a locked storage area. If crystalization results from storage at cold temperatures, allow product to stand at room temperature for several hours and shake until disolved.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse container. Rinse with water to be used in diluting product for use. Carefully discard container in trash. "" [

WARRANTY AND LIMITATION OF DAMAGES

Seller warrants that this material conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use and Buyer assumes the risk of any use contrary to such directions. Seller makes no other

express or implied warranty, including any other express or implied warranty of fitness or of Merchantability, and no agent of Seller is authorized to do so except in writing with a specific reference to this warranty. In no event shall Seller's liability for any breach of warranty exceed the purchase price of the material as to which a claim is made.

RQ. Chlorpyrifos Insecticide, Liquid, NA 2783, ORMA

(Label Identification No.)