

LEFT PANEL



154

NATIONAL CHEMSEARCH
I-SO-SECT

RESIDUAL SPRAY

KILLS:

Ants	Brown Dog Ticks	Clover Mites
Crickets	Earwigs	Fleas
Flies	Millipedes	Mosquitos
Sowbugs	Scorpions	Silverfish
Roaches	Spiders	Saw Tooth Grain
		Beetles (Exposed Stage)

ACTIVE INGREDIENTS:

2-(1-Methylethoxy) phenol methylcarbamate*	10.0%
INERT INGREDIENTS	90.0%
TOTAL	100.0%

* U.S. Patent No. 3,111,539 sold under license from Chemagro Corporation.



WARNING:
KEEP OUT OF REACH OF CHILDREN

(See right panel for additional warnings)

EPA Reg. No. 1769-165

NET CONTENTS: _____

National Chemsearch
Div. of NCH Corporation
2727 Chemsearch Blvd.
Irving, Texas 75062



C E N T E R P A N E L

116-9-165

FOR COMMERCIAL, INDUSTRIAL, OR INSTITUTIONAL USE ONLY. NOT FOR SALE TO INDIVIDUALS FOR PERSONAL USE OR STORAGE IN OR AROUND THE HOME. FOR USE IN COMMERCIALLY MAINTAINED DWELLING UNITS, INCLUDING BUT NOT LIMITED TO SCHOOLS, HOUSING AUTHORITIES, APARTMENTS, GOLF COURSES, HEALTH CARE FACILITIES, AND PARKS. NOT FOR RESALE.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Keep out of the reach of children. May be fatal if swallowed, inhaled or absorbed through the skin. Do not breathe vapors or spray mist. Handle concentrate in a well-ventilated area. Causes eye and skin irritation. Do not get in eyes, on skin or on clothing. Wash contaminated clothing. Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part II.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED - Call a physician or Poison Control Center immediately. If possible, vomiting should be induced under medical supervision. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED - Remove victim to fresh air. Apply artificial respiration if indicated.

IF ON SKIN - Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES - Flush eyes with plenty of water. Call a physician immediately.

NOTE TO PHYSICIAN: Atropine sulfate is antidotal.

ENVIRONMENTAL HAZARDS:

This product is toxic to fish, birds and other wildlife. Do not apply directly to water. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of waste. Shrimp and crab may be killed at application rates recommended on the label. Do not apply where these are important resources. Apply this product only as specified on the label.

This pesticide is toxic to bees exposed to direct treatment or to residues remaining on the treated area. Do not apply when bees are actively visiting the crop, cover crop or weeds blooming in the treatment area. Applications should be timed to provide the maximum possible interval between treatment and the next period of bee activity.

C E N T E R P A N E L C O N T ' D

11-9-168

3

PHYSICAL OR CHEMICAL HAZARDS:

Do not use, pour, spill or store near heat or open flame.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

STORAGE AND DISPOSAL:

Do not contaminate water, food or feed by storage or disposal.

STORAGE: KEEP CONTAINER CLOSED.

PESTICIDE DISPOSAL: Pesticide, spray mixture, or rinse water that cannot be used according to label instructions must be disposed of according to Federal or approved state procedures under Subtitle C of the Resource Conservation and Recovery Act.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by other approved state and local procedures.

RESTRICTIONS: Do not apply to rugs, carpets, draperies, wallpaper or similar materials that may be stained. DO NOT USE AS A SPACE SPRAY.

R I G H T P A N E L

1-800-527-9921

National Chemsearch's I-SO-SECT is a highly effective formulation which provides rapid kill of the insects listed above including those resistant to certain chlorinated hydrocarbon and phosphate insecticides. This product stays on a treated surface and kills insects many weeks after the spray deposit has dried.

BROWN DOG TICKS: Mix 1 part of National Chemsearch I-SO-SECT with 9 parts of water. Spray sleeping quarters of pets around baseboards, window and door frames, wall cracks, and local areas of floor. Repeat when necessary. Fresh bedding should be placed in animal quarters after spraying. Do not treat animals.

OUTDOOR APPLICATION:

Houseflies: Mix 1 part of I-SO-SECT WITH 9 parts of water. Apply the rate of 1 gallon per 500 square feet or to run off. Thoroughly treat breeding areas, paying particular attention to garbage heaps and dumps.

Use the Houseflies rates for: Ants, Clover Mites, Crickets, Earwigs, Fleas, Flies, Millipedes, Mosquitos, Sowbugs and Brown Dog Ticks: Treat infested areas thoroughly including outside surfaces of screens, doors, window frames, foundations, patios or other places where insects may enter. For ants, treat hills and runways. Repeat when necessary. Do not spray vegetation.

Mist spray for mosquitos: Apply 8 1/2 to 11 3/4 fluid ounces (0.05 to 0.07 lbs. per acre). For mist blower machines calibrated to deliver 100 gallons per hour traveling at a speed of 4 mph and covering a swath width of up to 350 feet, use 11 to 16 gallons of spray concentrate per 100 gallons of water to treat 170 acres.

INDOOR APPLICATION: (non-food areas) In waste areas, equipment and boiler rooms, storage areas, washrooms and locker rooms, around doors, windows and passageways for ants, cockroaches, crickets, silverfish, waterbugs, scorpions, spiders and saw tooth grain beetles (exposed stage): Mix 1 part of National Chemsearch I-SO-SECT with 9 parts of water. Spray this mixture into cracks, crevices, around baseboards, behind and beneath cabinets, sinks and equipment and in and around waste containers and other places where these insects hide. For ants, spray trails and places where ants enter premises.

FOOD HANDLING ESTABLISHMENTS: Places other than private residences in which exposed food is held, processed, prepared or served.

FOOD AREAS - APPLICATION LIMITED TO CRACK AND CREVICE TREATMENT ONLY - Includes areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas, when food is exposed and facility is in operation, also would be considered food areas.

Using equipment that can deliver a pin stream, apply a small amount of I-SO-SECT diluted 1 part with 9 parts water directly into cracks and crevices such as expansion joints between different elements of construction or between equipment bases and the floor, wall voids or hollow legs where cockroaches, silverfish, crickets and waterbugs hide. Such treatment will also aid in the control of exposed stages of saw toothed grain beetles. Care should be taken to avoid depositing solutions of I-SO-SECT on exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces. **THE APPLICATION OF I-SO-SECT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS, OTHER THAN AS A CRACK AND CREVICE TREATMENT, IS NOT PERMITTED.**

TO REORDER: In Texas, call 1-800-442-7950 Outside Texas, call 1-800-527-9921

IPA Est. No. 4110

CA-1	IN-1	NJ-1	PR-1	TX-1
------	------	------	------	------