It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

IMPORTANT: Injury or loss of desirable trees or other plants may result from failure to observe the following: Do not apply, drain or flush equipment on or near desirable trees or other plants, or on areas where their roots may extend or in locations where the chemical may be washed or moved into contact with their roots. Do not use on lawns, walks, driveways, tennis courts or similar areas. Prevent drifts of spray to desirable plants. Do not contaminate domestic waters. Keep from contact with fertilizers, insecticides, fundicides and seeds, Thoroughly clean all traces of this concentrate from application equipment immediately after use. Flush tank, pump, hoses and boom with several changes of water after removing tips and screens (clean these parts separately). This weed killer is a ready-to-use solution designed to be applied undiluted as a spray on non-cropland areas where bare ground is desired. The degree of weed control and duration of effect will vary with the amount of product used. soil type, rainfall and other conditions. Apply any time of year except when the ground is frozen. Best results are obtained after predominant species are well established in late spring or early summer. Before treating, calibrate equipment to insure uniform coverage of area to be treated. Measure out the proper amount and apply. Coarse sprays are less likely to drift.

GENERAL WEED CONTROL: To control most weeds for an extended period of time on non-croptand areas, such as: parking lots, fence rows, loading ramps, railroad sidings, storage yards, around buildings and industrial plant sites, apply 2-5 gallons per 1,000 sq. ft. (80-220 gallons per acre). To control annual weeds and grasses such as toxtail, ryegrass, wild oats, crabgrass, cheatgrass, broomsedge, ragweed, lambsquarter and turkey mullein, apply 1-2 gallons per 1,000 sq. ft. (40-80 gallons per acre). For other hard-to-kill perennial weeds and grasses, such as Johnsongrass, saltgrass, bouncing bet, bracken fern and horsetail, apply 3-5 gallons per 1,000 sq. ft. (120-220 gallons per acre).

EQUIPMENT: Power sprayers, compressed air hand sprayers, knapsack sprayers or an ordinary sprinkler can be used to apply. No dilution or agitation is required.

NOTICE OF WARRANTY: The manufacturer makes no warranties, expressed or implied, concerning the use of this product other than those indicated on the label. Purchaser assumes all risks of use and handling of this material when such use and handling are contrary to label instructions.

5669 (M2197

M-23 2155-52 12-31-89 KNOCK-OUT WAS Caue

NON-SELECTIVE WEED KILLER

CONTROLS WEEDS AND GRASSES BY CONTACT AND ROOT ACTION

ACTIVE INGREDIENTS:

2,4-Dichlorophenoxyacetic acid	
isooctyl ester*	
Bromacil (5-bromo-3-sec-butyl-	
6-methyluracil)	
INERT INGREDIENTS	
	Total 100 00%

*2,4-Dichlorophenoxyacetic acid equivalent0.70%

FIRST! READ ENTIRE LABEL. OBSERVE ALL WARNINGS AND FCLLOW DIRECTIONS CAREFULLY, USE ONLY IN CONFORMANCE WITH FEDERAL AND STATE REGULATIONS.

WARNING: KEEP OUT OF REACH CHILDREN Harmful if swallowed or absorbed through skin. Causes skin irritation See side panels for additional precautions.

NOT FOR SALE TO OR USE BY HOMEOWNERS OR RESIDENTIAL USERS

MANUFACTURED BY I. SCHNEID, INC 1429 FAIRMONT AVE., NW ATLANTA, GA 30381

PRECAUTIONARY STATEMENTS: MAZARDS TO HUMANS (AND DOMESTIC ANIMALS)

WARNING: May be fatal if swallowed, absorbed through skin or inhaled Causes skin irritation. Use waterproof gloves and face shield or goggles when handling concentrate. Do not breathe spray mist. Do not get in eyes or on clothing. Wash thoroughly after handling. Avoid contamination of food and feed. Keep out of reach of domestic animals. Do not use on humans, household pets or livestock. Keep children and pets off treated areas until material is washed into the soil and grass is dry.

IF SWALLOWED: Do not induce vomiting. Get medical attention. NOTE TO PHYSICIAN: Aspiration hazard may counterindicate the use of gastric lavage.

IF IN EYES: Flush with plenty of water. Get medical attention.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

IF INHALED: Remove victim to tresh air. Apply artificial respiration if indicated ENVIRONMENTAL HAZARDS:

This product is toxic to fish, birds and other wildlife. Birds feeding on treated areas may be killed. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply when weather conditions favor drift from areas treated. Do not apply directly to water.

STORAGE AND DISPOSAL:

Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

1. PROHIBITION DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE, DISPOSAL OR CLEANING OF EQUIPMENT, OPEN DUMPING PROHIBITED.

2. Pesticide Disposal-Pesticide, spray mixture or rinsate that cannot be used according to label instructions must be disposed of according to Federal, State or local procedures under the Resource Conservation and Recovery Act

3. Container Disposal-a) Reseal drum and offer for reconditioning or b) Triple rinse (or equivalent) and offer for recycling or reconditioning or dispose of in a sanitary landfill or by other approved State and local procedures.

Not Reviewed. Registrant claims to be in accordance with: Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.

CONTROL NUMBER NET CONTENTS GALLONS