

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

February 23, 2015

Ms. Wendy A. McCombie Agent For: N. Jonas & Company Lewis & Harrison 122 C Street, N.W., Suite 505 Washington, DC 20001

Subject: Label Notification per PRN 98-10 – Minor Label Changes

Product Name: Multi-Purpose Chlorinating Copper Tablet

EPA Registration Number: **3432-85** Application Date: January 7, 2015

Decision Number: 499216

Dear Ms. McCombie:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Antimicrobials Division has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, you may contact Killian Swift at 703-308-6346 or via email at Swift.Killian@epa.gov.

Sincerely,

Demson Fuller, Product Manager 32 Regulatory Management Branch II Antimicrobials Division (7510P) Office of Pesticide Programs

MULTI PURPOSE CHLORINATING COPPER TABLET

[CONCENTRATE] [STABLIZED] [SLOW DISSOLVE] [SANITIZER]

[COMPLETELY SOLUBLE] [NO MINERAL SCALE BUILD-UP]

[SUPER CHLORINATING STICKS FOR WATER DISINFECTION]

[24-HR. CHLORINE RESIDUAL FOR AROUND THE CLOCK ACTIVITY]

[ALGAECIDE] [SMALL TABS] [1" TABS] [GIANT SIZE 3"] [8 OZ] [GIANT 8 OZ SIZE]

[LASTING] [WRAPPED] [SLOW DISSOLVING] [FOR FEEDER OR SKIMMER USE]

[CONTAINS WATER SOFTENER] [CONTINUOUS CHLORINATION FOR THE CONTROL

OF BACTERIA AND ALGAE IN SWIMMING POOLS] [STABILIZED] [SUN PROTECTED]

[STABILIZED SANITIZATION][SUN PROTECTED FOR EXTENDED CHLORINE

LIFE][PROTECTS AGAINST BACTERIA AND ALGAE]

[PREVENTS BACTERIA AND ALGAE][CONTROLS BACTERIA AND ALGAE]

[BACTERIA AND ALGAE CONTROL][SANITIZES POOL WATER]

[SWIMMING POOL SANITIZER][SANITIZER FOR SWIMMING POOL AND POOL WATER]

[STABILIZED] [SUN PROTECTED]

[STABILIZED SANITIZATION]

[SUN PROTECTED FOR EXTENDED CHLORINE LIFE]

[PROTECTS AGAINST BACTERIA AND ALGAE]

[PREVENTS BACTERIA AND ALGAE]

[CONTROLS BACTERIA AND ALGAE]

[BACTERIA AND ALGAE CONTROL]

[SANITIZES POOL WATER]

[SWIMMING POOL SANITIZER]

[SANITIZER FOR SWIMMING POOL WATER]

[3-IN-1 MULTI ACTION, CLARIFIES WATER, SANITIZES AND PUTS A STOP TO ALGAE GROWTH]

[KILLS BACTERIA] [ERADICATES ORGANIC CONTAMINANTS]

[KILLS ALGAE]

[COMPLETELY SOLUBLE]

[SLOW DISSOLVING]

IBUILT IN CLARIFIER

[INCREASES FILTER EFFICIENCY]

[MULTI FUNCTION TABLET]

[KEEPS POOL WATER CLEAR]

[PRODUCES DAZZLING SWIMMING POOL WATER]

[BRINGS BACK CLARITY TO POOL WATER]

NOTIFICATION

3432-85

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

02/23/2015

ACTIVE INGREDIENTS:

Trichloro-s-Triazinetrione	93%
Copper Sulfate pentahydrate	
OTHER INGREDIENTS	
	$0.\overline{0\%}$

KEEP OUT OF REACH OF CHILDREN

DANGER

See [back] [side] panel for additional precautionary statements

FIRST AID

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

EPA REG. NO. 3432-85 EPA EST. NO. 3432-PA-1

NET WT. ____LBS.
Mfg. by: N. Jonas & Co., Inc. • Bensalem, PA 19020

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. CORROSIVE: Corrosive. Causes irreversible eye damage. Wear protective eyewear (goggles, face shield, or safety glasses). May be fatal if inhaled. Do not breathe dust. Wear appropriate respirator. Do not get in eyes on skin or clothing. May be fatal if swallowed. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or the toilet. Remove and wash contaminated clothing before reuse.

(If container size is less than 50 pounds, use the following Environmental Hazards statement) ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms.

(If container size is 50 pounds or larger, use the following Environmental Hazards statement)

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of National Pollutant Discharge Elimination Systems (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do no discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS:

STRONG OXIDIZING AGENT. Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction, with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. In case of contamination or decomposition, do not reseal container. If possible isolate container in open air or well ventilated area. Flood with large volumes of water, if necessary.

This product is meant to help keep bacteria and algae under control in swimming pools.

NOTE TO REVIEWER: The following section is for the 1" tablets:

[DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

- 1. Before using this product make sure there is sufficient chlorine residual (3.5-5.0 ppm) in the swimming pool by superchlorination. Add Chlorine Stabilizer (Booster) to ensure a minimum of 30 to 40 ppm.
- 2. Place approximately eight 1" tabs for each 10,000 gallons of water per week directly into a skimmer basket. After approximately 24 hours test the chlorine residual, if it is less than 1.0 ppm add additional product to skimmer. Do not add any other chemicals to the skimmer while chlorine products are present as a violent reaction might occur.
- 3. A reliable water test kit should be used at least once a day to check both pH and chlorine levels. pH should be between 7.2-7.6 and adjusted as necessary. Chlorine should be between 1-4 ppm. If chlorine level is too low, add more tablets until there is enough to maintain the 1-4 ppm.
- 4. Reentry into the pool is prohibited if the chlorine level is above 4 ppm due to risk of bodily harm.

In no case should tablets be thrown directly into or on a vinyl liner as bleaching will result.

This product can be used in any dispenser that uses Chlorine Concentrate tablets or sticks. This product should not be mixed with any other kind of chlorine as an explosion could result.

NOTE: During heavy bathing loads, very hot weather, rain, etc. and at least once a week, the water should be super chlorinated with a granular chlorinating product. It is preferable to do this after swimming day so that pool will have a chance to come back to the 1-4 ppm before re-entering. These tablets will last approximately 5-7 days depending upon temperature and amount of water flow]

NOTE TO REVIEWER: The following section is for the 8 ounce 3" tablets:

[DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

- 1. Before using this product make sure there is sufficient chlorine residual (3.5-5.0 ppm) in the swimming pool by superchlorination. Add Chlorine Stabilizer (Booster) to ensure a minimum of 30 to 40 ppm.
- 2. Place approximately one Multi Purpose tab for each 10,000 gallons of water per week directly into a skimmer basket. After approximately 24 hours test the chlorine residual, if it is less than 1.0 ppm add additional product to skimmer. Do not add any other chemicals to the skimmer while chlorine products are present as a violent reaction might occur.
- 3. A reliable water test kit should be used at least once a day to check both pH and chlorine levels. pH should be between 7.2-7.6 and adjusted as necessary. Chlorine should be between 1-4 ppm. If chlorine level is too low, add more tablets until there is enough to maintain the 1-4 ppm.
- 4. Reentry into the pool is prohibited if the chlorine level is above 4 ppm due to risk of bodily harm.

In no case should tablets be thrown directly into or on a vinyl liner as bleaching will result.

This product can be used in any dispenser that uses Chlorine Concentrate tablets or sticks. This product should not be mixed with any other kind of chlorine as an explosion could result.

NOTE: During heavy bathing loads, very hot weather, rain, etc. and at least once a week, the water should be super chlorinated with a granular chlorinating product. It is preferable to do this after swimming day so that pool will have a chance to come back to the 1-4 ppm before re-entering. These tablets will last approximately 5-7 days depending upon temperature and amount of water flow]

NOTE TO REVIEWER: The following section is for the 8 ounce sticks:

[DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

- 1. Before using this product make sure there is sufficient chlorine residual (3.5-5.0 ppm) in the swimming pool by superchlorination. Add Chlorine Stabilizer (Booster) to ensure a minimum of 30 to 40 ppm.
- 2. Place approximately one Multi Purpose Stick for each 10,000 gallons of water per week directly into a skimmer basket. After approximately 24 hours test the chlorine residual, if it is less than 1.0 ppm add additional product to skimmer. Do not add any other chemicals to the skimmer while chlorine products are present as a violent reaction might occur.
- 3. A reliable water test kit should be used at least once a day to check both pH and chlorine levels. pH should be between 7.2-7.6 and adjusted as necessary. Chlorine should be between 1-4 ppm. If chlorine level is too low, add more tablets until there is enough to maintain the 1-4 ppm.
- 4. Reentry into the pool is prohibited if the chlorine level is above 4 ppm due to risk of bodily harm.

In no case should tablets be thrown directly into or on a vinyl liner as bleaching will result.

This product can be used in any dispenser that uses Chlorine Concentrate tablets or sticks. This product should not be mixed with any other kind of chlorine as an explosion could result.

NOTE: During heavy bathing loads, very hot weather, rain, etc. and at least once a week, the water should be super chlorinated with a granular chlorinating product. It is preferable to do this after swimming day so that pool will have a chance to come back to the 1-4 ppm before re-entering. These tablets will last approximately 5-7 days depending upon temperature and amount of water flow.]

NOTE TO REVIEWER: This product is for home/household use:

STORAGE AND DISPOSAL:

Do not contaminate food or feed by storage, disposal, or cleaning of equipment.

PESTICIDE STORAGE: Keep this product dry in a tightly closed container, when not in use. Store in a cool, dry, well ventilated area away from heat or open flame. In case of decomposition, isolate container (if possible) and flood area with large amounts of water to dissolve all material before discarding this container.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. **If Empty**: Do not reuse this container. Place in trash or offer for recycling if available. **If Partly Filled**: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

FL of Nivershore	IID atala Niverala au	
[Lot Number][Batch Number	