

CAUTION COMBUSTIBLE MIXTURE N.Y.F.D. C. of A. No. 3347

OCTAGON PROCESS INC.

596 RIVER ROAD, EDGEWATER, NEW JERSEY 07020

INSECTICIDE, MALATHION 3.7% LIQUID, RESIDUAL

ACTIVE INGREDIENTS:	PERCENT BY WEIGHT
Malathion*	3.7
Heavy Aromatic Naphtha	2.8
Petroleum Oil	93.5

*Consists of O,O-dimethyl dithiophosphorothioic methyl mercaptosulphate

FOR USE AGAINST ROACHES RESISTANT TO CHLORINATED HYDROCARBONS. ALSO MAY BE USED AGAINST ANTS AND MOSQUITOES.

CAUTION KEEP OUT OF REACH OF CHILDREN

HARMFUL IF SWALLOWED. AVOID BREATHING OF SPRAY MIST. AVOID CONTACT WITH SKIN. WASH THOROUGHLY AFTER USING. AVOID CONTAMINATION OF FEED AND FOODSTUFFS.

DO NOT USE IN COMMERCIAL FOOD PREPARATION AREAS OR IN EDIBLE PRODUCTS AREAS OF FOOD PROCESSING PLANTS.

DO NOT REUSE EMPTY DRUM. RETURN TO DRUM RECONDITIONER OR DESTROY BY PERFORATING OR CRUSHING AND BURYING IN A SAFE PLACE.


THIS PRODUCT IS TOXIC TO FISH. KEEP OUT OF ANY BODY OF WATER. DO NOT CONTAMINATE WATER BY CLEANING OF EQUIPMENT, OR DISPOSAL OF WASTES. APPLY THIS PRODUCT ONLY AS SPECIFIED ON THIS LABEL.

DIRECTIONS FOR USE

ROACHES AND ANTS: Apply without dilution as a spot treatment to cracks, crevices, and other roach harborages and to ant runways. Use coarse wet spray and apply until the surface is wet to the point of run-off. Reapply only when reinfestation is noted. Do not use for space spray or for residual treatments covering extensive indoor surfaces such as entire bulkheads and overheads.

MOSQUITO LARVAE CONTROL (Spray Application): For the control and treatment of mosquito larvae in marshy areas and standing waters, Malathion preparation can be sprayed by ground equipment at the rate of 0.4 to 0.5 pounds of actual Malathion per acre (2 1/4 gallons).

EPA REG. No. 6830-74



6830-74