

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

September 19, 2024

SENT BY EMAIL

Kathryn Rosario kathryn.rosario@lonza.com ARXADA, LLC

Subject: Labeling Notification per Pesticide Registration Notice (PRN) 98-10 - Notification to revise

First Aid language and company name, address, and EPA registration number

Product Name: PROXEL LS PRESERVATIVE

Admin Number: 6836-502 EPA Receipt Date: 12/09/2022 Action Case Number: 00415528

Dear Kathryn Rosario:

The U.S. Environmental Protection Agency is in receipt of your application for notification under Pesticide Registration Notice 98-10 for the above referenced product. The EPA has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The labeling submitted with this application has been stamped "Notification" and will be placed in our records.

Should you wish to add/retain a reference to your company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide, Fungicide, and Rodenticide Act and is subject to review by the EPA. If the website is false or misleading, the product will be considered to be misbranded and sale or distribution of the product is unlawful under FIFRA section 12(a)(1)(E). 40 CFR § 156.10(a)(5) lists examples of statements the EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the EPA find or if it is brought to our attention that a website contains statements or claims substantially differing from statements or claims made in connection with obtaining a FIFRA section 3 registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

If you have questions, please contact Linda Amar via email at amar.linda@epa.gov.

Sincerely,

Steven Snyderman, Product Manager, Team 33 RMB 2, AD
Office of Pesticide Programs

Steven Snyderman

Proxel LS Preservative

NOTIFICATION

6836-502

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

09/19/2024

KEEP OUT OF REACH OF CHILDREN

DANGER [PELIGRO]

SEE [SIDE] [BACK] [RIGHT] [LEFT] PANEL FOR FIRST AID AND ADDITIONAL PRECAUTIONARY STATEMENTS

{Note to Reviewer: In accordance with 40 CFR 156.68(d), all first aid statements, as prescribed, will appear on the front panel of the product label.}

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a Poison Control Center or doctor for treatment advice.

IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice.

IF SWALLOWED: Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow, Do not induce vomiting unless told to do so by a Poison Control Center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferable by mouth-to-mouth if possible. Call a Poison Control Center or doctor for further treatment advice.

Note to Physician: Causes irreversible eye damage. Probable mucosal damage may contraindicate the use of gastric lavage.

Have the product container or label with you when you call a Poison Control Center or doctor, or when going for treatment. In case of emergency or for additional information call 1-800-654-6911.

MANUFACTURED FOR/BY:

Arxada, LLC 412 Mount Kemble Avenue, Suite 200S Morristown, NJ 07960

[Made in [Enter country of origin]

EPA Reg. No. 6836-502 EPA Est. No. [Enter EPA Establishment Site] Net Weight [Enter Net Weight]

Proxel® is a registered trademark of Arch UK Biocides Limited

Proxel LS Preservative EPA Reg. No. 6836-502 EPA Submission 2022-12-08

PRECAUTIONARY STATEMENTS:

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. Corrosive. Causes irreversible eye damage and skin burns. Harmful if swallowed, absorbed through skin, or inhaled. Do not get in eyes, on skin, or on clothing. Avoid breathing vapors or spray mist. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals

PERSONAL PROTECTIVE EQUIPMENT (PPE):

Applicators and other handlers must wear protective eyewear (goggles, safety glasses or face shield), chemical-resistant gloves and protective clothing (long-sleeved shirt and long pants with socks and shoes).

USERS SAFETY REQUIREMENTS:

Follow manufacturer's instructions for cleaning/maintaining Personal Protective Equipment (PPE). If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

Discard clothing or other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

USER SAFETY INSTRUCTIONS:

Users must wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove personnel protective equipment immediately after handling this product. Wash the outside of gloves before removing. As soon as possible wash thoroughly

ENVIRONMENTAL HAZARDS:

This product is toxic to fish and wildlife. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

STORAGE & DISPOSAL

Do not contaminate water, food, or feed by storage or disposal or cleaning of equipment.

PESTICIDE STORAGE: Store in a cool place. Protect from excessive heat.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL:

[Nonrefillable containers]

Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. Triple rinse container promptly after emptying. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by procedures approved by state and local authorities.

[For containers >5 gallons or 50 lbs net weight]

Triple rinse as follows: Fill container ¼ full with water. Tip container on its side and roll it back and forth, ensuring at least one complete revolution for 30 seconds. Stand the container on its end and tip it back and forth several times. Follow Pesticide Disposal instructions for rinsate disposal. Repeat this procedure two more times.

[For containers < 5 gallons]:

Triple rinse as follows: Fill container ¼ full with water and recap. Shake for 10 seconds. Drain for 10 seconds after the flow begins to drip. Drain for 10 seconds after the flow begins to drip. Empty the rinsate into the application equipment or mix tank or store rinsate for later use or disposal. Repeat procedure two more times.

[Refillable containers, all sizes]

Refillable container. Refill this container with pesticide only. Do not use this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

ONTAINER DISPOSAL: [100 -330 gallon Intermediate Bulk Containers (IBC), IBC tote, IBC tank or pallet tanks] Non-Refillable container. To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with a pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times. Offer for recycling. Disposal of this container must be in compliance with state and local regulations.

CONTAINER DISPOSAL: [For Bulk Shipments and Transport Vehicles such as Portable Tanks, Tanker Trucks, Tank Trailers and Railcars] Emptied container retains vapor and product residue. Observe all precautions stated on this label until the container is cleaned, reconditioned or destroyed. Prior to refilling, inspect carefully for damage such as cracks, punctures, abrasions, and worn-out threads and closures. Clean thoroughly before reuse for transportation of a material of different composition or before retiring this transport vehicle from service.

["Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)]

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons.

Apply Proxel LS Preservative at the concentrations shown. All concentrations are based on the total formulation weight. Add Proxel LS Preservative at the end of the manufacturing cycle, at a point in the process where thorough mixing of Proxel LS Preservative into the preserved product will occur.

Paints, Stains, and Coatings

0.2 - 2.0%

Proxel LS Preservative is for the control of bacteria and fungi in water based coatings, (including process wash solutions) including coatings for architectural and industrial materials and for non-food contact paper and cellulosic materials.

Latex, Polymer Emulsions or Solutions

0.1 - 1.0%

Proxel LS Preservative is for the control of bacteria and fungi in the manufacture and storage of synthetic and natural polymer lattices (including process wash solutions) and polymer solutions including all types of latex binders for coatings use and polymer based rheology modifiers including biopolymers intended for industrial use such as xanthan gum, gum arabic, guar gum, protein derived polymers, starches, and casein derived polymers including lattices for non-food contact paper and paperboard.

Building Products and Mineral Slurries

0.1 - 2.0%

Proxel LS Preservative is for the control of bacteria and fungi in water based building materials including: concrete admixtures, joint compound, spackle, caulk, sealant, stucco, grout, wood fillers, putties and waxes, buffing and abrasive compounds, glazing compounds, polishes, calcium carbonate slurry, titanium dioxide slurry, and other non-food contact mineral slurries.

Adhesives and Tackifiers

0.1 - 0.5%

Proxel LS Preservative is for the control of bacteria and fungi in water based adhesives and tackifiers including adhesives based on natural rubber or synthetic lattices.

Pigment Cake, Pigment Dispersions, Fountain Solutions, Dyes, and Inks

0.25 - 2.5%

Proxel LS Preservative is for the control of bacteria and fungi in water based inks, fountain solutions, pigment dispersions or colorants, and pigment press cake. Proxel LS Preservative is recommended for water based printing inks such as flexographic, gravure, screen, and ink jet types. Proxel LS Preservative is recommended for control of bacteria and fungi in ink jet components such as resins, plasticizers, water soluble dyes, pigments, gelling agents, surfactants, and thickeners. Up to 150 lb Proxel LS Preservative per 1000 lb of concentrate may be added to concentrates so long as the final product contains not more than 750 ppm active ingredients (a dilution of 20x).

*Oil-in-Water Fluids

Proxel LS Preservative is for the control of bacteria and fungi in water based oil-in-water fluids such as metalworking, cutting, cooling, and lubricating fluids. To inhibit bacterial and fungal growth add an initial dose of 630 ppm up to 6250 ppm of Proxel LS Preservative to the solution by pouring from the container and subsequent maintenance doses of 630 ppm up to 6250 ppm every 7- 10 days or as needed.

Proxel LS Preservative EPA Reg. No. 6836-502 EPA Submission 2022-12-08 0.063 - 0.625%

*Oil-in-Water Concentrates

Proxel LS Preservative is for the control of bacteria and fungi in water based oil-in-water concentrates such as metalworking, cutting, cooling, and lubricating fluid concentrates. To inhibit bacterial and fungal growth add an initial dose of 630 ppm up to 6250 ppm of Proxel LS Preservative. The amount required in the concentrate will depend on the end use dilution. For example: If the desired level of Proxel LS Preservative is 6250 ppm and the end use dilution of the fluid is 5%, then a 12.5% concentration of Proxel LS Preservative is required in the concentrate.

*Textile Auxiliaries and Fiber Lubricants

0.1 - 0.6%

Proxel LS Preservative is for the control of bacteria and fungi in liquid textile auxiliaries for woven or non-woven products (such as fiber lubricants, spin finishes, sizes, dyestuffs, textile printing inks, dispersants, thickeners, dye fixatives), and in textile coatings.

*Household, Consumer, Industrial, and Janitorial Products

0.1 - 0.8%

Proxel LS Preservative is for the control of bacteria and fungi in cleaning products such as surface cleaners, carpet and fabric cleaners, floor cleaners, air fresheners/deodorizers, laundry detergents, laundry rinse additives, stain removers, and other similar cleaners.

Proxel LS Preservative may be used to preserve liquid and solid formulations of these products or it may be used to preserve formulations offered as semi-solid gels, polishes, or waxes, or as premoistened, wipes, mops, or sponges.

*Preservation of Fresh Animal Hides and Skins

0.1 - 5.0%

Proxel LS Preservative is used to prevent the bacterial or fungal degradation of hides and skins. Application level is dependent on the type of hide or leather to be protected, the length of protection desired and the presence of other constituents in the processing formula. The optimum addition should be determined by trial for each individual application. For soaking raw hides this product should be added to the water to be used for soaking. For treating hides cured with dry salt, this product should be applied to the hides or should be mixed with the salt before it is applied to the hides. This product can be used for the protection of wet leather stock such as pickled, chrome, chrome alternative, metal free, and vegetable tanned leathers from mold and mildew during in-tannery wet processing and for the protection of wet-blue during long storage and transportation times. Treatment rates should be calculated based on the wet white weight or wet blue weight, and compatibility with chrome solutions or other treatment chemicals should be confirmed prior to trial.

*In-Container Preservative

0.1 - 0.625%

Proxel LS Preservative is used as an in-container preservative for the control of bacteria and fungi in aqueous products, aqueous emulsions, and dispersions including; diagnostic reagents, surface preparation compounds, nutrient solutions, silicone emulsions, and foam control products.

*Not for use in California