



Chlorinating Concentrate

GRANULAR

ACCEPTED
JUL 15 2003
Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. 7364-45

ACTIVE INGREDIENT:

Sodium Dichloro-s-Triazinetrione99%

OTHER INGREDIENT:.....1%

Available Chlorine.....56%

KEEP OUT OF REACH OF CHILDREN

DANGER

See other precautions and first aid on back panel.

Net Wt.: 8 LB. (2.984 kg)

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: CORROSIVE. causes irreversible eye damage. May be fatal if inhaled. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin or on clothing. Do not breathe dust, vapor or spray mist. Wear goggles or face shield or safety glasses. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Reentry into treated swimming pool is prohibited above levels of 3 ppm chlorine.

This product is a stabilized concentrated chlorine which will provide effective control of bacteria and algae when used as directed. For the convenience of continuous automatically fed chlorine and relief from frequent hand feeding, try our automatic feeder that uses our 3" Chlorination Tablets.

- 1. Adjust the pool water pH value to between 7.2 and 7.8 and total alkalinity to between 80 and 150 ppm as determined by a suitable test kit.
2. Stabilize pool water with 30 ppm Stabilizer as directed on the container label. Thereafter regular use of this product will provide any needed makeup conditioner.
3. Shock treat the pool water by using 9 ounces of this product for each 10,000 gallons of pool water. Before using the pool, be certain the chlorine level returns to 1.0 to 1.5 ppm.
4. Maintain a free available chlorine level of 1.0 to 1.5 ppm (as determined daily by a suitable test kit) at all times. For each 10,000 gallons of pool water, add 2 1/2 ounces of this product every other day (or 1 1/2 ounces daily) or more as needed to maintain the proper chlorine level.
5. Shock treat your pool at least twice monthly (more often in sunbelt regions) according to Step No. 3 above. During hot weather and peak bather loads, shock treat your pool weekly to prevent water cloudiness and algae growth.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic organisms.

PHYSICAL AND CHEMICAL HAZARDS

Strong Oxidizing Agent. Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such a use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction, with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. In case of contamination or decomposition, do not reseal container. If possible isolate container in open air or well ventilated area. Flood with large volumes of water, if necessary.

If Swallowed: Call a poison control center immediately for treatment advice. Have the person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or a doctor. Do not give anything by mouth to an unconscious person.
If In Eyes: Hold eyelids open and rinse slowly with water for 15 to 20 minutes. Remove contact lenses if present after 5 minutes then continue rinsing eye. Call poison control center or doctor for treatment advice.
If On Skin or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.
If Inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 800-858-7378 for emergency medical treatment information.
NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Get medical attention.

STORAGE AND DISPOSAL

Keep product dry in a tightly closed container, when not in use. Store in a cool, dry, well-ventilated area away from heat or open flame. In case of decomposition, isolate container (if possible) and flood area with large amounts of water to dissolve all materials before discarding this container. Do not reuse empty container but place in trash collection. Do not contaminate food or feed by storage or disposal, or cleaning of equipment.

EPA REG. NO.: 7364-45

EPA EST. NO.: 69470-WW-2

7364-45

7-15-2003

11