



COSCO

25% Methoxychlor Spray



(Contains 2 pounds METHOXYCHLOR per gallon)

ACTIVE INGREDIENTS: (by weight)
Methoxychlor*, technical 25%
Xylene 71%
INERT INGREDIENTS: (by weight) 4%
Total 100%

*25.0 Methoxychlor technical is equivalent to 22.0% 2,2-bis (p-Methoxyphenyl) 1,1,1-trichloroethane and 3.0% other isomers and reaction products.

CAUTION—KEEP OUT OF REACH OF CHILDREN

SEE OTHER PRECAUTIONS BELOW

COSCO 25% METHOXYCHLOR SPRAY is formulated for the control of Elm Bark Beetle, the vector of Dutch Elm Disease.

DIRECTIONS:

MIST BLOWER

Dormant Spray: Apply a 12% Methoxychlor Spray. Thoroughly spray all bark surfaces any time after March 15th until appearance of elm leaves.

Foliage Spray: Apply a 6% Methoxychlor spray. Thoroughly cover leaf and bark surfaces after appearance of leaves in spring, approximately May 1st in Northern Illinois. Do not spray trees when temperatures exceed 90° F.

HYDRAULIC SPRAYER

Dormant Spray: Apply a 2% Methoxychlor spray as recommended in mist blower use above.


Foliage Spray: Apply a 1% Methoxychlor spray as recommended in mist blower use above. Do not spray trees when temperatures exceed 90° F.

CAUTION—KEEP OUT OF REACH OF CHILDREN. DO NOT STORE BELOW 40 DEGREES F. KEEP CONTAINER AWAY FROM HEAT AND OPEN FLAME—FIRE HAZARD. DO NOT SPRAY INTO OR NEAR OPEN FLAME. AVOID BREATHING VAPOR OR SPRAY MIST. AVOID CONTAMINATION OF FEED OR FOODSTUFFS. IN CASE OF SPILLAGE, WASH WITH SOAP AND WATER—AVOID SKIN CONTACT. HARMFUL IF SWALLOWED.

THIS PRODUCT IS TOXIC TO FISH. KEEP OUT OF ANY BODY OF WATER. DO NOT APPLY WHEN WEATHER CONDITIONS FAVOR DRIFT FROM AREAS TREATED. DO NOT APPLY WHERE RUNOFF IS LIKELY TO OCCUR. DO NOT CONTAMINATE WATER BY CLEANING OF EQUIPMENT, OR DISPOSAL OF WASTES. APPLY THIS PRODUCT ONLY AS SPECIFIED ON THIS LABEL. WASH AND DESTROY CONTAINER WHEN EMPTY—NEVER RE-USE.

NON-WARRANTY NOTICE:

BUYER ACCEPTS WITHOUT WARRANTY EITHER EXPRESSED OR IMPLIED.



MIXING INSTRUCTIONS:

Partially fill tank with water. Add COSCO 25% Methoxychlor Spray in correct amount. Finish filling tank with balance of water. The following dilution table is given to assist in determining proper quantity of concentrate to use for a given amount of finished spray.


GALS OF FINISHED SPRAY	1% METHOXYCHLOR	2% METHOXYCHLOR	6% METHOXYCHLOR	12% METHOXYCHLOR
200	8-1/3 gal.	16-2/3 gal.	50 gal.	100 gal.
100	4-1/6 gal.	8-1/3 gal.	25 gal.	50 gal.
50	2 gal.	4-1/6 gal.	12-1/2 gal.	25 gal.

Manufactured by: **CLARKE OUTDOOR SPRAYING CO., INC.**

200 Hayes Avenue

La Grange, Illinois 60525

8329-1



COSCO



Contains 2 pounds METHOXYCHLOR per gallon

ACTIVE INGREDIENTS (by weight)

Methoxychlor technical	25
Xylene	71
INERT INGREDIENTS (by weight)	4

Total 100%

25.0 Methoxychlor technical is equivalent to 22.0 (2.2 lbs. in Methoxyphenyl) 1:1:1 trichloroethylene and 3.0 other isomers and reaction products.

SEE OTHER PRECAUTIONS BELOW

COSCO 25% METHOXYCHLOR SPRAY is formulated for the control of Elm Bark Beetle, the vector of Dutch Elm Disease.

DIRECTIONS:

MIST BLOWER

Dormant Spray: Apply a 12% Methoxychlor Spray. Thoroughly spray all bark surfaces any time after March 15th until appearance of elm leaves.

Foliage Spray: Apply a 6% Methoxychlor spray. Thoroughly cover leaf and bark surfaces after appearance of leaves in spring, approximately May 1st in Northern Illinois. Do not spray trees when temperatures exceed 90° F.

HYDRAULIC SPRAYER

Dormant Spray: Apply a 2% Methoxychlor spray as recommended in mist blower use above.


Foliage Spray: Apply a 1% Methoxychlor spray as recommended in mist blower use above. Do not spray trees when temperatures exceed 90° F.

CAUTION—KEEP OUT OF REACH OF CHILDREN. DO NOT STORE BELOW 40 DEGREES F. KEEP CONTAINER AWAY FROM HEAT AND OPEN FLAME—FIRE HAZARD. DO NOT SPRAY INTO OR NEAR OPEN FLAME. AVOID BREATHING VAPOR OR SPRAY MIST. AVOID CONTAMINATION OF FEED OR FOODSTUFFS. IN CASE OF SPILLAGE, WASH WITH SOAP AND WATER—AVOID SKIN CONTACT. HARMFUL IF SWALLOWED.

THIS PRODUCT IS TOXIC TO FISH. KEEP OUT OF ANY BODY OF WATER. DO NOT APPLY WHEN WEATHER CONDITIONS FAVOR DRIFT FROM AREAS TREATED. DO NOT APPLY WHERE RUNOFF IS LIKELY TO OCCUR. DO NOT CONTAMINATE WATER BY CLEANING OF EQUIPMENT, OR DISPOSAL OF WASTES. APPLY THIS PRODUCT ONLY AS SPECIFIED ON THIS LABEL. WASH AND DESTROY CONTAINER WHEN EMPTY—NEVER RE-USE.

NON-WARRANTY NOTICE:

BUYER ACCEPTS WITHOUT WARRANTY EITHER EXPRESSED OR IMPLIED



MIXING INSTRUCTIONS:

Partners in a tank with water. Add COSCO 25% Methoxychlor Spray in correct amount. Finish tank, take out material, spray. Do not wash tank until after use. To assist in determining proper amount of concentrate to use for a given amount of water, see table.

GALS OF FINISHED SPRAY

100
50
25

1% METHOXYCHLOR

8.33 gal.
4.17 gal.
2.08 gal.

2% METHOXYCHLOR

16.67 gal.
8.33 gal.
4.17 gal.

6% METHOXYCHLOR

50 gal.
25 gal.
12.5 gal.

12% METHOXYCHLOR

100 gal.
50 gal.
25 gal.

Manufactured by: **CLARKE OUTDOOR SPRAYING CO., INC.**

200 Hayes Avenue

La Grange, Illinois 60525