

U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs Registration Division (7505P) Ariel Rios Building 1200 Pennsylvania Ave., NW Washington, D.C. 20460 EPA Reg. Number:

Date of Issuance:

10551-1

SEP 29 2010

NOTICE OF PESTICIDE:

_ Registration

x Reregistration (under FIFRA, as amended)

Term of Issuance: Unconditional

Name of Pesticide Product:

The Giant Destroyer

Name and Address of Registrant (include ZIP Code):

Atlas Chemical Corp.

c/o Jeff Jones

Delta Analytical Corp.

12455 Prosperity Drive, Suite 160

Silver Spring, MD 20904

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

Based on your response to the Reregistration Eligibility Decision, EPA has reregistered the product listed above. This action is taken under the authority of section 4(g)(2)(C) of the Federal Insecticide, Fungicide, and Rodenticide Act, as amended. Reregistration under this section does not eliminate the need for continual reassessment of pesticides. EPA may require submission of data at any time to maintain the registration of your product.

Generic data requirements that have been identified in the RED as confirmatory data for the active ingredient contained in the subject product will continue to be tracked and assessed in the Agency's continual reassessment of pesticides.

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable. The confidential statement of formula dated September 24, 2010 is acceptable. All other CSFs for this product are obsolete.

You must submit one copy of the final printed label before you release the product for shipment. Products shipped after 12 months from the date of this Notice or the next printing of the label whichever occurs first, must bear the new revised label.

A stamped copy of the label is enclosed for your records. Should you have any questions, Please contact me at (703) 308-6249.

Signature of Approving Official:

John Hebert

Insecticide-Rødenticide Branch, PM7

Registration Division (7505P)

Date


SEP **29** 2010

#GIANT # SUPER gasser DESTROYER

Kills Gophers, Moles, Woodchucks, Rats, Skunks, & Ground Squirrels

This product has been used successfully for many years to control pests listed on this label.

ACTIVE INGREDIENTS	
Sodium Nitrate	50%
Sulfur	. 38%
Charcoal	. 9%
OTHER INGREDIENTS	3%
	100%



WARNING

KEEP OUT OF REACH OF CHILDREN

See back of card for additional precautionary statements

EPA Registration No. 10551-1 EPA Est. No. 73591-MO-001 Domestic Registration Number 12269 Pest Control Products Act, Canada

ATLAS Chemical Corp.

PO Box 141, Cedar Rapids, IA 52406 Net contents when packed: 8 oz. (227g)

Outer Package Back Panel

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Causes eye irritation. After ignition cartridge produces toxic gases such as oxides of sulfur and carbon monoxide. Fumes from ignited cartridge may be harmful if inhaled. Avoid contact with eyes, skin or clothing. Avoid breathing fumes. Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS

This product is highly toxic to wildlife. Check all burrows for signs of non-target species. If present, do not treat burrows. See Package Insert label for complete Environmental Hazards text, including Endangered Species Considerations.

CHEMICAL HAZARDS

Once ignited by the fuse, this cartridge will burn vigorously until completely spent and is capable of causing severe burns to exposed skin and clothes, and of igniting dry grass, leaves or other combustible materials.

DIRECTIONS FOR USE It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Use only for the sites, pests and application methods described on this label.

USE RESTRICTIONS: FOR OUTDOOR USE ONLY. This product may be used only to control pocket gophers, moles, woodchucks, rats, skunks, and ground squirrels in non-crop areas (including residential lawns, parks, golf courses, re-forested areas, open fields) and in rangeland. Do not use where use of gas cartridges is prohibited by local ordinances. Do not use under buildings, homes, porches or any structure due to possible fire hazard. Only use inside of burrows and never inside of buildings. Product effectiveness may be limited in dry or porous soil which permits the escape of toxic gases from treated burrow.

drain.

treatment advice.

PRIOR TO APPLICATION:

Carefully observe areas to be treated. Apply cartridges only to burrow systems or dens currently being used by target species. Do not apply cartridges to burrows or dens known or believed to contain non-target vertebrate animals. Do not use cartridges where vegetation is dry and likely to catch fire.

How to use the GIANT DESTROYER - Use only inside burrows never inside of buildings.

APPLICATION STEPS:

- 1. Read and understand the specific instructions for the type of animal that you intend to control. Prepare hole for treatment as specified in instructions below for target animal control.
- 2. Collect sufficient soil, rocks or other noncombustible materials to close burrow system after insertion of cartridge.
- 3. Find main runway and clear one opening. Make sure the burrow or den hole(s) are large enough for easy insertion of cartridge and that all other openings are sealed.



4. Insert fuse firmly into cartridge end, making sure at least two inches of fuse protrudes from the cartridge. Position yourself so that you can light fuse and promptly insert cartridge into burrow. The minimum fuse burn time is 5 seconds.



5. Working quickly, light fuse and insert cartridge into hole fuse-end first. Never light the cartridge directly [or with less than 2 inches of fuse] nor hold a burning cartridge in your hand.



6. Cover hole immediately with rock or sod, taking care not to smother cartridge. Immediately cover all openings from which gas escape is visible. Avoid breathing cartridge smoke.



FOLLOW THESE INSTRUCTIONS:

MOLES (lawns, golf courses, non-crop areas) — To locate the main runway, look for fresh conical mounds of dirt. Select the freshest of these, remove plug and dig in the direction of main runway. If lateral to the mound is plugged, either dig past the plug or probe ground around the plug to locate main runway. Main runway will be found when probe meets little or no resistance. Follow application steps 1-6 above. If your excavations have divided main runway into sections, treat each portion.

NORWAY RAT (non-crop areas) — Use only where burrows are isolated from homes, barns, and other man-made structures. DO NOT USE inside buildings or anywhere where gasses could enter buildings. Follow application steps 1-6 above. Proceed to next closest burrow and treat as above.

GROUND SQUIRRELS (rangeland) Follow application steps 1-6 above. Proceed to next closest burrow and treat as above.

SKUNKS (non-crop areas) – Locate all entrances to den. Do not treat dens under inhabited structures or buildings where toxic gasses could reach humans, pets or domestic animals including livestock. Follow application steps 1-6 above. KANSAS Need wildlife permit (see insert)

WOODCHUCKS (open fields, non-crop areas) – Locate all burrow entrances. Select one for use and close all other entrances with rock and dirt. Follow application steps 1-6 above. Consult State game laws before using this product for woodchuck control.

FIRST AID

Call a poison control center, doctor, or 1-800-222-1222 immediately

If inhaled: Move person to fresh air. If person is not breathing, call

mouth, if possible. If in eyes: Hold eyes open and rinse slowly and

STORAGE AND DISPOSAL

inaccessible to children and pets. Pesticide Disposal: Nonrefillable

container. Do not reuse or refill this container. If empty: Place in

trash or offer for recycling if available. If partly filled: To dispose of

unused cartridges, soak in water, crush and bury at least 6 inches in

loose soil. Never place unused product down any indoor or outdoor

Pesticide Storage: Store only in original container in a dry place

an ambulance, then give artificial respiration, preferably mouth-to-

gently with water for 15-20 minutes. Remove contact lenses, if

present, after the first 5 minutes then continue rinsing.

for treatment advice. Have the product label with you when obtaining

POCKET GOPHERS (meadows, reforested areas) — Locate a characteristic fan-shaped mound with signs of recent gopher activity (e.g., recently excavated soil) at plugged burrow entrances. Determine if burrow is active by removing soil plug from center of each burrow entrance. Return the next day to see of the burrow opening has been re-plugged, indicating active use by a pocket gopher. DO NOT treat burrows that remain unplugged. Find the horseshoe-shaped depression on one side of the plugged mound. Locate the main runway by probing the ground 15-18" (38-46cm) from the mound, starting on the same side as the depression. The main runway has been located when friction on the probe is released and it falls into the runway. Using a shovel or trowel, dig down to the main runway, taking care not to block it with soil, to create a hole. Follow application steps 1-6 above. Treat all active mounds. One cartridge placed in the end of a runway should be sufficient. One or more additional cartridges should be used if treatment takes place in the middle of runway or if runway is "T-shaped" to reach pocket gophers that may be on the untreated side of the plugged runway. Re-treat in 5-7 days if new or residual activity appears.

For larger animals, longer or multiple runways, use more than one cartridge.

PACKAGE INSERT LABEL

The Giant Destroyer

See outer package label for ingredients, use directions, and additional precautions.

Before applying product, read entire labeling, including the Outer Package, Cartridge and Insert Labels. This Insert includes the complete "Environmental Hazards" text, including the "ENDANGERED SPECIES CONSIDERATIONS".

PRECAUTIONARY STATEMENTS

Environmental Hazards

This product is highly toxic to wildlife. Check all burrows for signs of non-target species. If present, do not treat burrows.

ENDANGERED SPECIES CONSIDERATIONS

General Considerations

NOTICE: It is a Federal offense to use any pesticide in a manner that results in the death of a member of an endangered species. The killing of a member of an endangered species due to the use of gas cartridges may result in a fine and/or imprisonment under the Endangered Species Act. All users of this product must determine whether endangered species are known to occur or might occur in the intended use areas. Consult the nearest U.S. Fish and Wildlife Service regional office or the appropriate State agency for current information on habitats occupied by endangered species.

Specific Considerations

Use this product according to these instructions to protect endangered species.

<u>Black-Footed Ferret CMustelia nigripes</u>): To limit risks to the black-footed ferret and to avoid destruction of its prey base, do not use this product within 4.3 miles (7 kilometers) of any prairie dog town <u>unless</u> the colony is an isolated black-tailed prairie dog town less than 80 acres in size or an isolated white-tailed or Gunnison prairie dog town less than 200 acres in size, or <u>unless</u> the town has been appropriately surveyed, using methods acceptable to the U.S. Fish and Wildlife Service, and found not to contain black-footed ferrets and found by the FWS not to be a suitable site for ferret reintroductions.

Use of this product within the occupied habitats of the organisms listed immediately below is limited to qualified individuals who have been trained to distinguish dens and burrows of target species from those of nontarget species. Such individuals may be wildlife biologists, certified applicators, representatives of California state or Federal agencies, or agents of county agricultural offices or university extension offices.

<u>Fresno kangaroo rat (Dipodomys nitratoides exilis)</u> in Fresno and Merced Counties, California. <u>Giant kangaroo rat CD. Ingens)</u> in Merced, Fresno, Kings, Tulare, Kern, San Luis Obispo, and Santa Barbara Counties, California

Stephen's kangaroo rat *CD. stephensi)* in Riverside, San Diego, and San Bernadino Counties, California <u>Tipton kangaroo rat *CD. n. nitratoides)*</u> in Kings, Tulare, Kern and Fresno Counties, California <u>Point Arena mountain beaver (Aplodontia rufa nigra)</u> in Mendocino County, California <u>San Joaquin kit fox (Vulpes macroNs mutica)</u> unless authorized by the U.S. Fish and Wildlife Service in

Alameda, Contra Costa, Fresno, Kern, Kings, Merced, Monterey, San Benito, San Joaquin, San Luis Obispo, Santa Barbara, Santa Clara, Stanislaus, or Tulare Counties, California.

<u>Desert Tortoise (Fopherus agassizil)</u>in Arizona, southern California, southern Nevada, and southern Utah.

Do not use this product within the occupied habitats of the endangered animals listed immediately below.

Hualapal Mexican vole (M mexicanus hualpalensus) in Mohave County, Arizona.

Morro Bay kangaroo rat (D. heermanni morroensis) in San Luis Obispo County, California.

Utah prairie dog CCynomys parvidens) in Garfield, Iron, Kane, Piute, Sevier, and Wayne Counties, Utah.

Coachella Valley fringe-toed lizard (Uma inornata) in the Coachella Valley area of southern California.

Island night lizard (Xantusia riversiana) on Santa Barbara, San Clemente, and San Nicolas Islands,

California

Blunt-nosed leopard lizard (Gambeliasilus): Do not use this product within the occupied habitat of the blunt-nosed leopard lizard in Fresno, Kern, Kings, Merced, Monterey, San Benito, San Luis Obispo, Santa Barbara, Santa Clara and Stanislaus Counties, California, from October 1 to April 15 unless a specific blunt-nosed lizard protection plan for this period is approved by the U.S. Fish and Wildlife Service and fully implemented. Use of this product in occupied habitat of this species from April 15 through September 30 is limited to daylight hours when air temperatures are 77-95° F (20-30° C). San Francisco garter snake (Thamnophis sirtalis tetrataenis): Do not use this product within the occupied habitat of the San Francisco garter snake in San Mateo, San Francisco, Santa Clara, and Santa Cruz Counties, California from November 1 to March 30 unless a specific San Francisco garter snake protection program for this period is approved by the U.S. Fish and Wildlife Service and fully implemented. Use of this product in occupied habitat of this species under such approved programs or from April 1 through October 31 is limited to qualified individuals who have been trained to distinguish dens and burrows of target species from those of non-target species. Such individuals may be wildlife biologists, certified applicators, representatives of California State or Federal agencies, or agents of county agricultural offices or university extension offices.

<u>Eastern Indigo snake (Drymarchon corais couperiJ</u>: Do not use this product within habitat types and locales known to support the Eastern Indigo snake throughout Florida and the coastal plain of Georgia.

Gopher tortoise (Gopherus polyPhemus). Do not use this product in or adjacent to known gopher tortoise occupied habitat west of the Mobile and Tombigbee Rivers in Alabama.

EPA Reg. No. 10551-1 EPA Est. No. 73591-MO-001

CARTRIDGE LABEL

The Giant Destroyer

"The Effective Gas Killer"

Quickly Kills Rats, Moles, Gophers and Ground Squirrels in their holes, tunnels and burrows.

Active Ingredients: Sodium Nitrate - 50%; Sulfur - 38%; Charcoal - 9% Other Ingredients - 3% Minimum Fuse Burn Time: 5 seconds

WARNING: Keep Out of Reach of Children

After ignition, cartridge produces toxic gases (such as oxides of sulfur). Fumes may be harmful if inhaled. See back of label card for additional precautionary statements, including First Aid information.

Directions for Use: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Use only for the sites, pests and application methods described on this label. Do not use this product until you have read all of its labeling and fully understand the Directions for Use and all use precautions which appear on the container label and the Package Insert. Only use inside of burrows and never inside of buildings. See back of label card and Package Insert for complete directions.

Warning: Clear tunnel carefully before inserting tube as it will "back-fire" if hole is not properly cleared.

ATLAS Chemical Corp. PO Box 141, Cedar Rapids, IA 52406 NET WEIGHT: 2 OZ.

EPA REG. NO. 10551-1