ENVICIDE

ACCEPTED

DEC 1 4 2000

Buder the Federal Indecheids, Fungicide, and Redupticide Act as amended, for the

pecunida, registured undar EPA Rep. No. // 623-34

Hospital Spray Disinfectant

Kills HIV-1 (AIDS Virus) on Pre-Cleaned Environmental Surfaces

Hospital Use and Broad-Spectrum Disinfectant & Anti-Microbial Agent

An Effective Surface Disinfectant Against:

- HIV-1 (AIDS Virus)
- Herpes Simplex II
- Streptococci

- Staphylococci
- Pseudomonas
- Salmonella

- Influenza A, Virus (Hong Kong)
- Mold and Mildew

ACTIVE INGREDIENTS:

n-Alkyl (60% C ₁₄ , 30% C ₁₆ , 5% C ₁₂ , 5% C ₁₈)	
dimethyl benzyl ammonium chlorides	0.1%
n-Alkyl (68% C ₁₂₁ 32% C ₁₄) dimethyl ethylbenzyl	
ammonium chlorides	0.1%
Isopropanol	53.0%
INERT INGREDIENTS	
TOTAL	100.0%

EPA EST. NO. 11623-GA-1

EPA REG. NO. 11623-24

CAUTION **KEEP OUT OF REACH OF CHILDREN** PHYSICAL AND CHEMICAL HAZARDS

Flammable! Contents under pressure. Do not use near fire, sparks, or flame. Do not puncture or incinerate container. Exposure to temperatures above 120° F may cause bursting. See back panel for additional cautions and health hazards.

NET WT. 15 OZ. (425 grams)

MANUFACTURED BY:

APOLLO INDUSTRIES, INC.

1850 S. Cobb Industrial Blvd. Smyrna, Georgia 30082 (770) 433-0210 www.apolloind.com



- Use in the following settings: industrial, commercial, residential, medical and health care.
- . Designed for use in hu , hospitals, institutions, schools, nursing homes, offices, hotels and motels, ambulances, equipment, and vehicles.
- · Used as directed, disinfects inanimate hard surfaces such as sinks, toilet seats, shower stalls, garbage cans, walls, doors, doorknobs, desktops, telephone receivers, diaper pails, bed pans, and hampers.
- Deodorizes surfaces where odors are caused by microorganisms. Deodorizes shoes.
- · Kills HIV-1 (AIDS virus) on pre-cleaned environmental surfaces or objects previously soiled with blood or body fluids, in medical or healthcare settings.
- Disinfects against Staphylococcus aureus, Salmonella choleraesuis, Pseudomonas aeruginosa, and Trichophyton mentagrophytes.
- Fungicidal against Pathogenic Jungi (Athletes Foot Fungus) when used as directed on hard surfaces.
- · Prevents and controls mold and mildew and the odors they cause.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. SURFACE DISINFECTION AND DEODORIZATION: First remove soil deposits from surface to be treated. Hold can six inches from surface and spray until completely wet. Allow surface to remain wet for 10 minutes, do not wipe, allow to air dry.

MOLD AND MILDEWSTAT: Spray the surface to be treated, making sure to wet completely. Let

surface air dry. Repeat at weekly intervals or when mildew growth reappears.

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 OF SURFACES / OBJECTS SOILED WITH BLOOD / BODY FLUIDS. PERSONAL PROTECTION: Use disposable gloves, gowns, masks, eye covering, etc. as needed to prevent contact with blood or body fluids. CLEANING PROCEDURE: Blood and body fluids must be thoroughly cleaned from surfaces and objects before application. Then apply this product as directed above for surface disinfection. DISPOSAL OF INFECTIOUS MATERIALS: Blood and body fluids should be autoclaved and disposed of according to federal, state, and local regulations for infectious waste disposal. This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body or (2) contact intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas or the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

PRECAUTIONARY STATEMENTS HAZARD TO HUMANS AND DOMESTIC ANIMALS CAUTION KEEP OUT OF REACH OF CHILDREN

Caution. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advices. IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything to an unconscious person, IF ON SKIN OR CLOTHING: Take off contaminated clothing, Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible, Call a poison control center or doctor for further treatment advice.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal. Pesticide Storage: Store in a cool area away from heat or open flame.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of according to applicable Federal. State, or local procedures.

Container Disposal: This container may be recycled in aerosol recycling centers. At present, there are only a few such centers in the country. Before offering for recycling, empty the can by using the product according to the label (DO NOT PUNCTURE!). If recycling is not available, wrap the container in several layers of newspaper and discard in the trash.

