



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (117505C)
401 "M" St., S.W.
Washington, D.C. 20460

EPA Reg. Number:

12455-96

Date of Issuance:

SEP 21 1999

NOTICE OF PESTICIDE:

- Registration
- Reregistration

(under FIFRA, as amended)

Term of Issuance:

Conditional

Name of Pesticide Product:

Fastrac Rodenticide

Name and Address of Registrant (include ZIP Code):

Bell Laboratories, Inc.
3699 Kinsman Boulevard
Madison, WI 53704
Att: Jean Fugate, Registration Manager

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you comply with the below provisions and submit one (1) copy of final printed labeling before you release the product for shipment.

1. Submit and/or cite all data or other material required for registration/reregistration of your product under FIFRA sec. 3(c)(5) or FIFRA sec. 4 when the Agency requires all registrants of similar products to submit such data.
2. Replace "EPA File Symbol 12455-OA" with "EPA Registration No. 12455-96".
3. On the front panel of your label, the "TM" symbol should always be no less than 1/3 the size of the largest letter in "Fastrac". Throughout the rest of the label, the symbol should always be legible and never less than 2/3 of the largest letter in "Fastrac".

Signature of Approving Official:

Daniel B. Peacock, Biologist
Insecticide-Rodenticide Branch
Registration Division (7505C)

Date:

SEP 21 1999

Page Two
12455-96

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

The Agency has determined that the Confidential Statement of Formula (CSF), dated November 18, 1998, which was submitted under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable. A copy of this CSF has been placed in our file for this product. All previous versions are obsolete.

A copy of the label stamped "Accepted with Comments" is enclosed for your records.

Enclosure

F:\USER\GROBIOU\CORRESPONDENCE\Bromethalin\12455-96(OA).wpd

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions.

IMPORTANT: Do not expose children, pets, or other nontarget animals to rodenticides. To help to prevent accidents:

1. Store product not in use in a location out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears or other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container and unused, spoiled and unconsumed bait as specified on this label.

USE RESTRICTIONS: For control of Norway rats, roof rats and house mice in and around homes, industrial and agricultural buildings and similar man-made structures. This product may also be used in alleys located in urban areas, inside transport vehicles (ships, trains, aircraft) and in and around related port or terminal buildings. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not broadcast bait.

SELECTION OF TREATMENT AREAS: Determine areas where rats or mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls or in locations where rodents or their signs have been observed. Protect bait from rain and snow. Remove as much alternative food as possible.

APPLICATION DIRECTIONS:

Norway and Roof Rats: Apply 1 to 6 ounces of bait per placement (usually at intervals of 20 to 30 feet). Adjust the amount of bait applied to the level of rat feeding expected at each bait placement.

For treating burrows, use a long-handled spoon to place 1/2 to 1 ounce of bait deep into each active burrow entrance. Close burrows with soil 3 to 7 days after bait placement. Retreat burrow entrances that are reopened by rats. If the area where treated burrows are located is accessible to children or nontarget animals, check burrows every morning and evening to make sure that bait has not been pushed out of burrows. Remove and properly dispose of any bait that has become accessible to children or nontarget animals.

EPA

FastracTM

RODENTICIDE

Kills Norway Rats, Roof Rats & House Mice

Rats and mice may consume a lethal dose in a single feeding, with first dead rodents appearing one or two days after bait consumption. Rodents cease feeding after consuming a toxic dose in a single-night's feeding. This product, FASTRACTM, kills anticoagulant-resistant rats and mice.

ACTIVE INGREDIENT:

Bromethalin: N-methyl-2,4-dinitro-N-(2,4,6-tribromophenyl)-6-(trifluoromethyl) benzenamine	0.01%
INERT INGREDIENTS*	99.99%
TOTAL	100.00%

*Contains Denatonium Benzoate

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID

IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

IF ON SKIN: Wash with plenty of soap and water. If irritation occurs seek medical attention.

If bait is eaten by animals or pets, consult a veterinarian.

NOTE TO PHYSICIAN

FASTRACTM Rodenticide is not an anticoagulant type of rodenticide. If ingested, limit absorption by either emesis or gastric lavage. Sublethal symptoms, if present, would be the result of cerebral edema and should be treated accordingly through administration of an osmotic diuretic and corticosteroid.

For 24-hour emergency medical advice, call 1-800-228-5635 ext. 311.

(See right panel for additional precautionary statements)

NET CONTENTS: 10 lb (4.5 kg)

Manufactured by:



Bell Laboratories, Inc.

300 North Zeeb Road, P.O. Box 100, Kenilworth, NJ 07033 U.S.A.

**With COMMENTS
In EPA Letter Dated:**

SEP 21 1999

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 14457-1

DIRECTIONS FOR USE (Continued from other panel)

APPLICATION DIRECTIONS (Continued from other panel):

House Mice: Apply 1/4 to 1/2 ounce of bait per placement. Space placements at intervals of 8 to 12 feet in infested areas. Larger placements, up to 2 ounces, may be used at points of extremely high mouse activity.

Baiting Strategy: Highest bait consumption is expected to occur on the first day or two after treatment begins. After several days, inspect the placement and replenish bait at sites where there is evidence of heavy feeding or where there is continued evidence of rodent activity.

Normally, the volume of bait consumed will be significantly less with bromethalin baits than with anticoagulant baits. Although one night's feeding will usually provide a lethal dose, maintain bait for at least one week to provide all rodents a chance to feed on the bait. Continue baiting until all signs of feeding have ceased.

Collect and properly dispose of all dead animals and leftover bait. To prevent reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish as needed.

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if absorbed through skin. Avoid contact with eyes, skin, or clothing. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Do not apply this product directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store only in original container in a cool, dry place inaccessible to children and pets. Keep container closed and away from other chemicals.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Do not reuse empty container. Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of empty container in sanitary landfill or by incineration or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

WARRANTY: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

091399

3/3