19713-532	before completing form,	8-30	-2	OOQ Form Appro	ved.	OMB No. 2	070-006	O. Approval expires 2-28-95	
United States  Environmental Protection Age Washington, DC 20460						Registration Amendment Other		OPP Identifier Number	
	Applicat	ion for Pes	tici	de - Sectio	n l				
1. Company/Product Number 19713-532 (Formerly 63239-14)			2. EPA Product Mai JIM TOMPKINS			_		3. Proposed Classification  None Restricted	
4. Company/Product (Name) DSMA SLURRY			PM# 25/Herbicide Branch						
5. Name and Address of Applicant  Drexel Chemical Compar  MEMPHIS, TN 38113-03	ny, P.O. Box 13327	(b) to	)(i), n :		simil	ar or identi	cał in co	FIFRA Section 3(c)(3) mposition and labeling	
Check if this is a n	w address	Р	rodu	ct Name					
		Section	n - 1						
Amendment - Explain below			-	Final printed labels in repsonse to Agency letter dated "Me Too" Application.					
Resubmission in response to  Notification - Explain below	-		Other - Explain			AUG 3 0 2002			
Material This Product Will Be Pa	ckeged in:	Section	3 - I	ii					
Child-Resistant Packaging Unit Packaging W		Water Solu	Water Soluble Packaging			2. Type of (	Container		
Yes Yes No		Yes No	<u> </u>			Meta Plast Glass Page			
* Certification must be submitted	es" No. per Packaging wgt, container	1	gt	No. per container			Other (S	Specify)	
3. Location of Net Contents Inform		letail Container		5.	Loc	ation of Labe	d Directio	ns	
6. Manner in Which Label is Affixed		ograph er glued nciled		Other					
		Section	- I	/					
1. Contact Point /Complete items	directly below for identifica	tion of individue	to be	contacted, if i	nece	ssary, to pro	cess this	application.)	
Name LUZ G PIWONKA		Title REGISTRA	Title REGISTRATION MANAGER				Telephone No. (Include Area Code) (901) 774-4370		
I certify that the statements I acknowledge that any know both under applicable law.		nd all attachmen				nprisonment		6. Date Application Received	
2. Signature Cuz GP	3. Title REGISTRAT	== r					••••••		
4. Typed Name  LUZ G PIWONKA		5. Date Aug. 22, 2002					•••••		





August 22, 2002

Submission of Updated Label by Notification DREXEL DSMA SLURRY (EPA Reg. No. 19713-532)

NOTIFICATION

AUG 3 0 2002

This notification is consistent with the Provisions of PR Notice 98-10 and EPA Regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the Confidential Statement of Formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under Sections 12 and 14 of FIFRA.

FOR DREXEL CHEMICAL COMPANY

LUZ G PIWONKA
Registration Manager

1700 Channel Avenue • Post Office Box 13327 • Memphis, Tennessee 38113-0327

Phone: (901) 774-4370 • Fax: (901) 774-4666 • E-Mail: drexchem@bellsouth.net • www.DrexChem

NOTIFICATION AUG 3 0 2002

# DSMA Slurry

For Selective Post-emergent Weed Control

## **ACTIVE INGREDIENT:**

Disodium methanearsonate anhydrous*	36.9%
OTHER INGREDIENTS:	63.1%
TOTAL:	100.0%

<sup>\*</sup>Total Arsenic (as elemental), all in water-soluble form, is 15.1%. This product contains the equivalent of 7.2 pounds of Disodium methanearsonate hexahydrate per gallon.

# CAUTION

See FIRST AID Below
SHAKE WELL BEFORE USING

EPA Reg. No. 19713-532 EPA Est. No. 19713-MS-1

Net Contents:

#### **FIRST AID**

### IF SWALLOWED:

- Call a poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by a poison control center or doctor.
- Do not give anything by mouth to an unconscious or convulsing person.

## IF ON SKIN OR CLOTHING:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15 to 20 minutes.

## IF INHALED:

- Move person to fresh air.
- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.

#### IF IN EYES:

- Hold eye open and rinse slowly and gently with water for 15 to 20 minutes.
   Remove contact lenses, if present, after the first 5 minutes, then continue
- rinsing eye.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

# PRECAUTIONARY STATEMENTS

# Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed, inhaled or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Avoid breathing spray mist. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category A on an EPA chemical-resistance category selection chart. Applicators and other handlers must wear: Long-sleeved shirt and long pants, chemical-resistant gloves made of any waterproof material such as polyethylene or polyvinyl chloride, chemical-resistant footwear and socks, protective eyewear and chemical-resistant apron when mixing or loading.

For exposure outdoors and in enclosed areas: A dust/mist filtering respirator (MSHA/NIOSH approval number prefix TC-21C), or a NIOSH approved respirator with any R, P or HE filter. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

When handlers use closed systems, enclosed cabs or aircraft in (Continued)

## PRECAUTIONARY STATEMENTS (Cont.)

a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d) (4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

## USER SAFETY RECOMMENDATIONS

Users should: 1) Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. 2) Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. 3) Remove PPE immediately after handling the product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

#### **ENVIRONMENTAL HAZARDS**

Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply to banks of ditches used for irrigation. Do not contaminate water used for irrigation or domestic purposes. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply when weather conditions favor drift from areas treated.

#### **GENERAL INFORMATION**

DSMA SLURRY is useful for selective post-emergent weed control, particularly for Grassy weeds. It is a combination of herbicide and surfactant. It is not necessary to add additional surfactant to the spray solution. Best results are obtained on young, actively growing weeds at air temperatures above 70°F.

## MIXING INSTRUCTIONS

This product is completely water-soluble. Fill the spray equipment about half full with water and add the required amount of herbicide with agitation. Finish filling the tank with water and apply. After use, clean equipment thoroughly by flushing with water. Do not store spray solution in tank for a prolonged period. This product is moderately corrosive. Do not use in galvanized or aluminum equipment.

# DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

## **AGRICULTURAL USE REQUIREMENTS**

Use this product only in accordance with its labeling and with the Worker Protection Standard (WPS), 40 CFR Part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, greenhouses and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency ausistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted entry interval (REI). The requirements in this box only apply to uses of this product that are covered by the WPS. Do not enter or allow worker entry into treated areas during the REI of 12 hours.

PPE required for early entry to treated areas that it permitted under the WPS and that involves contact with anything that has been treated, such as plants, soil or water is: Coveral's, chemical-resistant gloves made of any waterproof material and chemical-resistant footwear plus socks.

Manufactured By:
Drexel Chemical Company

P.O. BOX 13327, MEMPHIS, TN 38113 0327

SINCE 1972

• 532SP-0802++

DSMA SLURRY Page 1 of 2

# **NON-AGRICULTURAL USE REQUIREMENTS**

The requirements in this box apply to uses of this product that are not within the scope of the Worker Protection Standard (WPS) for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries or greenhouses.

Keep children and pets out of the treated area until sprays have

#### COTTON

This product is useful as a directed application in Cotton for post-emergent control of weeds and grasses such as Cocklebur, Dallisgrass, Johnsongrass, Nutsedge, Puncturevine, Ragweed and Sandbur. Add 0.5 gallon of this product to 40 gallons of water and mix thoroughly. Do not add any surfactant to the spray solution. Apply spray solution at 40 gallons per treated acre. Weed control is most effective at temperatures above 70°F. For band application in 40-inch rows, apply 1 gallon of spray solution per inch of band width per acre of Cotton. Direct the spray solution to the base of the Cotton plant. Nozzles should be placed so as to avoid spraying the Cotton foliage. If regrowth occurs, make a second application 1 to 3 weeks after the first. Slight burning and a reddish discoloration of the Cotton leaf may occasionally occur following the recommended treatment, but the Cotton plant will develop normally.

Apply when Cotton is 3 inches high to first bloom. Do not apply after first bloom. Do not feed treated foliage to livestock or graze treated areas.

TOPICAL BY GROUND EQUIPMENT: Mix 1.25 gallons of this product in 100 gallons of water. Apply 40 gallons of spray solution per treated acre. For topical band application in 40-inch row Cotton, apply one gallon of spray for each inch of band width per acre. Apply only when Cotton has 1 to 2 true leaves to first square. Do not feed treated foliage to livestock or graze treated areas.

AERIAL APPLICATION: Apply at a rate of 0.5 gallon of this product per acre. Mix 5 gallons of this product in sufficient water to make 50 gallons of spray solution and apply at a rate of 5 gallons per acre. When humidity is low, mix 5 gallons of this product in sufficient water to make 100 gallons of spray solution and apply at a rate of 10 gallons per acre.

Do not apply by air on windy days or in a manner that would allow spray drift to come in contact with adjacent crops or non-target areas. Do not make topical applications to Cotton when drought conditions or cool temperatures prevail. Apply topical only when Cotton has 1 to 2 true leaves to first square formation. Do not make topical applications after the first square formation.

Avoiding spray drift at the application site is the responsibility of the applicator. The interaction of many equipment and weather related factors determine the potential for spray drift. The applicator is responsible for spray drift. The applicator is responsible for considering all of these factors when making decisions. The applicator should be familiar with and take into account the information covered in the Aerial Drift Reduction Advisory.

The following drift management requirements must be followed to avoid off-target movement from aerial applications to agricultural field crops. However, these requirements do not apply to forestry applications, public health uses or to applications using dry formulations.

- The distance of the outermost nozzles on the boom must not exceed three-fourths the length of the wingspan or rotor.
- Nozzles must always point backward parallel with the air stream and never be pointed downwards more than 45 degrees.

Where states have more stringent regulations, they should be observed.

# CITRUS-BEARING AND NON-BEARING (Except FL)

This product is useful as a directed application in Citrus orchards, such as Grapefruit, Lemon, Lime, Orange and Tangerine orchards. It should be applied at the rate of 0.5 to 1 gailon per acre.

Mix this product at the rate of 0.5 gallon in 50 gallons of water. Apply as a directed spray in interspaces and around base of trees. Spray unwanted vegetation to just short of runoff. If regrowth occurs, re-apply as required; however, do not exceed 3 applications per year. Do not allow spray solution to contact fruit, leaves, stems or bark. Use a shield, if necessary, for nursery plantings or young trees.

#### NON-CROP

This product is useful for controlling Johnsongrass, Nutsedge and certain other weeds in drainage ditchbanks, rights-of-way, storage yards and similar non-crop areas.

Mix this product at a rate of 0.5 to 1 gallon in 100 gallons of water. No additional surfactant is necessary. Spray the unwanted vegetation thoroughly to just short of runoff. Any spray equipment that gives good coverage may be used. If regrowth occurs, reapply as required. Do not contaminate waters used for domestic consumption or by animals, wildlife and aquatic life or for irrigation purposes.

#### **LAWN AND ORNAMENTAL TURF**

This product is useful for control of Bahiagrass, Chickweed, Crabgrass, Dallisgrass, Nutsedge, Sandbur and Woodsorrel with little or no injury to tolerant lawn grasses. On new lawns, do not treat until after three mowings. Tolerant grasses may be temporarily discolored. Bermuda, Bluegrasses and Zoysia are quite tolerant. Do not use on St. Augustine or Centipede.

Amount of This Product to be Used							
2 fluid ounces	5 gallons of water	1,000 square feet					
1.25 cups	25 gallons of water	5,000 square feet					

Mow lawns 1 to 1.5 inches high before treatment. Spray thoroughly to wet all undesirable plants. Repeat applications, 10 to 14 days apart, may be needed for good control.

DO NOT apply with hose-end applicators.

# STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal. **PESTICIDE STORAGE:** Storage should be under lock and key and secure from access by unauthorized persons and children. Storage should be in a cool, dry area away from any heat or ignition source. Do not stack over 2 pallets high. Move containers by handles or in cases. Do not move containers from one area to another unless they are securely sealed. Keep containers tightly sealed when not in use. Keep away from any puncture source. Avoid storage near water supplies, food, feed and fertilizer to avoid contamination. This material is incompatible with aluminum and zinc. Do not expose this concentrate or the spray solution to aluminum or galvanized metal. Store in original containers only. If the contents are leaking or material is spilled, follow these steps while wearing protective clothing:

- Contain spill. Absorb with material such as sawdust, clay granules or dirt.
- 2. Collect and place in suitable containers for disposal.
- 3. Wash area with soap and water to remove remaining pesticide.
- 4. Follow washing with clean water rinse.
- 5. Do not allow runoff to enter sewer or contaminate water supplies.
- 6. Dispose of waste as indicated below.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by incineration, or, if allowed by State and Local authorities, by burning. If burned, stay out of smoke.

# WARRANTY-CONDITION OF SALE

OUR RECOMMENDATIONS FOR USE of this product are based upon tests believed reliable. Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the Seller. Buyer assumes all risks of use, storage and handling of this material not in strict accordance with directions given herewith.

In no case shall the Manufacturer or the Seller be liable for consequential, special or indirect damages resulting from the use or handling of this product when such use and/or handling is not in strict accordance with directions given herewith. The foregoing is a condition of sale by the Seller and is accepted as such by the Buyer.





August 22, 2002

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504C)
U.S. Environmental Protection Agency
Rm 266A, Crystal Mall 2
1921 Jefferson Davis Hwy.
Arlington, VA 22202

Re: Submission of a Revised Label by Notification DREXEL DSMA SLURRY (EPA Reg. No. 19713-532)

Reference is made to the above. Herewith, please find:

- 1. Completed EPA Form 8570-1.
- One (1) copy of the label (532SP-0802++) updating the statement from "Keep children and domestic
  animals off treated areas until this material has been washed into the soil.' to "Keep children and pets out
  of the treated area until sprays have dried." per the 1998 EPA Label Review Manual.
- 3. Certification Statement per PR Notice 98-10

If you have questions/clarification regarding this submission, I can be reached at (901) 774-4370.

Thank you.

Respectfully,

DREXEL CHEMICAL COMPANY

Luz G-Piwonka

Registration Manager

1700 Channel Avenue • Post Office Box 13327 • Memphis, Tennessee 38113-0327

Phone: (901) 774-4370 • Fax: (901) 774-4666 • E-Mail: drexchem@bellsouth.net • www.DrexChemt.com