

DIRECTIONS FOR USE

Initial Dose:

Apply by pouring directly into the pool water 1 quart FREE-N-CLEAR ALGAECIDE for every 12,500 gallons, or ratio thereof.

Maintenance Dose:

8 ounces of FREE-N-CLEAR ALGAECIDE should be poured directly into the pool water for every 12,500 gallons.

Initial dose is used when filling pool at beginning of swimming season. If pool has visible algae growth, treat with initial dose. Vacuum pool after 24 hours to remove algae debris. If visible algae are still present or reappear, repeat this treatment procedure as necessary. When pool is free of visible algae, use the recommended maintenance dose.


Maintenance dose should be added at 3-5 day intervals. If high temperatures prevail or pool has unusually heavy use, add maintenance dose more frequently. If make-up water is added at the rate of more than 10% per week of pool capacity, add 8 ounces of FREE-N-CLEAR ALGAECIDE for each 2,000 gallons of fresh make-up water added per week.

When swimming season is over, add 1 quart of FREE-N-CLEAR ALGAECIDE to 12,500 gallons of water in treating water left in pool. This dose helps provide a measure of control of algae growth during the winter months. This treatment will also help the servicing of the pool before it is returned to use the following season.

FREE-N-CLEAR ALGAECIDE is compatible with those chemicals normally used to treat pools. Do not mix with any other chemicals.

Rinse empty container thoroughly with water and discard it.

EPA Reg. No. 32460-6
EPA Est. 32460-NY-1



OUTSTANDING ALGAE GROWTH DEPRESSANT CONTROLS ALGAE SLIMES

ACTIVE INGREDIENTS:

Alkyl Dimethyl Benzyl Ammonium Chloride
(C₁₂, 60%; C₁₀, 25%; C₈, 15%) 10%

INERT INGREDIENTS: 90%
100%

DANGER

KEEP OUT OF THE REACH OF CHILDREN
SEE ADDITIONAL PRECAUTIONARY AND
FIRST AID STATEMENTS ON SIDE PANEL

NET CONTENTS: 1 Gallon (128 fl. oz.)

Sold by
HYDROLOGY LABORATORIES INC.
Smithtown, N.Y. 11787

DANGER

Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, as well as oxygen and measures in support breathing manually or mechanically may be needed.

NOTICE

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, or ponds, or public water. Apply this product only as specified on this label.

Seller's guarantee shall be limited to the terms of the label, and subject thereto, the buyer assumes any risk to persons or property arising out of use or handling, and accepts the product on these conditions.