



Dusting Sulfur

Fungicide-Insecticide

FOR ORGANIC PRODUCTION

| | |
|--------------------------|--------------|
| ACTIVE INGREDIENT: | BY WT. |
| Sulfur | 98.0% |
| INERT INGREDIENTS: | 2.0% |
| | TOTAL 100.0% |

The material in this bag is guaranteed to pass 95% through a 325 mesh screen.

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE BELOW FOR ADDITIONAL
PRECAUTIONARY STATEMENTS
NET WEIGHT 50 LBS. (22.68 KG)
EPA REG. NO. 34704-735
EPA EST. NO. 2935-CA-1^F, 2935-CA-12^E
Superscript used is first letter of lot number.

IHT

05G06

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS (AND DOMESTIC ANIMALS)

CAUTION

Harmful if swallowed, inhaled, or absorbed through skin. Avoid breathing dust or spray mist. Avoid contact with skin, eyes, or clothing.

Personal Protective Equipment:

Some materials that are chemical-resistant to the product are listed below. If you want more options, follow the instructions for Category A on an EPA chemical resistance category selection chart.

Applicators and other handlers must wear: long-sleeved shirt and long pants, chemical resistant gloves and shoes plus socks.

Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

Engineering controls statements:

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets with requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d) (4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

USER SAFETY RECOMMENDATIONS

Users should

Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

FIRST AID

| | |
|-------------------------|--|
| If swallowed: | <ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have a person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person. |
| If in eyes: | <ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice. |
| If on skin or clothing: | <ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice. |
| If inhaled: | <ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice. |

FOR A MEDICAL EMERGENCY INVOLVING THIS PRODUCT CALL:

1-800-301-7976.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

PHYSICAL OR CHEMICAL HAZARDS

Keep away from heat, sparks, or flame. Do not smoke while applying this product.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this labeling.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry intervals. The requirements in this box apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: coveralls, chemical-resistant gloves made of any water-proof material, shoes plus socks.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Keep away from fire and sparks.

Keep out of reach of children and animals. Store in original containers only. Store in a cool, dry place and avoid excess heat. Carefully open containers. After partial use, fold and roll back bags, clamp and close tightly. Do not put concentrate or dilute material into food or drink containers. Do not contaminate other pesticides, fertilizers, water, food or feed by storage or disposal.

In case of spill, avoid contact, isolate area and keep out animals and unprotected persons. Confine spills.

To confine spill: If liquid, dike surrounding area or absorb with sand, cat litter or commercial clay. If dry material, cover to prevent dispersal. Place damaged package in a holding container. Identify contents.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Application of dusting materials containing sulfur should not be made just prior to or during periods of excessively high summer temperatures. Do not make applications within two weeks of an oil spray. On Citrus do not make an application within 60 days prior to or after a sulfur application.

Apples, Pears: Scab, Almonds, Cherries, Peaches, Nectarines, Plums, Prunes; Brown Rot, Cherry Leaf Spot (Cherries only), Peach Silver Mite and Rust; Apples, Nectarines, Peaches: Powdery Mildew—Use 40 to 50 pounds per acre in pre-bloom, bloom and post-bloom periods. Apply when disease threatens during rain periods and repeat at 7 to 10 day intervals. On Pears do not apply after the fruit begins to turn down. Sulfur may injure certain varieties of apples, check tolerance prior to using.

DUSTING SULFUR
EPA REG. NO. 34704-735

2/2

Grapes: Powdery Mildew—Use 8 to 15 pounds per acre. Begin application when shoots are 1 to 3 inches long and repeat as necessary. Avoid over-application in hot weather. Concord and other Labrusca type grapes may be injured by sulfur.

Blackberries, Boysenberries, Gooseberries, Loganberries, Raspberries, Strawberries: To control Powdery Mildew—Use 10 to 20 pounds of DUSTING SULFUR per acre. Apply when disease first appears and repeat at 7 to 10 day intervals.

Vegetables, Field and Ornamental Crops: Apply recommended rates of DUSTING SULFUR when pests or disease first appear and repeat as necessary. For disease control keep new growth protected.

Beans: To control Powdery Mildew, Rust, Thrips and Spider Mites—Use DUSTING SULFUR at 15 to 30 pounds per acre. For Rust control start applications as soon as the first true leaves form and continue at weekly intervals until blossom time. May cause injury to some varieties. Check tolerance prior to application.

Carrots: To control Petroselinia Mite—Use DUSTING SULFUR 30 to 35 pounds per acre.

Cotton: To control Strawberry Mite—Use DUSTING SULFUR 35 to 40 pounds per acre. Apply when mites first appear and repeat as necessary.

Onions: To control Petroselinia Mite—Use DUSTING SULFUR 26 to 30 pounds per acre.

Ornamentals (flowers, shrubs, trees): To control Rust, and Powdery Mildew—Use DUSTING SULFUR at a rate that will completely cover foliage and repeat at 5-10 day intervals.

Peas, Turnips, Rutabagas: To control Powdery Mildew—Use DUSTING SULFUR at 15 to 20 pounds per acre. Repeat at 7 to 14 day intervals.

Tomatoes: To control Tomato Russet Mite—Use DUSTING SULFUR at 30 to 40 pounds per acre.

Pistachios: Citrus Flat Mite—Use 50 pounds per acre. Apply when mites first appear and repeat as necessary. May be applied by ground or air.

Citrus: Citrus Thrips, Citrus Flat Mite, Yuma Spider Mite, Sixspotted Mite and Citrus Rust Mite—Use 100 pounds per acre. Apply when pests first appear and repeat as necessary.

**DEALERS MUST SELL
IN ORIGINAL PACKAGES ONLY.**


CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY BEFORE BUYING OR USING THIS PRODUCT. read the entire Directions for Use and the following Conditions of Sale and Limitation of Warranty and Liability. By buying or using this product, the buyer or user accepts the following Conditions of Sale and Limitation of Warranty and Liability, which no employee or agent of LOVELAND PRODUCTS, INC. or the seller is authorized to vary in any way.

Follow the Directions for Use of this product carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop or other plant injury, ineffectiveness, or other unintended consequences may result from such risks as weather or crop conditions, mixture with other chemicals not specifically identified on this product's label, or use of this product contrary to the label instructions, all of which are beyond the control of LOVELAND PRODUCTS, INC. and the seller. The buyer or user of this product assumes all such inherent risks.

Subject to the foregoing inherent risks, LOVELAND PRODUCTS, INC. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use when the product is used in strict accordance with such Directions for Use under normal conditions of use EXCEPT AS WARRANTED IN THIS LABEL, THIS PRODUCT IS SOLD AS IS TO THE EXTENT ALLOWED BY APPLICABLE LAW. LOVELAND PRODUCTS, INC. MAKES NO OTHER WARRANTY, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR ELIGIBILITY OF THIS PRODUCT FOR ANY PARTICULAR TRADE USAGE.

IN THE UNLIKELY EVENT THAT BUYER OR USER BELIEVES THAT LOVELAND PRODUCTS, INC. HAS BREACHED A WARRANTY CONTAINED IN THIS LABEL, BUYER OR USER MUST SEND, TO THE EXTENT REQUIRED BY APPLICABLE LAW, WRITTEN NOTICE OF SUCH CLAIM TO THE FOLLOWING ADDRESS: LOVELAND PRODUCTS, INC., ATTENTION: LAW DEPARTMENT, 7251 WEST 4TH STREET, GREELEY, CO 80634.

TO THE EXTENT ALLOWED BY APPLICABLE LAW, THE BUYER'S OR USER'S EXCLUSIVE REMEDY FOR ANY INJURY, LOSS, OR DAMAGE RESULTING FROM THE HANDLING OR USE OF THIS PRODUCT, INCLUDING BUT NOT LIMITED TO CLAIMS OF BREACH OF WARRANTY OR CONTRACT, NEGLIGENCE, STRICT LIABILITY, OR OTHER TORTS, SHALL BE LIMITED TO ONE OF THE FOLLOWING, AT THE ELECTION OF LOVELAND PRODUCTS, INC. OR THE SELLER: DIRECT DAMAGES NOT EXCEEDING THE PURCHASE PRICE OF THE PRODUCT OR REPLACEMENT OF THE PRODUCT TO THE EXTENT ALLOWED BY APPLICABLE LAW; LOVELAND PRODUCTS, INC. AND THE SELLER SHALL NOT BE LIABLE TO THE BUYER OR USER OF THIS PRODUCT FOR ANY CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES, OR DAMAGES IN THE NATURE OF A PENALTY.



FORMULATED FOR



P.O. BOX 1286, GREELEY, COLORADO 80632-1286