

FRONT PANEL

MASTER LABEL

I N S E C T I C I D A L C O A T I N G

KILLS FLYING AND CRAWLING INSECTS

KILLS COCKROACHES FOR ONE YEAR WHEN EXPOSED TO EXPOSED SURFACES

KILLS FLYING INSECTS ALIGHTING ON PAINTED SURFACES FOR UP TO 18 MONTHS

I N S E C T A

CLEAR FINISH
Interior-Exterior Latex

ACCEPTED
AUG 16 1991
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 45600-1

Home Use: For use on non-food contact surfaces such as underneath the sink, in back of stoves and refrigerators, on and along baseboards, around windows and doors, back of cabinets and decks in homes. Do not use for broadcast interior home application such as entire walls, ceiling and floors. Single coat application only in the form of a band a few inches in width to obtain an even coat using approximately one gallon for the average home with special emphasis on the kitchen and bathroom areas.

Agricultural, commercial and Industrial Use:

For use on non-food contact surfaces such as walls, ceilings, masonry and concrete, loading and unloading docks and garbage disposal areas of buildings including horse barns, dairy barns, milking parlors, animal hospitals, kennels, manufacturing plants, warehouses, offices, hotels, motels, restaurants, theatres, and also in sewer manholes, on non-bearing fruit tree trunks and for control of fire ants in pad mounted transformers.

Active Ingredient: Chlorpyrifos (0,0-Diethyl 0-(3,5,6-trichloro-2-pyridinyl) phosphorothioate)	0.86%
Inert Ingredients:	<u>99.14%</u>

Net contents:	Total	100.00%
---------------	-------	---------

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel for additional precautionary statements.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION

Harmful if swallowed or absorbed through the skin. Avoid breathing vapors while coating is wet. Provide ventilation of area during application. Avoid contact with eyes, skin and clothing. In case of contact, flush eyes or skin with plenty of water.

If applied in home, cover all food processing surfaces and utensils or wash thoroughly before reuse. Cover exposed food. Do not apply to surfaces which actually contact food during preparation, or milkrooms, mangers and feed troughs.

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Call a physician or Poison Control Center, drink plenty of water.

If inhaled: As with any freshly coated surface get plenty of fresh air.

If on skin: Wash with water.

If in eyes: Flush with plenty of water. Get medical attention if irritation persists.

Note to Physician: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine, only by injection, is the preferable antidote.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Do not contaminate water by disposal of equipment washwaters. Do not apply directly to water. Apply this product only as specified on this label.

When used on the trunks of non-bearing fruit trees, use extra caution as this product is extremely toxic to bees exposed to direct treatment or residue on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treated area.

PHYSICAL HAZARDS

Should not be mixed with water or paint solvents, nor diluted in any manner.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. All loose paint, whitewash, dirt, mildew, oil and other contaminants must be removed to insure a clean surface. This product is supplied ready to use after stirring thoroughly. For interior home use, this product should be applied by brush or rolled on target areas as stated on the front part of this label in the form of a band a few inches in width to obtain an even coat covering approximately 450 s.f. per gallon. For uses other than interior home application, apply with brush, roller or spray.

FOOD HANDLING ESTABLISHMENTS: (Places other than private residences in which exposed food is held, processed, prepared or served) including, but not limited to bars, restaurants, food stores, bakeries, bottling plants, canneries and grain mills. Application shall be limited to (paint-on) spot treatment and/or crack and crevice treatment. For crack and crevice treatments, equipment capable of delivering a pin stream of insecticide should be used.

FOOD MUST BE REMOVED OR COVERED DURING TREATMENT: **SPOT APPLICATION** controls cockroaches, ants, crickets, silverfish and spiders and aids in the control of pantry pests in and around both food and non-food areas. Apply INSECTA with a 3" to 4" brush, roller, or handled sponge applicator to localized areas where these pests have been seen or are suspected of hiding or entering. Apply only enough to wet the surface. Avoid runoff. Do not allow the insecticide to contact food or food processing surfaces. Areas to be treated include baseboards, moldings, around plumbing and other utility installations, dark corner and closets, and around doors, ventilators, windows and other openings. Apply adjacent to tin panelling or other material loosely attached to walls. Completely band the undersides of work tables and storage shelving but never on the exposed work-storage surface. Remove all drawers and band the three sides but never the interior or front. Floor drains, garbage rooms and locker rooms should be included in treatment. Treated surfaces should not be washed or cleaned for 36 hours after application.

CRACK AND CREVICE TREATMENT: should be made by applying INSECTA as a coarse, low pressure (20 PSI or less) spray with equipment capable of delivering a pin stream of insecticide directly into openings leading to voids and hollow spaces in walls, equipment legs and bases or at points that occur between different elements of construction or especially where equipment joins floors and walls. An applicator fitted with needle injector or equipment capable of delivering a pinstream of insecticide should be used. Use equipment with plastic rather than rubber hose since the solvents in the insecticide may cause collapse of the rubber.

DIRECTIONS FOR USE - (Cont'd.)

CRACK AND CREVICE TREATMENT: - (Cont'd.)

Prior to application de-energize equipment and allow time for solvent to evaporate before starting motors or placing on "ON" position. Do not apply INSECTA on or near flames or heated surfaces.

FOR CONTROL OF FIRE ANTS IN PAD MOUNTED TRANSFORMERS:- Apply a coat of Insecta on the pad as well as the pad openings where fire ants typically enter. These areas include the pad inside the Pad Mounted Transformer's enclosure, the pad openings, the entire lip inside the Pad Mounted Transformer and the Pad Mounted Transformer inside panel for about 2 inches measured up from the pad.

Caution:- Avoid contact of Insecta with the bushings.

TREATMENT OF SEWER MANHOLES (For control of cockroaches): Apply product on underside of manhole lids and manhole walls. Product may be applied via coarse spray using conventional airless spray equipment or by painting with suitable brush. Persons applying product in manhole must wear chemical resistant gloves, a respirator approved by NIOSH for organic chemical vapors, goggles and long-sleeved clothing. Apply no more than 48 ounces (3 pints) of product in each manhole. Do not discharge spray or unused material directly into the sewer system. Do not apply product within 36 hours of predicted heavy rainfall. Consult manufacturer on best method of application.

NON-BEARING FRUIT TREES: Use to control crawling insects as well as some flying insects by applying Insecta from ground level to a maximum of 3 feet up the trunk of non-bearing fruit trees which include apples, cherries, citrus fruits, peaches, pears, plums and tree nuts. Non-bearing fruit trees are defined as those which will not bear fruit within twelve months following the application of Insecta.

Caution: Dries quickly and rinses easily with water. Allow to dry for several days before washing. Wash brush, roller or spraying equipment thoroughly with soap and water after use. As contact between the insect and the coated surface is necessary, any time that the latter becomes covered with dust or dirt, the coated surface should be washed with water in order to re-establish maximum possible contact. INSECTA applied on exposed glass, glazed tile, metal, or other non-porous surfaces may dry leaving a light film.

KILLS BY CONTACT: Roaches, ants, spiders, flies, mosquitoes, millipedes, ticks, gnats, palmetto bugs, silverfish, earwigs, crickets, fire brats, scorpions and black widow spiders.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal. Store away from freezing temperatures. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. For disposal of the container, triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

NOTICE

Seller warrants that his product conforms to its chemical description and is reasonably fit for purposes stated on the label when used in accordance with directions under normal conditions of use. Neither this warranty nor any other warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE, expressed or implied, extends to the use of this product contrary to label instructions or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

E.P.A. Registration No. 45600-1

E.P.A. Est. No. 45600-FL-1

Manufactured by: Insecta Inc.,
25 S.E. 7th St.,
Deerfield Beach, FL 33443

"Insecta" is a registered trade mark of Insecta Inc.