



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY  
AND POLLUTION PREVENTION

September 24, 2021

Ms. Haley Wade  
Lead Regulatory Manager  
Control Solutions Inc.  
5903 Genoa-Red Bluff  
Pasadena, TX 77507-1041

Subject: Label Amendment – Add state restrictive language  
Product Name: CSI 19-313F Glufosinate 0.36%  
EPA Registration Number: 53883-471  
Application Date: April 21, 2021  
Decision Number: 575532

Dear Ms. Wade:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.


Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance

Page 2 of 2  
EPA Reg. No. 53883-471  
Decision No. 575532

with FIFRA section 6. If you have any questions, please contact BeWanda Alexander by phone at (703)347-0313, or via email at [alexander.bewanda@epa.gov](mailto:alexander.bewanda@epa.gov).

Sincerely,



Heather McFarley,  
Acting Product Manager 24  
Fungicide and Herbicide Branch,  
Registration Division (7505P)  
Office of Pesticide Programs

Enclosure:

- Stamped label

[Text in brackets and italics are notes to the label editor.]

[Text in brackets alone are optional statements or alternative statements.]

MASTER LABEL – Unless otherwise noted, all text shown prior to the start of sub-label A will be present on both sub-label A and sub-label B when printed.

# CSI 19-313F Glufosinate 0.36%

[Ready-to-Use][Non-Selective Herbicide]

**ACTIVE INGREDIENT:**

Glufosinate-ammonium ..... 0.36%

**OTHER INGREDIENTS:** ..... 99.64%

**TOTAL:** ..... 100.00%

Contains 0.03 lbs. of glufosinate-ammonium per gallon.



**Manufactured for:**  
Control Solutions, Inc.  
5903 Genoa Red Bluff  
Pasadena, TX 77507

EPA Reg. No: 53883-XXX

EPA Est. No: \_\_\_\_\_

Net Contents: \_\_\_\_\_

Consumer &  
Professional  
Solutions

[Store and transport in an upright position.]

## KEEP OUT OF REACH OF CHILDREN CAUTION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.  
(If you do not understand the label, find someone to explain it to you in detail.)

[Alternate text – all or in part: See side panel(s) [back booklet] for First Aid, Precautionary Statements, Directions for Use and Storage and Disposal.]

<b>FIRST AID</b>	
<b>IF IN EYES:</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>IF SWALLOWED:</b>	<ul style="list-style-type: none"> <li>• Call a poison control center or doctor immediately for treatment advice.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• <b>DO NOT</b> induce vomiting unless told to do so by a poison control center or doctor.</li> <li>• <b>DO NOT</b> give anything by mouth to an unconscious person.</li> </ul>
<b>IF ON SKIN OR CLOTHING:</b>	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with water for 15-20 minutes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>HOT LINE NUMBER</b>	
Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact SafetyCall® (866) 897-8050 for emergency medical treatment information.	

<b>ACCEPTED</b>
09/24/2021
Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 53883-471

**PRECAUTIONARY STATEMENTS**  
**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION:** Causes moderate eye irritation. Harmful if absorbed through the skin. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

**User Safety Recommendations**

**Users should:**

- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

**ENVIRONMENTAL HAZARDS**

**DO NOT** apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. **DO NOT** clean equipment or dispose of equipment washwaters in a manner that will contaminate water resources or arable land. Glufosinate ammonium and its degradates have those properties normally associated with pesticides that have been detected in groundwater. Use of this product in areas with coarse soils and high water tables may result in groundwater contamination.

**HOW IT WORKS**

CSI 19-313F Glufosinate 0.36% [This product] is a contact herbicide primarily absorbed through the leaves and other green parts so it only kills only what you spray. CSI 19-313F Glufosinate 0.36% [This product] starts working as soon as it contacts the plant and weeds usually turn yellow and wilt within 3-5 days with complete kill in 1 to 2 weeks.

**[ALTERNATE TEXT]** CSI 19-313F Glufosinate 0.36% [This product] is primarily absorbed through the leaves and other green parts so it only kills only what you spray.

Any of this product that does not get absorbed by plants will be deactivated after it hits the soil. Weeds usually turn yellow and wilt within 3-5 days with complete kill in 1 to 2 weeks.

## SUB-LABEL A: Traditional Layout

### DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Shake well before use.

**USE PRECAUTIONS:** Read entire label. Application of this product will kill almost all plants contacted. **DO NOT** allow this product to contact leaves, green stems, or exposed roots of desirable lawn grasses, plants, shrubs, or trees – they will be damaged or killed. This product does not interfere with root growth or seed germination of untreated desirable plants. While it is possible to reseed or replant immediately after the spray has dried, please wait at least 4 days after application before reseeding or replanting to ensure that this product has had sufficient time to kill the weeds.

Spray when air is calm to avoid spray drift onto desirable plants. If spray contacts desirable foliage, immediately rinse the foliage with water. Use cardboard or plastic to shield desirable plants from spray drift. To avoid tracking product into other areas of desirable vegetation, keep people and pets off of the treated areas until the spray has dried.

### WHERE TO USE

Use outdoors on patios, paths, walkways, driveways, sidewalks, mulch, and around fences and buildings; in and around flower beds and gardens, and around ornamental shrubs and trees; and to edge landscape areas.

### HOW TO SPRAY

- Apply as a spot or directed spray application to weeds or grasses.
- Spray the weeds or grasses you want to kill until thoroughly wet.
- When spot treating weeds around desirable plants, shield plants from drift with a sheet [piece] of cardboard or plastic.
- If desirable plants are accidentally sprayed, rinse off immediately with water [or cut off treated area].
- Apply as a spot or directed spray application to treat spots in 1,000 sq. ft.

### WHEN TO APPLY

Apply when weeds are actively growing. [Use anytime weeds and grasses are actively growing.] For best [fastest visual] results, apply during warm, sunny weather [above 60° F] [to accelerate systemic movement from foliage to roots.]

Apply when air is calm to prevent drift to desirable plants.

**RAINPROOF Protection:** Rain or watering 4 hours after application will NOT wash away effectiveness. [Apply when weeds are small and before seeds form. Established (Hard to kill) weeds may require a repeat application.]

### APPLICATION RESTRICTIONS:

- **DO NOT** apply this product in a way that will contact any person or pet, either directly or through drift.
- **DO NOT** spray plants or grasses you like because they will die. Not specified for spot weed control in lawns since this product kills lawn grasses.
- Only the person applying this product may be in the area during application.
- **DO NOT** (mix, store or) apply with (in) a galvanized or unlined steel (except stainless steel) sprayer, or apply through any irrigation system.
- People and pets must not enter treated areas until spray has dried.
- In the State of New York only: Not for use in Nassau and Suffolk Counties.
- **DO NOT** apply more than 128 fl. oz. (0.03 lbs Glufosinate-ammonium) per 1000 ft<sup>2</sup> in a single application.

- **DO NOT** apply more than 3 gallons (0.09 Glufosinate-ammonium) per 1,000 ft<sup>2</sup> per year.
- **DO NOT** apply more than 3 times per year.
- **DO NOT** apply more than once every 28 days.

#### **ADDITIONAL USES:**

##### To Kill Vines

- If vines are growing up poles, fences, or tree trunks with mature bark, cut vines to a height of 3 to 4 feet and spray vines thoroughly.
- If vines are climbing shrubs or tree trunks with green bark, cut vines at base and treat as directed for stumps or spray regrowth. If spraying regrowth, shield shrubs and tree trunks from spray drift with a sheet (piece) of cardboard or plastic.

##### To Kill Kudzu[\*]

- For best results, apply in mid to late summer when vines are mature and actively growing.  
[\*Not for this use in California]

##### To Kill Wild Blackberry[\*]

- Spray anytime plants are actively growing.
- Dead canes need to be cut down and removed.
- Reapplication is often required to kill deeply rooted plants.  
[\*Not for this use in California]

##### To Kill Poison Ivy & Poison Oak

- Contact with these plants anytime of the year can cause an allergic reaction.
- Spray anytime plants are actively growing, but at least 4 weeks before the first killing frost in the fall.
- Reapply, if new growth appears.
- Handle dead plants with rubber gloves.
- Dispose of plants and rubber gloves in tightly sealed garbage bags.

#### **[OPTIONAL WEED LIST]**

#### **KILLS ALL TYPES OF WEEDS & GRASSES**

**Weeds (including):** Artichoke thistle[\*], beggarweed, black medic, blue mustard[\*], blue toadflax[\*], brassbuttons[\*], broadleaf plantain[\*], burclover, buttercup[\*], Canada thistle, cattail[\*], chickweed, cocklebur, common groundsel, common mullein, common plantain, common ragweed, creeping beggarweed[\*], creeping-Charlie[\*], curly dock, dandelion, dog fennel[\*], evening primrose[\*], false dandelion[\*], fiddleneck, field bindweed (wild morningglory), field pennycress, filaree, Florida pusley, garden spurge, henbit, horsenettle, horseradish[\*], horseweed/marestail, iceplant[\*], knapweed[\*], knotweed, lambsquarters, lantana[\*], little bittercress[\*], London rocket, mallow, mayweed, milkweed, mouseear chickweed, narrowleaf (buckhorn) plantain, nightshade (silverleaf), oldenlandia[\*], oxalis[\*], Pennsylvania smartweed, pennywort[\*], poison hemlock[\*], prickly lettuce, primrose, prostrate spurge, puncturevine, ragweed, red clover, redroot pigweed, shepherdspurge, smooth catsear[\*], smooth pigweed, sowthistle, spotted spurge, tansy ragwort[\*], tansymustard, teaweed[\*], trumpetcreeper[\*], tumble mustard[\*], Virginia creeper[\*], white clover, whitetop[\*], wild barley[\*], wild mustard, wild oats, wild sweet potato[\*], yellow starthistle, and other broadleaf weeds[\*].

[\*Not for this use in California]

**Grasses (including):** Annual bluegrass, annual ryegrass, bahiagrass, barnyardgrass, bentgrass[\*], Bermudagrass, bromegrass, Cogongrass[\*], crabgrass, creeping bentgrass[\*], dallisgrass, fall panicum, fescue, field sandbur, foxtail, goosegrass, guineagrass, Johnsongrass, Kentucky bluegrass, kikuyugrass[\*], lovegrass, maidencane, nimblewill, nutsedge, orchardgrass, pampas grass[\*], perennial ryegrass[\*], purple

nutsedge, quackgrass, sandspur[\*], smooth brome grass, sprangletop, St. Augustine grass[\*], tall fescue, Texas panicum, Timothy, torpedograss, vaseygrass, witchgrass, yellow nutgrass, zoysia[\*] and other grassy weeds[\*].

[\*Not for this use in California]

**Brush (Tough Weeds), Unwanted Trees, Shrubs & Vines (including):** Alder[\*], ash[\*], (quacking) aspen[\*], blackberry[\*], bluegum eucalyptus[\*], broom (French, Scotch)[\*], buckwheat, ceanothus[\*], chamise[\*], cedar[\*], cherry[\*], coyote brush[\*], dewberry[\*], elderberry[\*], elm[\*], eucalyptus[\*], giant reed[\*], hawthorn[\*], hazel[\*], honeysuckle[\*], kudzu[\*], locust[\*], madrone[\*], maple, oak[\*], pine[\*], persimmon[\*], poison oak, poison ivy, poplar[\*], raspberry[\*], rose[\*], sage[\*], sagebrush[\*], salmonberry[\*], saltcedar[\*], sassafras[\*], sumac[\*], sweetgum[\*], tan oak[\*], thimbleberry[\*], tree tobacco[\*], trumpet creeper[\*], wild rose (multiflora), willow[\*] and other tough weeds[\*].

[\*Not for this use in California]

### STORAGE AND DISPOSAL

**DO NOT** contaminate water, food or feed by storage or disposal.

**PESTICIDE STORAGE:** Store in original container in a safe place away from direct sunlight. Keep from freezing. Store and transport in an upright position.

**PESTICIDE DISPOSAL:** Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

**PESTICIDE DISPOSAL & CONTAINER HANDLING:** Nonrefillable container. **DO NOT** reuse or refill this container. **If Empty:** Place in trash or offer for recycling if available. **If Partly Filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

**NOTICE:** Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

### WARRANTY STATEMENT

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather, presence of other materials or other influencing factors in the use of the product, which are beyond the control of Control Solutions, Inc. or Seller. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold Control Solutions, Inc. and Seller harmless for any claims relating to such factors.

To the extent consistent with applicable law, Control Solutions, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or Control Solutions, Inc., and Buyer and User assume the risk of any such use. CONTROL SOLUTIONS, INC. MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

To the extent consistent with applicable law, IT IS **CONTROL SOLUTIONS INC., AND SELLERS INTENTION THAT** in no event shall Control Solutions or Seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product. **THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF CONTROL SOLUTIONS, INC., AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE**

**PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF CONTROL SOLUTIONS, INC. OR SELLER, THE REPLACEMENT OF THE PRODUCT.**

To the extent consistent with applicable law, Control Solutions, Inc. and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of Control Solutions, Inc.

*[In lieu of warranty statement, the following text may be used:]*

Notice – To the extent consistent with applicable law, Buyer assumes all responsibility for safer and use not in accordance with directions.



## **SUB-LABEL B: Alternate Layout**

### **DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Shake well before use.

**USE PRECAUTIONS:** Read entire label. Application of this product will kill almost all plants contacted. **DO NOT** allow this product to contact leaves, green stems, or exposed roots of desirable lawn grasses, plants, shrubs, or trees – they will be damaged or killed. This product does not interfere with root growth or seed germination of untreated desirable plants. While it is possible to reseed or replant immediately after the spray has dried, please wait at least 4 days after application before reseeding or replanting to ensure that this product has had sufficient time to kill the weeds.

Spray when air is calm to avoid spray drift onto desirable plants. If spray contacts desirable foliage, immediately rinse the foliage with water. Use cardboard or plastic to shield desirable plants from spray drift. To avoid tracking product into other areas of desirable vegetation, keep people and pets off of the treated areas until the spray has dried.

### **WHERE TO USE**

Use outdoors on patios, paths, walkways, driveways, sidewalks, mulch, and around fences and buildings; in and around flower beds and gardens, and around ornamental shrubs and trees; and to edge landscape areas.

### **HOW TO SPRAY**

- Apply as a spot or directed spray application to weeds or grasses.
- Spray the weeds or grasses you want to kill until thoroughly wet.
- When spot treating weeds around desirable plants, shield plants from drift with a sheet [piece] of cardboard or plastic.
- If desirable plants are accidentally sprayed, rinse off immediately with water [or cut off treated area].
- Apply as a spot or directed spray application to treat spots in 1,000 sq. ft.

### **WHEN TO APPLY**

Apply when weeds are actively growing. [Use anytime weeds and grasses are actively growing.] For best [fastest visual] results, apply during warm, sunny weather [above 60° F] [to accelerate systemic movement from foliage to roots.]

Apply when air is calm to prevent drift to desirable plants.

**RAINPROOF Protection:** Rain or watering 4 hours after application will NOT wash away effectiveness. [Apply when weeds are small and before seeds form. Established (Hard to kill) weeds may require a repeat application.]

### **APPLICATION RESTRICTIONS:**

- **DO NOT** apply this product in a way that will contact any person or pet, either directly or through drift.
- **DO NOT** spray plants or grasses you like because they will die. Not advised for spot weed control in lawns since this product kills lawn grasses.
- Only the person applying this product may be in the area during application.
- People and pets must not enter treated areas until spray has dried.
- In the State of New York only: Not for use in Nassau and Suffolk Counties.
- **DO NOT** apply more than 128 fl. oz. (0.03 lbs Glufosinate-ammonium) per 1000 ft<sup>2</sup> in a single application.
- **DO NOT** apply more than 3 gallons (0.09 Glufosinate-ammonium) per 1,000 ft<sup>2</sup> per year.
- **DO NOT** apply more than 3 times per year.
- **DO NOT** apply more than once every 28 days.

## **ADDITIONAL USES:**

### To Kill Vines

- If vines are growing up poles, fences, or tree trunks with mature bark, cut vines to a height of 3 to 4 feet and spray vines thoroughly.
- If vines are climbing shrubs or tree trunks with green bark, cut vines at base and treat as directed for stumps or spray regrowth. If spraying regrowth, shield shrubs and tree trunks from spray drift with a sheet (piece) of cardboard or plastic.

### To Kill Kudzu[\*]

- For best results, apply in mid to late summer when vines are mature and actively growing.  
[\*Not for this use in California]

### To Kill Wild Blackberry[\*]

- Spray anytime plants are actively growing.
- Dead canes need to be cut down and removed.
- Reapplication is often required to kill deeply rooted plants.  
[\*Not for this use in California]

### To Kill Poison Ivy & Poison Oak

- Contact with these plants anytime of the year can cause an allergic reaction.
- Spray anytime plants are actively growing, but at least 4 weeks before the first killing frost in the fall.
- Reapply, if new growth appears.
- Handle dead plants with rubber gloves.
- Dispose of plants and rubber gloves in tightly sealed garbage bags.

## **[OPTIONAL WEED LIST]**

### **KILLS ALL TYPES OF WEEDS & GRASSES**

**Weeds (including):** Artichoke thistle[\*], beggarweed, black medic, blue mustard[\*], blue toadflax[\*], brassbuttons[\*], broadleaf plantain[\*], burclover, buttercup[\*], Canada thistle, cattail[\*], chickweed, cocklebur, common groundsel, common mullein, common plantain, common ragweed, creeping beggarweed[\*], creeping-Charlie[\*], curly dock, dandelion, dog fennel[\*], evening primrose[\*], false dandelion[\*], fiddleneck, field bindweed (wild morningglory), field pennycress, filaree, Florida pusley, garden spurge, henbit, horsenettle, horseradish[\*], horseweed/marestail, iceplant[\*], knapweed[\*], knotweed, lambsquarters, lantana[\*], little bittercress[\*], London rocket, mallow, mayweed, milkweed, mouseear chickweed, narrowleaf (buckhorn) plantain, nightshade (silverleaf), oldenlandia[\*], oxalis[\*], Pennsylvania smartweed, pennywort[\*], poison hemlock[\*], prickly lettuce, primrose, prostrate spurge, puncturevine, ragweed, red clover, redroot pigweed, shepherdspurse, smooth catsear[\*], smooth pigweed, sowthistle, spotted spurge, tansy ragwort[\*], tansymustard, teaweed\*, trumpetcreeper[\*], tumble mustard[\*], Virginia creeper[\*], white clover, whitetop[\*], wild barley[\*], wild mustard, wild oats, wild sweet potato[\*], yellow starthistle, and other broadleaf weeds[\*].

[\*Not for this use in California]

**Grasses (including):** Annual bluegrass, annual ryegrass, bahiagrass, barnyardgrass, bentgrass[\*], Bermudagrass, bromegrass, Cogongrass[\*], crabgrass, creeping bentgrass[\*], dallisgrass, fall panicum, fescue, field sandbur, foxtail, goosegrass, guineagrass, Johnsongrass, Kentucky bluegrass, kikuyugrass[\*], lovegrass, maidencane, nimblewill, nutsedge, orchardgrass, pampas grass[\*], perennial ryegrass[\*], purple nutsedge, quackgrass, sandspur[\*], smooth bromegrass, sprangletop, St. Augustinegrass[\*], tall fescue, Texas panicum, Timothy, torpedograss, vaseygrass, witchgrass, yellow nutgrass, zoysia[\*] and other grassy weeds[\*].

[\*Not for this use in California]

**Brush (Tough Weeds), Unwanted Trees, Shrubs & Vines (including):** Alder[\*], ash[\*], (quacking) aspen[\*], blackberry[\*], bluegum eucalyptus[\*], broom (French, Scotch)[\*], buckwheat, ceanothus[\*], chamise[\*], cedar[\*], cherry[\*], coyote brush[\*], dewberry[\*], elderberry[\*], elm[\*], eucalyptus[\*], giant reed[\*], hawthorn[\*], hazel[\*], honeysuckle[\*], kudzu[\*], locust[\*], madrone[\*], maple[\*], oak[\*], pine[\*], persimmon[\*], poison oak, poison ivy, poplar[\*], raspberry[\*], rose[\*], sage[\*], sagebrush[\*], salmonberry[\*], saltcedar[\*], sassafras[\*], sumac[\*], sweetgum[\*], tan oak[\*], thimbleberry[\*], tree tobacco[\*], trumpet creeper[\*], wild rose (multiflora), willow[\*] and other tough weeds[\*].

[\*Not for this use in California]

## [Optional Sprayer Directions]

### [Option 1] [EZ Connect Sprayer [Sprayer directions]

- Remove sprayer. Pull cord ALL THE WAY OUT.
- Remove top from cap on bottle.
- Insert [color] plug into spout on cap until it clicks.
- Twist nozzle on sprayer to the spray position.

### [Option 2] [Battery Powered] Sprayer Directions



- Remove sprayer from storage holster.
- Slide safety lock to the LOCK position.



- Unwind pickup tube on the sprayer before attaching to the bottle.
- Insert pickup tube in bottle and screw sprayer cap onto bottle.



- Slide safety lock to the ON position.
- Gently squeeze the trigger to dispense fluid.
- The sprayer may require several seconds for the fluid to prime.

### [Option 3] [Neck In Bottle with Sprayer]

#### SPRAYER DIRECTIONS

- Remove sprayer. Pull cord ALL THE WAY OUT.
- Remove top from cap on bottle.
- Insert plug into spout on cap until it clicks.
- Twist nozzle on sprayer to the spray position.

### [Option 4] [Trigger] Sprayer directions

Adjust spray nozzle to give coarse spray. Aim at center of weed and spray.

### [Option 5] [Battery Powered] [Wand] [Sprayer Directions]

- Slide safety lock to the LOCK position.
- [Use screw driver to open battery hatch and install 4×AA batteries] [Remove plastic tab to activate batteries]

- Remove tab from cap.
- Connect the suction nozzle to the cap.
- Slide safety lock to the ON position.
- Turn over the long white nozzle.
- Press the switch to spray.
- [Twist nozzle as necessary to adjust spray pattern.]
- Slide safety lock to LOCK position when done.

**[Option 6] [[1.33 Gallon] Sprayer Instructions]**

1. To detach sprayer handle and wand, remove the sticker and gently pull the wand from the bottle.
2. Unwrap hose from bottle.
3. Cut white plastic safety strip from pump and discard.
4. Make sure pump is securely screwed into tank by turning clockwise.
5. Make sure control lever on sprayer handle is in the “OFF” position by pulling back.
6. Slightly turn pump handle clockwise to unlock.
7. Pump handle up & down to create pressure in tank.
8. Point spray nozzle away from people and pets and desired plants.
9. Push the control lever on the sprayer handle to “ON” to begin spraying.
10. Adjust spray pattern by turning nozzle cap.
11. Pull control lever back to stop spraying.

**[Option 7] [[1.33 Gallon] Sprayer Instructions]**

- Remove wand from the bottle.
- Make sure pump is securely screwed into tank by turning clockwise.
- Make sure control lever on sprayer handle is in the “OFF” position by pulling back.
- Pump handle up & down.
- Push the control lever on the sprayer handle to “ON” to begin spraying.
- Adjust spray pattern by turning nozzle cap.
- Pull control lever back to stop spraying.

**[Option 8] [1.33 Gallon] Sprayer instructions] [QuickShot Sprayer directions]**

- Remove sprayer wand from holster and pull sprayer cord ALL THE WAY OUT.
- Cut cable tie which holds pump handle.
- Rotate Pump handle clockwise to unlock.
- Pump handle until pressure has built up in container.
- Squeeze lever on sprayer wand to spray product.
- Push handle down, rotate counterclockwise to lock into place.

**[Optional Refill/Reuse Directions]**

**[Refill Directions]**

After the entire contents of this bottle has been used this bottle may be refilled. Refer to label for directions. .

[(Name bottle/sprayer 32oz, 1 gal conventional, 1 gallon battery, 1.33 gal] may be reused with the available [product name] refill bottle/container. Read and follow instructions in Reuse Directions to reuse the applicator.]

***[Storage and Disposable when refillable container is used]***

**STORAGE AND DISPOSAL**

**PESTICIDE STORAGE:** Keep from freezing. To be stored in original container and placed in areas inaccessible to children.

**PESTICIDE DISPOSAL AND CONTAINER HANDLING:** [Applicator Name] can be reused with [Product Name refill bottle/container]. Follow instructions in the Reuse Directions when reusing [applicator name]. Nonrefillable container. **DO NOT** reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

***[Storage and Disposable when non-refillable container is used]***

**STORAGE AND DISPOSAL**

**DO NOT** contaminate water, food or feed by storage or disposal.

**PESTICIDE STORAGE:** Store in original container in a safe place away from direct sunlight. Keep from freezing. Store and transport in an upright position.

**PESTICIDE DISPOSAL:** Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

**PESTICIDE DISPOSAL & CONTAINER HANDLING:** Nonrefillable container. **DO NOT** reuse or refill this container. **If Empty:** Place in trash or offer for recycling if available. **If Partly Filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

**NOTICE:** Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

**WARRANTY STATEMENT**

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather, presence of other materials or other influencing factors in the use of the product, which are beyond the control of Control Solutions, Inc. or Seller. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold Control Solutions, Inc. and Seller harmless for any claims relating to such factors.

To the extent consistent with applicable law, Control Solutions, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or Control Solutions, Inc., and Buyer and User assume the risk of any such use. CONTROL SOLUTIONS, INC. MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

To the extent consistent with applicable law, IT IS **CONTROL SOLUTIONS INC., AND SELLERS INTENTION THAT** in no event shall Control Solutions or Seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product. **THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF CONTROL SOLUTIONS, INC., AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE)**

**RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF CONTROL SOLUTIONS, INC. OR SELLER, THE REPLACEMENT OF THE PRODUCT.**

To the extent consistent with applicable law, Control Solutions, Inc. and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of Control Solutions, Inc.

*[In lieu of warranty statement, the following text may be used:]*

Notice – To the extent consistent with applicable law, Buyer assumes all responsibility for safety and use not in accordance with directions.

*Optional Marketing Statements Applicable to Both Sub-Labels:*

- Multipurpose grass and broadleaf weed control
- Next day [this weekend] results: Begins killing on contact, visible results in 24 hours.
- No odor
- No root. No weed. No problem
- Has no soil activity
- Fast acting formula
- Non-Selective: Kills weeds & grasses
- Once it enters the plant, it won't wash off
- One application kills over 200 types of weeds and grasses, roots and all (maximum effectiveness)
- Proven (trusted) performance
- Provides maximum control: Kills weeds to the root so they don't ever come back
- Quick-action formula lets you see results fast
- RainFast in hours [enters the plant on contact]
- Replant (lawn grasses, herbs, vegetables (all), and fruits) 4 days after application
- Same effective results even if it rains within hours
- Single application controls (kills) most weeds
- Spray weeds until thoroughly wet
- Starts to work immediately
- Starts working on contact
- Starts working in minutes
- [Use] For Brush Control
- [Use] For Weed Control: Use along fences, paths, patios, sidewalks and driveways, around trees, shrubs, ornamental plantings, flowerbeds, and buildings, and in brick and gravel walkways.
- Use to trim and edge landscape areas.
- [Use] For Spot Spraying: Use in and around flowerbeds, ornamental trees, shrubs, fences, driveways and walkways
- [Use] For Stumps
- Use as a spot treatment along sidewalks, fences, driveways, and patios
- Use along fences; in cracks of walks, drives and patios; and around flower beds, trees and shrubs
- Visible effects are gradual wilting and yellowing advancing to complete browning and root destruction.
- [Provides] Visible [see] results in [hours] [1 day]
- Visible Results in 24 Hours
- Water based formula
- Weed Eliminator
- Weed Killer
- Kills to the root!

- Around trees in gardens, lawn renovation, weeds, grasses, brush
- Reseed (lawns) in 4 days
- Kills to the root so weeds won't grow back
- Kills weeds in flower beds and around fences, trees, driveways, walkways and shrubs, in and around patios, paths, sidewalk cracks
- Lawns can be planted 4 days after application
- Ornamental gardens can be reseeded or planted 1 day after treatment
- See results in 1-2 days
- Contains See-Spray [lets you see where you spray]
- Kills tough weeds, roots and all
- [This product] will kill almost all unwanted vegetation, including annual and perennial weeds, grasses, and other unwanted plants
- Use on or around: brush, grasses, trees, weeds.
- Kills the Root
- Kills weeds, grasses and brush
- Use around trees, gardens, sidewalks, driveways.
- Refillable container
- Refillable
- Free refill included
- Bonus refill included
- Refill included
- [One Quart] covers up to 250 sq. ft
- [½ gallon] covers up to 500 sq. ft.
- [One gallon] covers up to 1,000 sq. ft.
- [1.33 gallons] covers up to 1330 sq. ft.

The following claims used for six (6) months from the first date of shipment to a customer in accordance with Federal and State Registrations:

- New Formula
- New