

1. 2 1
1"
-772 -6

⁻¹⁰¹
DURACHLOR

An Organic Chlorine Concentrate for Swimming Pools

ACTIVE INGREDIENT:

*Sodium dichloro s-triazinetriene 100%

*Contains 63% available chlorine

WARNING: Keep Out of Reach of Children

See additional warnings on back panel

Net Wt. 20 Lbs.

Haviland Products Company
421 Ann St., N.W.
Grand Rapids, Mich. 49502

ACCEPTED
6-16-72
10183-16

2075

4443

DURACHLOR is a fast dissolving stabilized chlorine germicide and algicide.

DIRECTIONS

Initially condition your pool with 5 gallons of ECONOCHLOR per each 10,000 gallons of water. This will produce an equivalent of 20 ppm of cyanuric acid.

PRIVATE POOLS

RECOMMENDED DOSAGE: Initially the pool should be treated with repeated dosages of 1 to 1½ oz. of DURACHLOR for each 10,000 gallons of pool water to satisfy the chlorine demand of the water. 1 oz. of DURACHLOR per 10,000 gallons of water will apply approximately 0.5 ppm available chlorine. To maintain a desired level of 0.6 to 1.0 ppm of chlorine residual, add 1 to 1½ oz. DURACHLOR for each 10,000 gals. of water daily or as needed. Once every two weeks a shock dose of 5 ppm of chlorine should be made to prevent development of resistant species of algae. Keep pH of water between 7.2 and 7.6. Use a test kit for chlorine and pH control. For complete use directions, refer to Haviland Swim Pool Care Bulletin.

PUBLIC POOLS

Dissolve a suitable amount of DURACHLOR in water and introduce the DURACHLOR solution into pool water using a positive displacement type chemical feed pump.

To make a 2% available chlorine stock solution, dissolve 2½ lbs. of DURACHLOR per each 10 gallons of water in your solution feed tank.

Maintain a free chlorine residual in accordance with local or Department of Public Health regulations. (State of Michigan Department of Public Health requires a free chlorine residual of at least 1.0 to 1.5 ppm).


The measure cup in the package is placed there for your convenience. One measure holds one ounce of DURACHLOR.

WARNINGS

OXIDIZING MATERIAL: May be fatal if swallowed. Contact with combustible matter may cause fire or decomposition. May cause irritation of skin, eyes, nose and throat. Dust may be harmful if inhaled. Moisture contamination may liberate irritating and hazardous chlorine-containing gases. Decomposes at 350-475°F. with liberation of heat and harmful gases.

Avoid contact with oil, grease, other combustible matter. Avoid contact with skin and eyes. Avoid breathing dust. Store in cool, dry well-ventilated area. Keep container tightly closed when not

Haviland Products Company
421 Ann St., N.W.
Grand Rapids, Mich. 49502



Cont.
DURACHLOR

in use. Protect from moisture contamination. Keep away from open flames, heaters, other heat sources. Rinse empty container thoroughly with water and discard. Do not burn.


This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public water.

IN CASE OF PERSONAL CONTACT: Remove excess material and flush skin or eyes with cold water for at least 15 minutes. For eyes, get medical attention. Clean contaminated clothing before re-use.

IN CASE OF FIRE OR SUSTAINED DECOMPOSITION: if possible isolate container in open air or well-ventilated area. Flood with large volume of water.

EPA Reg. No. 10183-16

Haviland Products Company
421 Ann St., N.W.
Grand Rapids, Mich. 49502



2079

4443