


59920-2

12/28/2000

1/2



## Super IQ Insecticide Coating LC White, Semi-Gloss Finish

A ready to use, residual insecticide designed for use as a spot treatment on interior and exterior surfaces of buildings within Industrial Plant Sites and Manufacturing Plant Sites.

Net Content : 15 Gallon

Controls Crawling Insects:

Surfaces:

Ants, Cockroaches, Spiders and Clover Mites.

Controls Flying Insects Crawling On Treated

Flies, Wasps, Mosquitoes, Moths and Gnats

Active Ingredient:

Chlorpyrifos [0-0 diethyl 0-(3,5,6-trichloro-2-pyridyl)phosphorothioate]..... 0.90%

Inert Ingredients:

Inerts..... 99.10%

Total 100.00%

EPA Reg. No. 59920-2

**KEEP OUT OF REACH OF CHILDREN**

### **PRECAUTIONARY STATEMENTS**

### **HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

#### **CAUTION**

Do not allow public to contact surfaces until coating has dried. May be harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing vapors while coating is wet. Avoid contact with skin, eyes and clothing. Do not apply to surfaces on which food will be prepared or served or in which animal feed will be served such as mangers or troughs.

#### **FIRST AID**

**IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

**IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.


**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-xxx-xxxx for emergency medical treatment information.

**NOTE TO PHYSICIANS:** Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine by injection is antidote of choice.

#### **ENVIRONMENTAL HAZARDS**

This pesticide is toxic to birds, fish and aquatic invertebrates. Birds feeding in treated areas may be killed. Clean up spilled product to reduce exposure to wildlife. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters. Apply this product only as recommended on this label.



**DIRECTION FOR USE**

It is a violation of FEDERAL law to use this product in a manner inconsistent with its labeling.

This product is to be used as a spot treatment on interior and exterior surfaces of buildings within Industrial Plant Sites and Manufacturing Plant Sites. It should not be used as a broadcast treatment. It should be applied to locations where insects may inhabit, or use as routes of entry to building or structure. It should be used as supplied and not as an additive to other materials. Stir or shake well before application. Apply only to clean and dry surfaces. Provide adequate ventilation of areas during application and while coating is drying. Product may be applied by brush, roller or other suitable applicator tools or by coarse, low-pressure spray. It dries quickly to form a durable film. Treat a small area to view dried film appearance and test adhesion prior to complete application. Dried product may be washed with water or water and mild non-alkaline detergents. Each gallon covers approximately 340 to 530 square feet (34 to 53m<sup>2</sup>) of surface, or 650 to 1,400 linear feet (200 to 420m) of 6 to 4 inch wide bands. For best results, use without dilution and apply two coats. If necessary, dilute with up to 5% water.

**GENERAL PEST CONTROL INDOORS/USE IN NON-FOOD AREAS**

This product may be applied within non-food areas of Industrial Plants Sites, Manufacturing Plant Sites, Dairy Barns, and Chicken Houses where animals may not come in contact with treated surfaces. Treatment areas are limited to cracks and crevices, wall voids, window and door casings, baseboards, plumbing penetrations and vent openings, floor drains and undersides of shelves and drawers. When applied in areas open to accessible by the public, take precautions to prevent contact with treated surfaces until product has dried.

**EXTERIOR SURFACES**

Apply to exterior walls and other surfaces for the control of crawling and flying insects, including window and door casings and other cracks or gaps in building walls or foundations to prevent ants, cockroaches, spiders, wasps, moths and flies from entering structures through such openings. A continuous band applied to the base of buildings is an effective barrier to crawling insects. Apply to the underside of eaves, roof overhangs, awnings of rigid construction and other wasp and spider nesting areas. Apply to outdoor refuse storage areas such as trash receptacles and garbage corrals to control flies and crawling insects attracted to these areas.

**TREATMENT OF MANHOLES**

(For control of cockroaches): Apply product on underside of manholes lids and manhole walls. Product may be applied via coarse spray using conventional airless spray equipment or with a suitable brush. Persons applying product in manholes must wear chemical resistant gloves, goggles, long sleeved clothing, and a respirator with an organic-vapor removing cartridge with a prefilter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C), or a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G), or a NIOSH approved respirator with an organic vapor (OV) cartridge or canister with any N, R, P, or HE prefilter. Apply no more than 48 ounces (3 pints) of product to each manhole. Do not discharge or spray unused material directly into sewer system. Do not apply product within 36 hours of predicted heavy rainfall.

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage and disposal. Keep container tightly closed and store in a cool, dark place, preferably in a locked storage area. Product Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

A quality product of BioDyne Americas Corporation, Bellevue, Washington, U.S.A.