1/6



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs Registration Division (7505P) Ariel Rios Building 1200 Pennsylvania Ave., NW Washington, D.C. 20460 EPA Reg. Number: 62719-353

Date of Issuance:

NOV 2 2007

NOTICE OF PESTICIDE:

_ Registration

<u>x</u> Reregistration (under FIFRA, as amended)

Term of Issuance: Unconditional

Name of Pesticide Product:

Dursban F Insecticidal Chemical

Name and Address of Registrant (include ZIP Code):

Dow AgroSciences

9330 Zionsville Road

Indianapolis, IN 46268

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

Based on your response to the Reregistration Eligibility Decision, EPA has reregistered the product listed above. This action is taken under the authority of section 4(g)(2)(C) of the Federal Insecticide, Fungicide, and Rodenticide Act, as amended. Reregistration under this section does not eliminate the need for continual reassessment of pesticides. EPA may require submission of data at any time to maintain the registration of your product.

Generic data requirements that have been identified in the RED as confirmatory data for the active ingredient contained in the subject product will continue to be tracked and assessed in the Agency's continual reassessment of pesticides.

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable with the following comments:

- 1) Add "Handle chemical in a ventilated area" as on your Dursban R label under the Hazard to Humans and Domestic Animals subheading.
- 2) The signal word Warning must also be placed below the Hazard to Humans and Domestic Animals subheading per 40 CFR 156.70 (b).
- 3) Add the complete company address to the label.
- 4) Add after apples ("Only one application of any chlorpyrifos containing product can be made per year. The application can be either a pre-bloom dormant/dormant delayed to the canopy or the trunk, or a post-bloom application to the lower 4 feet of the trunk"
- 5) Add after corn (maximum of 3 lb ai/acre/season and no application to pop-corn)
- 6) Under Prohibited Uses include Termiticide Uses.
- 7) Add "To the extent allowed by applicable laws" before DAS....disclaims.

Signature of Approving Official:
Meredith F. Laws, Chief
Insecticide-Rodenticide Branch

Registration Division (7505P)

Meuclik Jaws
Branch

Date:

NOV 2 2007

You must submit one (1) copy of the final printed label before you release the product for shipment. Products shipped after 12 months from the date of this Notice or the next printing of the label whichever occurs first, must bear the new revised label.

A stamped copy of the label is enclosed for your records. Should you have any questions, please contact Registration Review Manager, Dr. Akiva Abramovitch at 703-308-8328.

Dursban® F Insecticidal Chemical

Insecticide

For Manufacturing Use Only

ACCEPTED with COMMENTS In EPA Letter Dated: NOV 2 2007

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No.

WARNING

Precautionary Statements

Hazards to Humans and Domestic Animals

May Be Fatal If Swallowed Or Inhaled

Do not breathe dust. Wear a mask or pesticide respirator jointly approved by the Mine Safety and Health Administration and the National Institute for Occupational Safety and Health. Wash thoroughly with soap and water after handling and before eating, drinking, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

First Aid

Organophosphate

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

Note to physician: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. If exposed, plasma and red blood cell cholinesterase tests may indicate significance of exposure (baseline data are useful). Atropine, only by injection, is the preferable antidote. Oximes, such as 2-PAM/protopam, may be therapeutic if used early; however, use only in conjunction with atropine. In case of severe acute poisoning, use antidote immediately after establishing an open airway and respiration.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may contact 1-800-992-5994 for emergency medical treatment information.

Environmental Hazards

This pesticide is toxic to birds and wildlife, and extremely toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For further guidance, contact your state water board or regional office of the EPA.

Directions for Use

Page 2

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. The June 7, 2000 memorandum of agreement between EPA and registrants of pesticide products containing chlorpyrifos only applies to registered uses of chlopyrifos in the U.S.

Manufacturing-Use Product Labeling Requirements

After October 1, 2000, any manufacturing-use product formulated from this product must bear EPA-approved labeling that is consistent with the terms of the June 7, 2000, memorandum of agreement between EPA and registrants of pesticide products containing chlorpyrifos.

This product may ONLY be formulated into manufacturing-use insecticide products or end-use insecticide products for the following uses. Text in square brackets (e.g., [Terrestrial Food Crop]) after each site category heading refers to the general use group as referenced in 40 CFR 158.

Agricultural Uses

Agricultural Crops [Terrestrial Food Crop, Greenhouse Food Crop]: Alfalfa, apple, asparagus, banana, bean (snap, lima), beet (sugar, table, including crops grown for seed), blueberry, brassica (cole) leafy vegetables (bok choy, broccoli, broccoli raab, broccoli, Brussels sprout, cabbage, Chinese cabbage, cauliflower, collard, kale, kohlrabi), caneberry, cherimoya, cherry (sour, sweet), citrus (lemon, orange, grapefruit and citrus, other) citrus orchard floor, corn (field, sweet, including crops grown for seed), cotton, cranberry, cucumber, date, feijoa, fig, grape, kiwifruit, leek, legume vegetables, mint, nectarine, onion (dry bulb), pea, peach, peanut, pear, pepper, plum, prune, pumpkin, radish (including crops grown for seed), rutabaga, sapote, seed and pod vegetables, sorghum (grain, milo), soybean, strawberry, sugarcane, sunflower, sweet potato, tobacco, tree nuts (almond, filbert, pecan, walnut, other), turnip, wheat, and seed treatment; in addition, this product may be used to formulate products for any additional crop uses not listed on this label if the formulator, user group, or grower has complied with U.S. EPA data submission requirements regarding the support of such uses;

Ornamentals – Commercial Production Only [Commercial Terrestrial Non-Food Crop, Commercial Greenhouse Non-Food Crop]: Greenhouse, outdoor (excluding any residential outdoor use), field grown and nursery grown ornamentals (including, but not limited to flowers, shrubs, evergreens, vines, shade and flowering trees, and non-bearing fruit, nut, and citrus trees); Christmas tree plantations, nurseries, forest tree nurseries, sod farms, perennial grass seed crops, soil treatment of potted, containerized or balled and burlapped nursery stock plants in nurseries and greenhouses only; annual and perennial plants;

Forest Trees [Forestry]: Plantations, forests, seed orchards, felled trees, and cut stumps.

If the product is labeled for reformulation into products bearing labeling for agricultural uses, the label may not contain instructions permitting formulation into products registered for tomatoes. In addition, the label must contain the following statements:

 This product may only be formulated for the agricultural uses listed below if the EPA-approved labeling of the formulated product bears revised worker reentry intervals (REIs) of a duration no less than the following:

For all crops: 24 hours, unless specifically noted as otherwise below

- Tree fruits (dormant/delayed dormant; trunk spray or preplant dip): 4 days
- Citrus fruits: 5 days
- Citrus orchard floors: 5 days
- Fig: 4 days
- Cauliflower: 3 days
- The end-use product labeling may include the following statement: "Certified crop advisors or
 persons entering under their direct supervision under certain circumstances may be exempt from the
 early reentry requirement pursuant to 40 CFR Part 170."
- Any emulsifiable concentrate (EC) end-use product formulated from the product must be labeled as a
 restricted use product. All other end-use products formulated from the product must either be labeled
 as restricted use or packaged in containers no smaller than 15 gallons of a liquid formulation, 50
 pounds of a granular formulation, or 25 pounds of any other dry formulation.

Other Uses

This product may be formulated into insecticide products for other uses for which the U.S. EPA has accepted the required data and/or citations of data that the formulator has submitted in support of registration excluding any use strictly prohibited by this label.

Experimental Uses

This product may be formulated into insecticide products for uses for experimental purposes that are in compliance with U.S. EPA requirements.

Other Prohibited Uses

All manufacturing-use and end-use products produced from this product must bear the following statement:

"This product may NOT be used for formulation into manufacturing-use or end-use products for the following uses:

Aquatic Uses [Aquatic Food Crop, Aquatic Non-Food]: Any aquatic use, including mosquito larvicide."

Important Note: Because of their properties and intended uses, insecticidal formulations containing this product will require precautionary labeling differing from that given. Formulators should develop their own use and precautionary labeling based on the properties and intended uses of their own finished formulations, and are responsible for obtaining EPA registration of these products.

Storage and Disposal

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage: Store in original container in secured dry storage area. Prevent cross-contamination with other pesticides and fertilizers. Do not store above 100°F for extended periods of time. If container is damaged or spill occurs, use product immediately or dispose of product and damaged container as indicated below.

Nonrefillable containers 50 lb or less:

Container Reuse: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available.

Refillable containers greater than 50 lb:

Container Reuse: Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose.

Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or a mix tank. Fill the container about 10% full with water and, if possible, spray all sides while adding water. If practical, agitate vigorously or recirculate water with the pump for two minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times.

Warranty Limitations and Disclaimer

Dow AgroSciences warrants that at the time of delivery, the product will conform to its chemical description on the label, that it will pass without objection in the trade under the contract description, that seller will convey good title thereto, and that such product will be delivered free from any lawful security interest, lien or encumbrance.

This is the only warranty made on this product. Dow AgroSciences EXPRESSLY DISCLAIMS ANY IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE AND, EXCEPT AS SET FORTH IN THE ABOVE PARAGRAPH, ANY OTHER EXPRESS OR IMPLIED

WARRANTIES. Buyer acknowledges the use of its own independent skill and expertise in the selection and use of the product and does not rely on any oral or written statements or representations.

In case of emergency endangering health or the environment involving this product, call 1-800-992-5994. Manufacturing Chemical: Do not ship or store with food, feeds, drugs or clothing. EPA Reg. No. 62719-353 EPA Est. [®]Trademark of Dow AgroSciences LLC Produced for Dow AgroSciences LLC • Indianapolis, IN 46268 U.S.A. **Net Weight** EPA accepted _/__/_