

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

September 23, 2021

Tony Herber Agent for, Clorox Professional Products Company c/o PS&RC; P. O. Box 493 Pleasanton, CA 94566-0803

Subject: PRIA Label Amendment – To add three variants

Product Name: Puff

EPA Registration Number: 67619-38

Recieved Date: May 4, 2021 Action Case Number: 00300225

Dear Mr. Herber:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. Pursuant to 40 CFR 156.10(a)(6), you must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the Agency. See FIFRA section 2(p)(2). If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) lists examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process, FIFRA section 12(a)(1)(B). Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Assurance.

Page 2 of 2 EPA Reg. No. 67619-38 Action Case No. 00300225

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. If you have any questions, please contact Karen M. Leavy by phone at (703)-308-6237, or via email at Leavy.Karen@epa.gov.

Eric Miederhoff
Product Manager 31
Regulatory Management Branch I
Antimicrobials Division (7510P)
Office of Pesticide Programs

Enclosure

Label identification

Puff, EPA Reg. No. 67619-38

RC335063

14:15 9/22/21

ACCEPTED

09/23/2021

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under

EPA Reg. No. 67619-38

Formatting notes (applicable for all claims)

Now[!] -and/or- **New**[ly][!] -and/or- **Improved**[!] may be added anywhere to a claim and will only be used for the first 6 months of product on shelf.

Bold, italicized text is information for the reader and is not part of the label.

Optional text may be placed anywhere on the label/container.

Bracketed information is optional text.

All footnotes are on the last page, unless they are part of EPA's mandated text.

The word "and" may be substituted with "&". Plural words may be used in their singular form or singular words may be used in their plural form unless otherwise specified in 40 CFR.

All directions may be written in numbered form or in paragraph form.

All use surfaces and/or use sites on the label may be listed in conjunction with an image of the use surface and/or use site.

Highlighted text is new. Strike-through text means removed.

Puff

KEEP OUT OF REACH OF CHILDREN CAUTION:

SEE SIDE -or- BACK LABEL -OR- PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

ACTIVE INGREDIENTS:

 Alkyl (60% C14, 30% C16, 5% C12, 5% C18)

 dimethyl benzyl ammonium chlorides
 .0.15%

 Alkyl (68% C12, 32% C14) dimethyl

 ethylbenzyl ammonium chlorides
 .0.15%

 OTHER INGREDIENTS
 99.70%

 TOTAL
 .100.00%

[NET] [CONTENTS] _____ Contains no phosphorus

PRECAUTIONARY STATEMENTS: Hazards to Humans & Domestic Animals

CAUTION: Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

FIRST AID:

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF IN EYES: Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. [You may contact 800-492-9729 for emergency medical treatment information.]

The following statements will be used for products with institutional use sites ENVIRONMENTAL HAZARDS

DO NOT allow product or rinse water to enter storm drains, lakes, streams, or other bodies of water.

Questions? Comments? Call toll-free 800-492-9729

Visit us at www.cloroxpro[fessional].com

For more [product -and/or- ingredient] information, visit IngredientsInside.com -or- www.smartlabel.org.

Commercial Solutions -and/or- CloroxPro^[™-or-®] -or- are [a] registered trademarks of The Clorox Company -and/or-

Clorox Professional Products Company

Clorox Healthcare -and/or- Clorox is a registered trademark of The Clorox Company

For [a] Spanish translation of product directions -or- instructions -or- information, visit www.cloroxpro[fessional].com -or- www.cloroxhealthcare.com.

Refer to the *insert applicator/sprayer name* [-and/or-] user manual -and/or- safety data sheet (SDS) for more information.

Mfd. for & ©YYYY Clorox Professional Products Company

1221 Broadway, Oakland, CA 94612

Made in [the] U.S.A. [of global components -and/or- ingredients.]

EPA Reg. No. 67619-38

EPA Est. No. No. 5813-CA-3 (A8 or H8), CA-6 (TPP); GA-1 (A4), GA-2 (VG), IL-2 (VF); 8251-OH-1 (Q6), WI-2 (KW), WI-3 (KV), WI-5 (UQ); 52379-MI-2 (JX); 58455-IN-1 (C6), IN-2 (01); 40873-GA-1 (JT); 71106-GA-2 (E8); 71681-IN-1 (03), IN-2 (24); 74750-GA-1 (JJ) Beginning of batch code indicates Est. No.

Patents: www.thecloroxcompany.com/patents/

Satisfaction Guaranteed[!] At Clorox we have prided ourselves in making consistent quality products [for over 100 -or- *insert number* years], and we are dedicated to ensuring your total satisfaction with our product. If you are not completely satisfied, please call the number above -or- below -or- 1-888-797-7225. For SDS information please go to www.cloroxprofessional.com.

Operating Trigger

To Operate:

Open hinged cover of sprayer and snap into opening on top. -or- Turn -or- Rotate nozzle [counterclockwise] to "spray" -or- "stream" -or- ON [setting]. -or- Adjust [nozzle] to desired pattern.

-or

[To open, turn nozzle.] Spray [six to eight -or- 6-8 in[ches] from] surface. Rub -or- wipe with brush -or- paper towel -or- sponge -or- [lint-free] cloth. Do not breathe spray or mist.

[When almost empty, -or- To spray every drop[,][:] tilt bottle downward -or- at a downward angle [while spraying].]

Optional Directions for Product Supplied in Refill Bottles Refill only with this product.

Alternate for Non-Refillable Bottles for use in conjunction with applicator/sprayer name

To Connect with insert applicator/sprayer name

[Remove]

Remove cap [and induction seal] [from bottle].

[Connect]

Connect adaptor cap [from *insert applicator/sprayer name*] [to bottle] and twist until tight[ened]. [Refer to user manual for specific operating instructions before use]

Alternate for Refill Bottle

To Refill [Spray Bottles]:

Remove

Remove trigger sprayer -or- cap from empty bottle.

Pour

Unscrew cap on refill and pour contents directly into empty bottle. Use a funnel to minimize product spills -or- waste.

Use

Replace trigger sprayer and use as you normally would. -or- Unscrew cap and transfer your trigger to this bottle. -or-Replace cap and use as you normally would. Fill -or- refill the *insert number* [fl] oz this product spray bottle with *this product* refill. Pour product into spray bottle over sink or tub basin.

For foldout label

Peel [here] [for] [additional] [directions]

Trigger options

To refill: Twist trigger [on spray bottle] [1/4 turn] [counterclockwise] [and pull up -or- upward[s]] to remove. [Fill spray bottle with refill solution.] [After refilling spray bottle,] [to replace trigger,] Align [red tip] tube on trigger [head] over [small] opening -or- tube [on] [the] inside [of the bottle]. [[Note that] trigger [head] should point in [the] same direction as [the] tube [running] on the outer edge of the bottle.] Press [straight] down on the trigger [head], [applying even pressure] [until it clicks -and/or- locks] [into place].

Optional graphics. May be placed anywhere on label/container.
























DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

To [Clean] [,] [and] Disinfect [and Deodorize] Hard, Nonporous Surfaces: Spray [six to eight -or- 6-8 in[ches] from] surface [with *insert applicator/sprayer name*] until thoroughly wet. Allow treated surface to remain visibly wet for 2 min[utes] -or- [contact time listed [below] [or] [on label]]. *To be added if Canine Distemper Virus and/or Coxsackievirus and/or Poliovirus is also on the label*: To kill Canine Distemper Virus -and/or- Coxsackievirus -and/or- Poliovirus, remain visibly wet [for] 5 min[utes]. *To be added if Trichophyton interdigitale is also on the label*: To kill Trichophyton interdigitale, remain visibly wet [for] 10 min[utes]. Let air dry. For visibly soiled areas, [a] precleaning [step] is required. [If streaking is observed, wipe with a clean, damp [microfiber] cloth -or- paper towel.]

Allow treated surfaces to air dry or wipe off with a clean cloth -or- mop -or- sponge.

When using on food contact surfaces[: *insert food-contact surface(s) from Table 1*], thoroughly rinse all treated surfaces with potable (tap) water. This product -or- *product name* must not be used to clean eating utensils, glassware and dishes.

For labels that list medical premises and metal and/or stainless steel surfaces, one of the following statements must be used:

This product is not to be used as a terminal sterilant high-level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body.

-or-

This product is not for use on critical and semi-critical medical device surfaces.

Mandatory label language when product is supplied in large containers (1 gallon or greater) to be used with refillable pump spray bottles less than 1 gallon.

Fill or refill the X [fl] oz of this product spray bottle with this product. Pour product into spray bottle over sink or tub basin.

To disinfect hard, nonporous surfaces in food processing premises: [floors, walls and storage areas,] Spray [six to eight -or- 6-8 in[ches] from] surface [with insert applicator/sprayer name] until thoroughly wet. Allow the surface to remain visibly wet for 2 min[utes]. To be added if Canine Distemper Virus and/or Coxsackievirus and/or Poliovirus is also on the label. To kill Canine Distemper Virus -and/or-Coxsackievirus -and/or- Poliovirus, remain visibly wet [for] 5 min[utes]. To be added if Trichophyton interdigitale is also on the label. To kill Trichophyton interdigitale, remain visibly wet [for] 10 min[utes]. Wipe off with a clean cloth, mop or sponge and let air dry. -or- Allow treated surfaces to air dry or wipe off with a clean cloth -or- mop -or- sponge. Thoroughly rinse all food contact surfaces with potable water. Visibly soiled areas must be pre-cleaned before using this product. Food products and packaging materials must be removed or carefully protected prior to using this product.

To disinfect food service establishment hard, nonporous non-food contact surfaces: [countertops, appliances, tables,] Spray [six to eight -or- 6-8 in[ches] from] surface [with insert applicator/sprayer name] until thoroughly wet. Allow the surface to remain visibly wet for 2 min[utes]. To be added if Canine Distemper Virus and/or Coxsackievirus and/or Poliovirus is also on the label: To kill Canine Distemper Virus -and/or- Coxsackievirus -and/or- Poliovirus, remain visibly wet [for] 5 min[utes]. To be added if Trichophyton interdigitale is also on the label: To kill Trichophyton interdigitale, remain visibly wet [for] 10 min[utes]. [Wipe off with a clean cloth, mop or sponge and] Let air dry. Thoroughly rinse all food contact surfaces in the area with potable water. Visibly soiled areas must be pre-cleaned before using this product. Do not use on eating utensils, glassware and cookware.

Disinfection of hard, nonporous surfaces in animal quarters and kennels: To disinfect pre-cleaned animal quarters and kennels, apply *this product*. Remove all animals and feed from premises. Remove all litter and droppings from floors, walls and surfaces of facilities occupied or traversed by animals. Empty all troughs, racks, and other feeding and watering appliances. Thoroughly clean all surfaces with soap or detergent and rinse with water. Spray [six to eight -or- 6-8 in[ches] from] surface [with *insert applicator/sprayer name*] until thoroughly wet. Allow the surface to remain visibly wet for 2 min[utes] for Canine Parvovirus[, Canine Coronavirus -and/or- Canine Influenza Virus]. *To be added if Canine Distemper Virus and/or Coxsackievirus and/or Poliovirus is also on the label*: To kill Canine Distemper Virus -and/or- Coxsackievirus -and/or- Poliovirus, remain visibly wet [for] 5 min[utes]. *To be added if Trichophyton interdigitale is also on the label*: To kill Trichophyton interdigitale, remain visibly wet [for] 10 min[utes]. Let air dry. Ventilate building and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed, set or dried. All treated equipment that will contact feed or drinking water must be rinsed with potable water before reuse.

For Ultrasound Transducers and Probes: Use only on external hard, nonporous surfaces of ultrasound transducers and probes. With a clean washcloth, clean gel from external surface of the ultrasound transducer or probe to be disinfected. Spray [six to eight -or- 6-8 in[ches] from] surface [with insert applicator/sprayer name] until thoroughly wet. Allow the surface to remain visibly wet for 2 min[utes]. To be added if Canine Distemper Virus and/or Coxsackievirus and/or Poliovirus is also on the label: To kill Canine Distemper Virus -and/or- Coxsackievirus -and/or- Poliovirus, remain visibly wet [for] 5 min[utes]. To be added if Trichophyton interdigitale is also on the label: To kill Trichophyton interdigitale, remain visibly wet [for] 10 min[utes]. Let air dry.

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HBV AND HCV OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

Personal Protection: When handling items soiled with blood or body fluids, use disposable latex gloves, gowns, masks, and eye coverings. **Cleaning Procedures**: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this product. **Contact Time**: Allow surfaces to remain visibly wet for 1 min[ute]. HIV-1 is inactivated in 30 sec[onds]; HBV and HCV are inactivated in 1 min[ute].

Disposal of Infectious Materials: Blood and other body fluids must be autoclaved and disposed of according to local regulations for infectious waste disposal.

in health care settings -and/or- Hospitals -and/or- Nursing Homes or other settings in which there is an expected likelihood of soiling of hard, nonporous surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1, Hepatitis B Virus (HBV) and Hepatitis C Virus (HCV).

To Sanitize [and Deodorize] Hard, Nonporous Non-Food Surfaces: Spray [six to eight -or- 6-8 in[ches] from] surface [with *insert applicator/sprayer name*] until thoroughly wet. Allow treated surface to remain visibly wet for 5 sec[onds]. [Allow to air dry or wipe dry.] Visible soil must be removed prior to sanitizing.

Soft Surface Sanitization

To Sanitize Soft Surfaces¹⁹ **[(Fabrics)]**: Hold bottle upright -or- Spray [six to eight -or- 6-8 in[ches] from] surface [with *insert applicator/ sprayer name*] until thoroughly wet. Spray until fabric is wet. DO NOT SATURATE. Allow surface to remain visibly wet [for] 2 min[utes]. Allow to air dry. [For difficult odors or heavy fabrics, repeat application.] [Reapply as necessary.] Visible soil must be removed prior to sanitizing.

Mildewstat for hard, nonporous surfaces

To inhibit -or- control mold and mildew [(Aspergillus niger)] on pre-cleaned, hard, [nonporous] surfaces: Spray [six to eight -or- 6-8 in[ches] from] surface [with *insert applicator/sprayer name*] until visibly wet. Let air dry. Reapply when -or- as new mildew growth appears -or- every 7 -or- seven days -or- weekly.

Bacteriostatic for hard, nonporous surfaces

To prevent -or- inhibit -or- control the growth of odor-causing bacteria for [up to] **XX** hours **XX** is less than or equal to 24 hours on [precleaned], hard, nonporous non-food contact surfaces: Spray hard nonporous [non-food contact] surface [with insert applicator/sprayer name] until wet. Allow to air dry.

GENERAL CLEANING: Spray soiled area then wipe with a dry paper towel or lint-free cloth.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.

PESTICIDE STORAGE - Store in a dry place inaccessible to children.

PESTICIDE DISPOSAL - Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL - Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available or puncture and dispose in a sanitary landfill, incineration, or burning, if allowed by state and local authorities. If burned, stay out of smoke,

The following will be used for consumer household/residential use site only

STORAGE AND DISPOSAL - Store in an area inaccessible to children.

Nonrefillable container. Do not reuse or refill this container. Wrap container and put in trash or offer for recycling if available.

Mandatory label language when product is supplied in large containers (1 gallon or greater) to be used with refillable pump spray bottles (less than 1 gallon).

CONTAINER DISPOSAL FOR REFILL SPRAY BOTTLE- Do not reuse empty spray bottle except with refill container -or- bottle, otherwise wrap spray bottle and discard in trash. Offer for recycling if available.

When product is supplied in large containers (1 gal or more) to be used with refillable pump spray bottles (< than 1 gal, the refillable spray bottle can be labeled with the complete refill master container label or the following secondary package label.

Refill spray bottle label to be used with master container label:

ACTIVE II	NGRED	IENTS
-----------	-------	-------

Alkyl (60% C14, 30% C16, 5% C12, 5% C18)	
dimethyl benzyl ammonium chlorides	0.15%
Alkyl (68% C12, 32% C14) dimethyl	
ethylbenzyl ammonium chlorides	0.15%
OTHER INGREDIENTS:	99.70%
TOTAL:	100.00%

KEEP OUT OF REACH OF CHILDREN CAUTION

Follow directions for use on the pesticide label when applying this product. Do not refill empty spray bottle with any product other than product from the labeled refill (container, bottle). When refill spray bottle is no longer in use, wrap it and discard in trash.

EPA Reg No. 67	619-38
NET CONTENTS	:

Antimicrobial Claims

- 99.9% effective in 5 sec[onds] against insert 5-second sanitization bacterium/a from Organism Table
- A combination disinfectant -and/or- deodorizer, and multi-purpose cleaner
- A proven sanitizer on soft surfaces¹⁹
- · Actively combats the growth of mildew
- An effective soft surface sanitizer¹⁹
- Animal Housing Facilities (and Poultry and Swine Premises):
 This product removes dirt, grime, blood, urine, fecal matter and other common soils found in insert use site(s) from Table 2 -and/or- other small animal facilities. It [also] eliminates odors leaving surfaces smelling clean and fresh.
- Bactericidal
- · Bactericidal -and/or- Disinfecting and cleaning
- Bactericidal Formula Cleans and Disinfects¹¹
- Bactericidal formula cleans and disinfects -and/or- sanitizes in one step^{11 -or- 20} footnote 11 to be used with disinfecting, footnote 20 to be used with sanitizing
- Bleach Free Disinfecting[!]
- Can be used to sanitize soft surfaces -and/or- insert soft surface(s) from Table 4 as a spot sanitizer
- Clean -and/or- Sanitize -and/or- Disinfect any room in the -or- your house^P -or- facility^[P]
- Clean -and/or- Sanitize -and/or- Disinfect hard, nonporous surfaces in any room in -or- throughout your house^p -or- facility^[p]
- CLEANS, DISINFECTS & DEODORIZES
- Cleans[, sanitizes -and/or-disinfects] [and] deodorizes
- Cost effective and Time Efficient when used with [the] insert applicator/sprayer name
- Cost effective solution to sanitizing -or- laundering hospital curtains
- Cost effective solution in lieu of -or- as alternative to dry cleaning hospital curtains
- Disinfectant for [the] insert applicator/sprayer name -or-Clorox® Total 360® [System]
- Disinfects [99.9% of] germs^[†] when used with [the] insert applicator/sprayer name
- Disinfects [and Deodorizes]
- Disinfects Hard, Nonporous surfaces
- Disinfects hard, nonporous surfaces against SARS-CoV-2 [the cause of -or- the coronavirus that causes COVID-19] [in 2 min[utes]]
- Disinfects household -or- facility kitchen -and/or- bathroom bacteria⁵
- Disinfects in just 2 min[utes][10]
- Effective against -or- Kills SARS-CoV-2 [the cause of -or- the coronavirus that causes COVID-19] [in 2 min[utes]]P
- Efficacy tests have demonstrated that this product is an effective bactericide and virucide[‡] in the presence of organic soil (5% blood serum)
- Effective in sanitizing -or- disinfecting your kitchen -and/orbathroom surfaces
- Eliminates -or- removes-or- destroys odors [on insert soft surface(s) from Table 4 -and/or- fabrics] [in insert use sites from Table 2] [at the source]
- Great for -or- Freshens -or Deodorizes insert soft surface(s) from Table 4 -and/or- fabrics as a spot sanitizer
- Hard surface disinfecting-and/or- sanitizing spray
- Hospital -and/or- General disinfectant ready-to-use (RTU) spray

- Ideal for cleaning and sanitizing -and/or- disinfecting any hard, nonporous surface
- Inhibits the growth of mold and mildew when used as directed -orfor [up to] 7 days
- Kills [99.9%] of [Athletic -or- Long Term Facility -and/or- School -and/or- Office -and/or- Hospitality] Germs^[†]
- Kills 99.9% of Bacteria in [Just] 5 Sec[onds][!]4
- Kills 99.9% of bacteria on insert soft surface(s) from Table 419
- Kills 99.9% of bacteria on soft surfaces -and/or- fabrics as a spot sanitizer
- Kills 99.9% of Germs^[†] -and/or- Viruses[‡] -and/or- Bacteria + -or-including COVID-19 Virus[‡]
- Kills 99.9% of Germs -and/or- Viruses[‡] -and/or- Bacteria + -or-including COVID-19 Virus [and] Variants[™]
- Kills 99.9% of *insert 5-second bacterium/a from Organism Table* in [Just] 5 sec[onds][!]
- Kills 99.9% of insert organism(s) from soft surface Organism
 Table [on insert soft surface(s) from Table 4]19
- Kills 99.9% of insert organism(s) from soft surface Organism Table in 2 min[utes][on insert soft surface(s) from Table 4]¹⁹
- Kills [99[.9]% of] Viruses[‡] in 2 min[utes]^[10]
- Kills Cold and Flu Viruses8
- Kills Cold Viruses⁶
- Kills COVID-19 Virus [and] Variants[™]
- Kills Flu Virus⁷
- Kills HIV-1, HBV and HCV on pre-cleaned hard, nonporous surfaces/ objects previously soiled with blood/body fluids
- Kills insert 2-minute virus(es) from Organism Table in 2 min[utes][!]
- Kills insert organism(s)⁰⁰⁰ from disinfectant Organism Table
- Kills microorganisms on [hospital] soft surfaces -and/or- fabrics -and/or- *insert soft surface(s) from Table 4*¹⁹
- Kills Measles Virus, Mumps Virus, [and] Rubella Virus
- Kills -or- destroys -or-eliminates 99.9% of bacteria [on soft surfaces¹⁹]
- Kills -or- Disinfects against -or- Effective against [the] COVID-19 virus -or- virus that causes COVID-19 [in 2 min[utes]]
- Kills Poliovirus in 5 min[utes][!]
- Kills Rhinovirus, causative agent of the common cold, -or- which may cause a cold in 2 min[utes][!]
- Leaves hard, nonporous surfaces disinfected.
- Meets surface disinfection recommendations of OSHA Bloodborne Pathogen Standards for HIV-1, Hepatitis B Virus^{⋄⋄⋄} and Hepatitis C Virus^{⋄⋄}
- Multi-purpose sanitizing -and/or- disinfecting spray
- Non-Acid Bowl [& Bathroom] Disinfectant Cleaner. This product -or- product name is (also) a [ready-to-use] non-acid [bowl and] bathroom cleaner that cleans, disinfects and deodorizes in one easy step¹¹. It cleans, disinfects and deodorizes insert surface(s) from Table 1 -and/or- insert surface materials from Table 3 and all nonporous surfaces found in the bathroom -or- restroom [in the presence of organic soil].
- One Step Cleaning -and/or- Disinfecting¹¹ -and/or- Deodorizing
- One step^{11 -or- 20} cleaning -and/or- disinfecting -and/or- sanitizing -and/or- deodorizing footnote 11 to be used with disinfecting, footnote 20 to be used with sanitizing
- One-step²⁰ cleaner sanitizer on soft surfaces¹⁹
- One-step²⁰ spot sanitizer on soft surfaces

- Prevents -or- inhibits -or- stops against odor-causing bacteria growth [for up to XX hours XX is less than or equal to 24] [in insert use site(s) from Table 2 -and/or- on insert use surface(s) from Table 1 -and/or- insert use surface material(s) from Table 3]
- Prevents -or- inhibits -or- stops against odor-causing bacteria growth [for up to 24 hours] [in insert use site(s) from Table 2 -and/or- on insert use surface(s) from Table 1 -and/or- insert use surface material(s) from Table 3
- Prevents the growth of [odor-causing] bacteria for up to XX hours(XX is a number less than or equal to 24)
- Product name or This product cleans and/or disinfects and/or deodorizes.
- **Product name** -or- This product is formulated to disinfect hard, nonporous surfaces such as floors, walls, metal surfaces, stainless steel surfaces, glazed porcelain, glazed ceramic tile, plastic surfaces, bathrooms, shower stalls, bathtubs, and cabinets.
- **Product name** -or- This product is mildewstatic -and/or- will effectively inhibit -or- control -or- prevent the growth of mildew [and the odors caused by mildew] [when applied to hard, surfaces
- Pseudomonacidal²
- **Public Restrooms**: This product -or- **product name** is a one-step¹¹ disinfectant cleaner and deodorant odor-counteractant -or-odor-neutralizer designed for general cleaning, [and] [disinfecting -or-deodorizing on hard, nonporous surfaces.
- Remains -or- stays active against odor-causing bacteria growth [for] XX hours XX is a number less than or equal to 24
- Sanitizes and deodorizes
- Sanitizes -and/or- Deodorizes -and/or- Removes Odors -and/or- Eliminates odors by killing bacteria [found in facilities] [and controlling their odors]
- Sanitize -and/or- Disinfect your household -or- facility hard, nonporous surfaces[:] insert surface(s) from Table 1 -and/orinsert surface material(s) from Table 3
- Sanitizing -and/or- Disinfecting spray
- Sanitizes fabrics -and/or- soft surfaces -and/or- insert soft surface(s) from Table 4¹⁹
- Sanitizes soft surfaces in one step^{20, 19}
- Sanitizes soft surfaces in 2 min[utes]¹⁹
- Soft surface -or- fabric sanitizer¹⁹
- Solvent -and/or- Alcohol -and/or- Bleach free sanitizing -and/ordisinfecting spray
- Stops -or- prevents -or- inhibits odor-causing bacteria [re[-] growth [for up to XX hours XX is less than or equal to 24] [in insert use site(s) from Table 2 -and/or- on insert use surface(s) from Table 3 -and/or- insert use surface material(s) from Table 3]
- Tested [and proven effective] against SARS-CoV-2 [the cause of -or- the coronavirus that causes COVID-19] [in 2 min[utes]]^b
- \bullet Tested -and/or- Proven [Effective] on COVID-19 Virus [and] Variants $^{\! \times}$
- The smart way to clean and sanitize -and/or- disinfect
- This claim can only be used if no food contact use surfaces are on the production label [This product] is a no rinse disinfectant that disinfects in one labor saving step¹¹
- *This product* is a one-step¹¹ [(hospital-use)] germicidal^[†] [disinfectant] cleaner and deodorant odor-counteractant -or-odor neutralizer designed for general cleaning, [and] disinfecting –and/or- deodorizing [of] hard, nonporous surfaces. Quickly removes dirt, grime, food residue, blood and other organic matter commonly found in hospitals -and/or- health care facilities [on medical surfaces]. It [also] eliminates odors leaving [restroom -or-bathroom] surfaces smelling clean and fresh. Use where odors are a problem.

- *This product* is bactericidal in the presence of organic soil (5% blood serum) against *insert 2-minute bacterium/a from Organism Table* at 2 min[utes] contact time.
- This product -or- **product name** cleans, disinfects and deodorizes hard, nonporous surfaces in one step¹¹. Its non-abrasive formula is designed for use on **insert surface(s) from Table 1** -and/or- **insert surface material(s) from Table 3**.
- This product -or- **product name** cleans, disinfects and deodorizes surfaces by killing odor-causing microorganisms. Its non-abrasive formula is designed for use on [restroom surfaces]: glazed ceramic [restroom surfaces], glazed porcelain, chrome, stainless steel and plastic surfaces associated with floors, walls, fixtures, toilet exteriors, urinal exteriors, sinks, shower rooms and locker rooms.
- This product -or- product name eliminates odors, leaving bathrooms
 -or- restrooms smelling clean and fresh. Use where odors are a
 problem. It cleans, disinfects, and deodorizes surfaces by killing
 odor-causing microorganisms. Its non-abrasive formula is designed
 for use [Use it daily] on restroom -or- bathroom surfaces[:] insert
 surface material(s) from Table 3 plastic surfaces associated with
 insert surface(s) from Table 1 -and/or- insert sites from Table 2.
- This product -or- product name is an effective disinfectant against insert organism(s) from Organism Table
- This product will clean and disinfect hard, nonporous surfaces of: insert use surface(s) from Table 1 -and/or- surface material(s) from Table 3
- This product will sanitize hard, nonporous surfaces of: insert use surface(s) from Table 1 -and/or- insert surface material(s) from Table 3
- To eliminate odors, use this product [around insert use site(s) from Table 2] [on insert use surface(s) from Table 1 -and/or-insert soft use surface(s) from Table 4]
- Use daily to clean and disinfect hard, nonporous surfaces insert surface material(s) from Table 3 associated with insert surface(s) from Table 1 -and/or- insert use site(s) from Table 2 found in animal housing facilities.
- Use in insert use site(s) from Table 2 wherever sanitizing -and/or- disinfecting is important
- Use on [equipment] hard, nonporous surfaces
- Use on hard, nonporous surfaces materials: insert surface material(s) from Table 3
- Use on soft surfaces -and/or- insert soft surface(s) from Table 4
 as a spot sanitizer where bacteria can linger -and/or- hide
- Use *this product* to clean and disinfect nonporous *insert surface(s) from Table 5*. Rinse all equipment that comes in prolonged contact with skin before reuse with clean warm water (about 120°F), and allow to air dry. [(Caution: Cleaning at the 120°F temperature will avoid overheating and distortion of the personal safety equipment that would necessitate replacement.)]
- Virucidal* Activity: This product is an effective virucide* on hard nonporous surfaces against Human Immunodeficiency Virus Type-1 (HIV-1) and Avian Influenza Virus (H5N1), when the treated surface is allowed to remain wet for 30 sec[onds]. This product is an effective virucide* on hard, nonporous surfaces against insert 1-minute virus(es) from Organism Table when the treated surface is allowed to remain wet for 1 min[ute]. This product is an effective virucide* on hard, nonporous surfaces against insert 2-minute virus(es) from Organism Table, when the treated surface is allowed to remain wet for 2 min[utes]. This product is effective against insert 5-minute virus(es) from Organism Table when the treated surface is allowed to remain wet for 5 min[utes].
- Virucidal[‡]

- [When used as directed,] *this product* contains 3,000 ppm of active germicide^[†] [making it -or- is effective against a wide variety [broad-spectrum] of microorganisms¹³ [including bacteria, antibiotic resistant bacteria¹⁷ and viruses[‡]]]
- When used with [the] *insert applicator/sprayer name*: use 65% less solution than a trigger sprayer
- When used with [the] insert applicator/sprayer name covers YY
 where YY ≥ 9000 ft² with a single bottle
- With Sanitizing

Emerging Viral Pathogen Claims

This product qualifies for emerging viral pathogen claims per the EPA's "Guidance to Registrants: Process for Making Claims Against Emerging Viral Pathogens not on EPA-Registered Disinfectant Labels" when used in accordance with the appropriate use directions indicated below.

Product name -or- this product qualifies for emerging pathogen claims against:

- Enveloped viruses
- Large non-enveloped viruses
- Small non-enveloped viruses

For an emerging viral pathogen that is a/an	follow the directions for use for the following organisms on the label:
Enveloped virus	Adenovirus Type 2
Large, non-enveloped virus	Coxsackievirus [Type] B3 Poliovirus
Small, non-enveloped virus	Coxsackievirus [Type] B3 Poliovirus

Product name -or- this product has demonstrated effectiveness against viruses similar to **insert name of emerging virus** on hard, nonporous surfaces. Therefore, **product name** -or- this product can be used against **insert name of emerging virus** when used in accordance with the directions for use against **insert name** of supporting virus(es) on hard, nonporous surfaces. Refer to the CDC -or- OIE website at **insert pathogen-specific website address** for additional information.

Insert name of illness/outbreak is caused by **insert name of emerging virus. Product name** -or- this product kills similar viruses and therefore can be used against **insert name of emerging virus** when used in accordance with the directions for use against **insert name of supporting virus(es)** on hard, nonporous surfaces. Refer to the CDC -or- OIE website at **insert pathogen-specific website address** for additional information.

Organism Table

Disinfectant		
Bacteria	Strain and/or ATCC	Contact time
Bordetella bronchiseptica	[ATCC 10580]	2 min[utes]
Bordetella pertussis	[ATCC 12743]	2 min[utes]
Campylobacter jejuni [(Campylobacter)]	[ATCC 29428]	2 min[utes]
Community associated methicillin resistant Staphylococcus aureus [(CA-MRSA)]	[NARSA NRS123 genotype USA400]	2 min[utes]
Klebsiella aerogenes <i>tested as Enterobacter aerogenes</i> [(Klebsiella)]	[ATCC 13048]	2 min[utes]
Enterococcus faecalis	[ATCC 11700]	2 min[utes]
Escherichia coli O157:H7 [(E.coli)]	[ATCC 35150]	2 min[utes]
Extended Spectrum Beta-Lactamase (ESBL) producing Escherichia coli	[ATCC BAA-196]	2 min[utes]
Klebsiella pneumoniae	[ATCC 4352]	2 min[utes]
Legionella pneumophila [(Legionella)]	[ATCC 33153]	2 min[utes]
Listeria monocytogenes	[ATCC 19111]	2 min[utes]
Methicillin Resistant Staphylococcus aureus [(MRSA)]	[ATCC 33591]	2 min[utes]
Multi-Drug Resistant (MDR) Acinetobacter baumannii[1]	[ATCC BAA-1605]	2 min[utes]
Multi-drug resistant Streptococcus pneumoniae ^[15]	[ATCC 700677]	2 min[utes]
Mycoplasma gallisepticum	[ATCC 19610]	2 min[utes]
Mycoplasma orale	[ATCC 23714]	2 min[utes]
New Delh l i Metallo-Beta Lactamase (NDM-1) producing Carbapenem Resistant Klebsi- ella pneumoniae		2 min[utes]
Pseudomonas aeruginosa [(Pseudomonas)]	[ATCC 15442]	2 min[utes]
Salmonella enterica [(Salmonella)]	[ATCC 10708]	2 min[utes]
Staphylococcus aureus [(Staph)]	[ATCC 6538]	2 min[utes]
Staphylococcus epidermidis [[(Coagulase-negative staphylococci)]	[ATCC 12228]	2 min[utes]
Streptococcus pyogenes [(Strep)]	[ATCC 19615]	2 min[utes]
Vancomycin Resistant Enterococcus faecium [(VRE)]	[ATCC 51559]	2 min[utes]
Fungi	Strain and/or ATCC	Contact time
Microsporum canis	[ATCC 10214]	2 min[utes]
Trichophyton Interdigitale [(Athlete's Foot Fungus)]	[ATCC 9533]	10 min[utes]
Viruses Enveloped	Strain and/or ATCC	Contact time
‡Avian Influenza Virus [(H5N1)]	[Strain NIBRG-14]	30 sec[onds]
‡, ‡‡Bovine Viral Diarrhea Virus[◊◊] [(BVDV)] as [surrogate for] Hepatitis C Virus [(HCV)]		1 min[ute]
‡Canine Coronavirus	[ATCC VR-809, Strain 1-71]	2 min[utes]
‡Canine Distemper Virus	[ATCC VR-128] [Strain Lederle]	5 min[utes]
‡Canine Influenza Virus [(H3N8)]	[Strain A/Ca/NY/105913/08]	2 min[utes]
‡Cytomegalovirus	[ATCC VR-538] [Strain AD-169]	2 min[utes]
‡, ‡‡Duck Hepatitis B Virus[◊◊◊] [(DHBV)] as [surrogate for] Hepatitis B Virus [(HBV)]		1 min[ute]
‡Feline [viral] rhinotracheitis Virus	[ATCC VR-636] [Strain C-27]	2 min[utes]

Influenza A Virus Strain A/Hong Kong/8/68 2 min[utes]	[‡] Herpes Simplex Virus Type 1	[ATCC VR-733] [Strain F(1)]	2 min[utes]		
Influenza A Virus	‡Human Coronavirus [cause of common cold]	[ATCC VR-740 Strain 229E]	2 min[utes]		
Mossles Virus	‡. ‡‡Human Immunodeficiency Virus Type-1 [(HIV-1)]	[Zeptometrix]	30 sec[onds]		
Mumps Virus (Strain Jones, ATCC VR-1438) 2 min[utes] Respiratory Syncytial Virus ((RSV)) (ATCC VR-26) [Strain Long] 2 min[utes] Respiratory Syncytial Virus ((RSV)) (ATCC VR-1589) 2 min[utes] Respiratory Syncytial Virus ((RSV)) (Baran Maz-7/3, ATCC VR-1359) 2 min[utes] SARS-CoV-2 ((cause of COVID-19)] (Strain MAS-WAI/2020) 2 min[utes] SARS-CoV-2 ((cause of COVID-19)] (R1-17-7)] ((MR-34000)] (R1-17-7)] ((MR-34000)] SARS-CoV-2 ((cause of COVID-19)] (R1-17-7)] ((MR-34000)] (MR-34000)] (MR-340000)] (MR-340000)] (MR-340000)] (MR-340000)] (MR-340000)] (MR-3400000)] (MR-34000000)] (MR-34000000000000000000000000000000000000	‡Influenza A Virus	[Strain A/Hong Kong/8/68]	2 min[utes]		
Respiratory Syncytial Virus ((RSV))	‡Measles Virus	[ATCC VR-24] [Strain Edmonston]	2 min[utes]		
Rubella Virus (German Measles Virus) Strain RA2773, ATCC VR-1359 2 min(utes)	‡Mumps Virus	[Strain Jones, ATCC VR-1438]	2 min[utes]		
Strain USA-WA1/2020 Strain USA-WA1/2020 2 min[utes]	‡Respiratory Syncytial Virus [(RSV)]	[ATCC VR-26] [Strain Long]	2 min[utes]		
SARS-CoV-2 [(cause of COVID-19)]	‡Rubella Virus [(German Measles Virus)]	[Strain RA27/3, ATCC VR-1359]	2 min[utes]		
SARS-COV-2 (cause of COVID-19)	‡SARS-CoV-2 [(cause of COVID-19)]	[Strain USA-WA1/2020]	2 min[utes]		
### RRS-CoV-2 [(cause of COVID-19)] #\$ARS-CoV-2 [(cause of COVID-19)] ###################################	‡SARS-CoV-2 [(cause of COVID-19)]	[(B.1.1.7)] [(NR-54000)]	2 min[utes]		
Strain and/or ATCC Contact time	‡SARS-CoV-2 [(cause of COVID-19)]	COVID-19)] KRISP-EC-K005321/2020			
tAdenovirus Type 2 thuman Rotavirus [ATCC VR-846] [Strain Adenoid 6] thuman Rotavirus [ATCC VR-2018] thuman Rotavirus [ATCC VR-30] [Strain Adenoid 6] thuman Rotavirus [ATCC VR-30] [Strain Mancy] thuman Rotavirus [Type Ba thuman Rotavirus [Type B thuman Ro	‡SARS-CoV-2 [(cause of COVID-19)]		2 min[utes]		
#Human Rotavirus [ATCC VR-2018] 1 min[ute] Wiruses Small Non-Enveloped Strain and/or ATCC Contact time	Viruses Large Non-Enveloped	Strain and/or ATCC	Contact time		
Viruses Small Non-Enveloped Strain and/or ATCC Contact time	‡Adenovirus Type 2	[ATCC VR-846] [Strain Adenoid 6]	2 min[utes]		
#Canine Parvovirus Type 2b	‡Human Rotavirus	[ATCC VR-2018]	1 min[ute]		
#Coxsackievirus [Type] B3 [ATCC VR-30] [Strain Nancy] 5 min[utes] #Feline Calicivirus[o] as surrogate for Norovirus 2 min[utes] #Feline panleukopenia virus [(Feline Parvovirus)] [Strain Phillips-Roxane] [ATCC VR-648] 2 min[utes] #Poliovirus [ATCC VR-1562] 5 min[utes] #Rhinovirus Type 14 [ATCC VR-284] 2 min[utes] #Rhinovirus Type 39 [ATCC VR-340] 2 min[utes] #Rhinovirus Type 39 [ATCC VR-340] 5 min[utes] #Rhinovirus Type 39 [ATCC VR-340] 5 min[utes] #Rhinovirus Type 39 [ATCC VR-340] 5 min[utes] #Rhinovirus Type 39 [ATCC VR-340] 2 min[utes] #Rhinovirus Type 39 [ATCC 6538] 5 sec[onds] #Rhinovirus Type 39 [ATCC 6538] 2 min[utes] #Rhinovirus Type 14 [ATCC 6538] 2 min[utes	Viruses Small Non-Enveloped	Strain and/or ATCC	Contact time		
#Feline Calicivirus [o] as surrogate for Norovirus #Feline panleukopenia virus [(Feline Parvovirus)] #Feline panleukopenia virus [(Feline Parvovirus)] #Poliovirus #Rhinovirus Type 14 #Rhinovirus Type 39 #Rhinovirus Type 40 #Rhinovirus Type 14 #Rhinoviru	‡Canine Parvovirus Type 2b		2 min[utes]		
#Feline panleukopenia virus [(Feline Parvovirus)] #Feline panleukopenia virus [(Feline Parvovirus)] #Poliovirus [ATCC VR-648] #Rhinovirus Type 14 #Rhinovirus Type 39 [ATCC VR-284] #Rhinovirus Type 39 [ATCC VR-340] #Rhinovirus Type 39 [ATCC VR-340] #Rhinovirus Type 39 [ATCC VR-340] #Rhinovirus Type 39 #Rhinovirus Type 30 #Rhinovirus Type 30 #Rhinovirus Type 39 #Rhinovirus Type 30 #Rhinovirus Type 30 #Rhinovirus Type 39 #Rhinovirus Type 30 #Rhinovirus Type 30 #Rhinovirus Type 30 #Rhinovirus Type 30 #Rhinovirus Type 39 #Rhinovirus Type 30 #Rhinovirus Type 39 #Rhinovi	‡Coxsackievirus [Type] B3	[ATCC VR-30] [Strain Nancy]	5 min[utes]		
#Poliovirus	‡Feline Calicivirus ^[◊] as surrogate for Norovirus		2 min[utes]		
†Rhinovirus Type 14 [ATCC VR-284] 2 min[utes] †Rhinovirus Type 39 [ATCC VR-340] 2 min[utes] *Sanitization (hard, nonporous) **Bacteria Strain and/or ATCC Contact time* Staphylococcus aureus [(Staph)] [ATCC 6538] 5 sec[onds] Klebsiella pneumoniae [(Kleb)] [ATCC 4352] 5 sec[onds] **Sanitization (soft-surface)** **Sanitization (soft-surface)** **Bacteria Strain and/or ATCC Contact time* Klebsiella aerogenes tested as Enterobacter aerogenes [(Klebsiella)] [ATCC 13048] 2 min[utes] Staphylococcus aureus [(Staph)] [ATCC 6538] 2 min[utes] **Fungistat* **Fungistat* **Fungus** **Strain and/or ATCC Contact time* **Contact tim	‡Feline panleukopenia virus [(Feline Parvovirus)]		2 min[utes]		
†Rhinovirus Type 39 [ATCC VR-340] 2 min[utes] **Sanitization (hard, nonporous) **Bacteria	‡Poliovirus	[ATCC VR-1562]	5 min[utes]		
Sanitization (hard, nonporous) Bacteria Strain and/or ATCC Contact time Staphylococcus aureus [(Staph)] [ATCC 6538] 5 sec[onds] Klebsiella pneumoniae [(Kleb)] [ATCC 4352] 5 sec[onds] Sanitization (soft-surface) ¹⁹ Bacteria Strain and/or ATCC Contact time Klebsiella aerogenes tested as Enterobacter aerogenes [(Klebsiella)] [ATCC 13048] 2 min[utes] Staphylococcus aureus [(Staph)] [ATCC 6538] 2 min[utes] Fungistat Fungus Strain and/or ATCC Contact time	‡Rhinovirus Type 14	[ATCC VR-284]	2 min[utes]		
Bacteria Strain and/or ATCC Contact time Staphylococcus aureus [(Staph)] [ATCC 6538] 5 sec[onds] Klebsiella pneumoniae [(Kleb)] [ATCC 4352] 5 sec[onds] Sanitization (soft-surface) ¹⁹ Bacteria Strain and/or ATCC Contact time Klebsiella aerogenes tested as Enterobacter aerogenes [(Klebsiella)] [ATCC 13048] 2 min[utes] Staphylococcus aureus [(Staph)] [ATCC 6538] 2 min[utes] Fungistat Fungus Strain and/or ATCC Contact time	‡Rhinovirus Type 39	[ATCC VR-340]	2 min[utes]		
Staphylococcus aureus [(Staph)] [ATCC 6538] 5 sec[onds] Klebsiella pneumoniae [(Kleb)] 5 sec[onds] Sanitization (soft-surface) ¹⁹ Bacteria Strain and/or ATCC Contact time Klebsiella aerogenes tested as Enterobacter aerogenes [(Klebsiella)] [ATCC 13048] 2 min[utes] Staphylococcus aureus [(Staph)] [ATCC 6538] 2 min[utes] Fungistat Fungus Strain and/or ATCC Contact time	Sanitization (hard, nonporous)				
Klebsiella pneumoniae [(Kleb)] [ATCC 4352] 5 sec[onds] Sanitization (soft-surface) ¹⁹ Bacteria Strain and/or ATCC Contact time Klebsiella aerogenes tested as Enterobacter aerogenes [(Klebsiella)] [ATCC 13048] 2 min[utes] Staphylococcus aureus [(Staph)] [ATCC 6538] 2 min[utes] Fungistat Fungus Strain and/or ATCC Contact time	Bacteria	Strain and/or ATCC	Contact time		
Sanitization (soft-surface) ¹⁹ Bacteria Strain and/or ATCC Contact time Klebsiella aerogenes tested as Enterobacter aerogenes [(Klebsiella)] [ATCC 13048] 2 min[utes] Staphylococcus aureus [(Staph)] [ATCC 6538] 2 min[utes] Fungistat Fungus Strain and/or ATCC Contact time	Staphylococcus aureus [(Staph)]	[ATCC 6538]	5 sec[onds]		
Bacteria Strain and/or ATCC Contact time Klebsiella aerogenes tested as Enterobacter aerogenes [(Klebsiella)] [ATCC 13048] 2 min[utes] Staphylococcus aureus [(Staph)] [ATCC 6538] 2 min[utes] Fungistat Strain and/or ATCC Contact time	Klebsiella pneumoniae [(Kleb)]	[ATCC 4352]	5 sec[onds]		
Klebsiella aerogenes <i>tested as Enterobacter aerogenes</i> [(Klebsiella)] [ATCC 13048] 2 min[utes] Staphylococcus aureus [(Staph)] [ATCC 6538] 2 min[utes] Fungistat Fungus Strain and/or ATCC Contact time	Sanitization (soft-surface) ¹⁹				
Staphylococcus aureus [(Staph)] [ATCC 6538] 2 min[utes] Fungistat Fungus Strain and/or ATCC Contact time	Bacteria	Strain and/or ATCC	Contact time		
Fungistat Fungus Strain and/or ATCC Contact time	Klebsiella aerogenes tested as Enterobacter aerogenes [(Klebsiella)]	[ATCC 13048]	2 min[utes]		
Fungus Strain and/or ATCC Contact time	Staphylococcus aureus [(Staph)]	[ATCC 6538]	2 min[utes]		
	Fungistat				
Aspergillus niger [(Aspergillus)] [ATCC 6275] 7 days	Fungus	Strain and/or ATCC	Contact time		
	Aspergillus niger [(Aspergillus)]	[ATCC 6275]	7 days		

General/Miscellaneous Claims

- X Pack
- X% more product
- X% more vs. competitor's X [fl] oz
- · Alcohol -or- Solvent -or- Bleach free
- Alcohol-Free
- Align to close
- All Purpose Cleaner
- Approved for [use in] [the] insert applicator/sprayer name -or-Clorox® Total 360® [System]
- Bleach-Free
- Bonus -and/or- Value Pack
- Bonus -or- Economy size
- Bonus X% free
- Bottle made from _____% post-consumer recycled plastic
- Can be used daily
- Clean more, spend less
- Cleaner
- Cleaning made easy for all your hard, nonporous surfaces
- Cleans and cuts grease
- Cleans tough stains
- Cleans without scratching your surfaces
- Clorox® Total 360® [System] ready-to-use
- Convenient
- Cuts through tough grime
- Designed for [the] insert applicator/sprayer name -or-Clorox® Total 360® [System]
- Easy Cleaning [Around the house -or- facility]
- Easy to use
- · Effective against odor-causing bacteria
- Eliminates odors
- Fast and easy way to clean
- Fast and effective cleaning
- For all nonporous household -or- facility surfaces
- For all your heavy -or- light duty cleaning jobs
- Formulated for [the] *insert applicator/sprayer name* -or-Clorox® Total 360® [System]
- [Freshens -or Deodorizes] *insert soft surface(s) from Table 4* -and/or- fabrics

- Great for on-the-go cleaning
- Insert applicator/sprayer name -or- Approved Clorox® Total 360® [System]
- Kitchen -and/or- Bathroom spray
- · Leaves a clean, fresh scent
- Leaves your *insert use sites(s) from Table 2* fresh and clean
- May be used to clean Rugs -and/or- Carpets -and/or- Felt
- Patented design bottle
- [Designed -or- Made] for -or- Use with [the] *insert applicator/ sprayer name*] -or-

Clorox® Total 360® [System]

- Quick and easy clean-ups
- Quick -or- Fast cleaning
- Ready to use (R[-]T[-]U) spray
- Ready to use with [the] insert applicator/sprayer name -or-Clorox® Total 360® [System]
- Recyclable bottle
- Safe to -or- for use on insert surface material(s) from Table 3
- Saves time
- This product is designed for use in professional facilities including
 insert use site(s) from Table 2 [on insert use surface(s) from
 Table 1 -and/or- insert surface material(s) from Table 3
- This product is designed for use in professional facilities including[:] Academic Facilities [insert use site(s) from Table 2], Athletic Facilities [insert use site(s) from Table 2], Office Facilities [insert use site(s) from Table 2], Hospitality [insert use site(s) from Table 2], [and] Long Term Care Facilities [insert use site(s) from Table 2]
- This product -or- product name is intended for use in[:] insert use site(s) from Table 2
- Use every day in every room [throughout the -or- your house^b -or- facility^b]
- [Use as a] [Pourable] refill for this product
- [[Use your phone to] go here -and/or- scan [[the] tag -or- [this] code] to learn -or- get -or- see [more] uses -or- information [on how-to-use [This Product]] -or- [how-to] tips -or- [how-to [-use]] videos] [(Data rates may apply)]

Table 1 Use Surfaces

Amalgamators Anesthesia machines Animal crates [Animal] equipment Any washable (non-food) [hard, nonporous] surface where disinfection is required Apheresis machines Appliance exteriors Athletic -or- school lockers Autoclave exteriors[#] Automatic feeders³ Baby cribs Barbells Bath[tubs] [Bathroom -and/or- kitchen]

faucets

Bathroom door[knobs] Bathroom fixtures Bathroom -or- restroom

surfaces Bed railings Bedpans **Bedrails**

[Bedside] commodes Bedside tables

Bleachers

B[lood] P[ressure] [(BP)]

monitors[#]

Blood pressure cuffs¹⁶

Booster seats Cabinet handles Cabinets Cages

Call boxes Car seats Carts

C[omputerized] A[xial] T[omography] Cellular phones[#]

Chairs

Changing tables Charging stations Closet handles Coated mattresses Coated pillows Cold tubs

Computer monitors Computer mouse -or- mice

Computer tables Computers Cords Countertops¹⁴

[Crash -and/or- emergency]

carts Crates

Cribs

CT scanners Dental countertops Dental curing lights

Dental operatory surfaces Dental unit instrument trays Dentist's -or- dental chairs Desktop computer exteriors#

Desk[top]s

Diagnostic equipment[#] Dialysis machines[#]

Diaper pails Dish racks12 Docking stations Drainboards Dumbbells **Dumpsters** Electronics#

Endodontic equipment such as

apex locators Equipment[#] Exam[ination] tables Exercise equipment Exercise machines Exterior of pipes

Exterior surfaces of air vents Exterior surfaces of [drinking]

fountains

Exterior surfaces of watering

appliances

External surfaces of [medical] equipment -or- [medical] equipment surfaces[#] [External] [surfaces of] ultrasound [machines]

External surfaces of [veterinary]

equipment EVS carts Fax machines Feed racks3

[Filing -and/or- medicine]

cabinets **Fixtures** Floors

Food cases -and/or- trays12

Footboards Freezers¹⁸

Garbage -or- trash cans

Glass -and/or- plastic salad bar12

sneeze guards Glucometers[#]

Grocery cart child seats Grocery cart handles Grooming equipment

Gurneys

Gym[nastic] equipment

Hard, nonporous dental -and/orhospital -and/or- medical

surfaces

[Hard, nonporous] edges of

privacy curtains

[Hard, nonporous] high touch

surfaces16

Hard, nonporous [veterinary]

surfaces Headboards Headsets [High]chairs14 Hoods

[Hospital -or- patient] beds [springs -and/or- railings -and/or- frames -and/or-

linings]

Hot tubs Hyperbaric chambers

Infant incubators and care cribs

Infant warmers

[Inner -or- inside of] drawers

Isolettes

IV stands -and/or- pumps

-and/or- poles Janitorial carts Keyboards

Kitchen appliances14

Laptops#

Laundry carts -and/or- bins

Light lens covers

Loupes

Mammography equipment[#] [Mayo -and/or- instrument]

stands Medication carts Microwave exteriors Mobile devices Mobile workstations

Mouse pads

MRI[(s)] -or- M[agnetic] R[esonance] I[maging] [Nonporous] [blades of] artificial -or- sports -or- synthetic turf Nurse-call devices -and/or-

buttons -and/or- cords[#] Operating room tables and lights

Operatory light switches Oven exteriors

Overbed tables Oxygen hoods **Paddles** Pagers[#] [Patient] chairs16

Patient monitoring equipment[#]

Patient support and delivery

equipment[#]

Pens

Phlebotomy trays Phone cradles[#]

Phones

P[hysical] T[herapy] [(PT)]

equipment

Plastic -and/or- vinyl mattress

covers

Probes Must add special directions for use if adding these surfaces to label

Pulp testers and motors[#]

Pulse oximeters[#] PVC tubing

Reception counters -or- desks

Refrigerator exteriors Remote controls[#] Respirators[#] Respiratory therapy equipment[#]

Rims Scales [School] desks

Seats Service carts

Sequential compression devices Shopping -and/or- grocery carts

Shower doors -and/or- stalls

Shower fixtures Side rails Sink basins Sinks Slot machines

Spine backboards

Stairwells Stalls Stethoscopes Stools

Stove[top]s14, 18 Stretchers Strollers Support bars Surfaces[#] **Tables Tabletops** [Tele]phones Glazed tiles

Toilet bowl exteriors Toilet handholds Toilet seats Toilet exteriors Traction devices Training tables

Transducers -and/orprobes[#] Treadmills Troughs³ TSA security checkpoint bins [Tub -and/or- shower] walls

Ultrasound transducers Must add special directions for use if adding this surface to label Urinal exteriors

Vending machines Veterinary care surfaces Walls [around toilet -and/orin patient rooms] Wash basins Water cooler exteriors

Water fountain exteriors Wheelchairs Wrestling mats X-ray equipment[#] X-ray machines

Table 2 Use Sites

Academic Facilities **Activity Centers** Aerobic Rooms Airports **Ambulances**

A[mbulatory] S[urgical] C[enters] [(ASC)] Amusements Parks

Anesthesia Rooms -or- Areas [Animal -or- Pet] Grooming

Facilities

Animal control vehicles Animal Holding Areas **Animal Hospitals**

Animal Life Science Laboratories

Animal -or- Pet Housing -and/or- Kennels -and/or-

Facilities

Animal Transportation Vehicles [Assisted Living -and/or- Full Care] Nursing Homes

Athletic Facilities Auto[mobile]s Baby's Room Banquet Halls¹² Barber Shops

Barns Bars¹² **Beauty Salons** Break Rooms

Breeding Establishments

Breeding facilities

Buses

Business Centers Cafeterias¹² Camp Sites Cars Casinos

CAT lab[oratories] Catering Facilities¹² Central Service Areas

Central Supply Rooms -or- Areas

Classrooms Clinics

Commercial -or- Institutional

Kitchens¹² Convention Center **Correctional Facilities** C[ritical] C[are] U[nit]s Cubicles Davcare Centers Deli[catessen]s¹²

Dental Offices-or- Dentist's

Offices

Vanity tops

Dental Operatories

Dialysis Clinics -or- Facilities

Dining halls Doctor's Offices

Donation Centers [blood -and/or- plasma -and/orsemen1 -and/or- milk -and/or-

apheresis]

Dorm[oratory] Rooms **Emergency Medical Transport**

Vehicles

E[mergency] R[oom]s [Equine -and/or- Dairy] Farms

Exam[ination] Rooms Exercise Rooms **Eye Surgical Centers**

Factories

Faculty Break Rooms

Faculty Clubs Fast Food Chains¹²

Food [Service -or- Processing]

Establishments¹² Food Preparation -and/or-

Processing Areas -or- Facilities 12

Food Serving Areas¹² [Front of] Restaurants^[12]

Funeral Homes **Grocery Stores**

Grooming Facilities -and/or-

Establishments Guest Facilities Guest Rooms Gym[nasium]s Gyms

Hallwavs Health Care Setting -or- Facilities

Health Clubs

Home Health Care [settings]

Homes Hospices Hospitality Areas

[Hospital -and/or- School]

Kitchens¹² Hospitals

Hotels

[Household -and/or- Institutional] Kitchens¹² -and/or- Bathrooms

House[hold]s

I[ntensive] C[are] U[nit]s [areas]

Isolation Areas Kennels Lab[oratorie]s

Laundry Rooms -and/or- Areas

Laundromats

Livestock -and/or- Swine -and/or- Poultry Facilities

Living Areas Living Rooms Lobbies Locker Rooms

Lodaes Lodging Establishments Long Term Care Facilities Manufacturing Facilities [Medical] Clinics -and/or-

Facilities

Medical -and/or- Physician's -or-

Doctor's offices Medical Facilities Meeting Rooms Mortuaries Motels

Newborn -or- Neonatal

[nurseries] [Intensive Care]

Units [NICU] Nurseries

Nursing -or- Nurses' Stations

Nursing Homes Office Facilities Office [Buildings] Offices Areas

Open Floor Plan Areas O[perating] R[oom]s Ophthalmic Offices Orthopedics Other Food Service Establishments¹²

Outpatient [Surgical Centers (OPSC)1 [Clinics -and/or-

Facilities1 Patient Areas [Patient] Restrooms Patient Rooms

P[ediatric] I[ntensive] C[are]

U[nits]

[Pediatric] Examination Rooms

-or- Areas

Pet Areas -and/or- Quarters -and/or- Shops -and/or- Stores

Pet boarding facilities

Pharmacies

Physical Therapy Rooms

-and/or- areas

Physician's -or- Doctor's

Offices Poultry facilities Psychiatric facilities Public [Care] Areas Public Toilet Rooms -or-

Facilities

Public Transportation

Radiology -or- X-Ray Rooms

-or- Areas Reception Areas Recovery Rooms Rehabilitation Centers Rehabilitation Facilities

Residences

Respiratory Therapy Rooms

-and/or- Areas

Resorts Restrooms Ride share vehicles School Buses

Schools Shopping Centers Shower Rooms Slaughter houses

Small Animal Facilities Spin Rooms Stadiums

Staff Break Rooms Storage Closets Student Centers Study Rooms Surgery Rooms Tack Shops Training Rooms Transport vehicles

Transportation Terminals

Trucks

Vans

Vet isolation rooms Veterinary -or- Animal Hospitals Veterinary Offices -and/or-

Clinics -and/or- Facilities

Veterinary operating rooms Veterinary Waiting -and/or-Exam[ination] Rooms

Veterinary x-ray rooms# Waiting Rooms -or- Areas Weight Rooms

X-ray -and/or- Operatory Rooms 700s

Table 3 Surface Materials

Acrylic

Glass

Plated -and/or- stainless steel

A[crylonitrile] B[utadiene]

Glazed ceramic Glazed porcelain PVC Sealed fiberglass

S[tyrene] [(ABS)] [plastic] Aluminum Chrome

Glazed -or- sealed stone -or- granite

Silicone rubber Vinyl

Corian^[®][λ] Formica^[®][λλ] Laminate **Plastic**

Not Recommend for use on: Paper, [Unpainted -or- Untreated] Wood

Table 4 Soft Surface Exterior Sanitization Use Surfaces

Baby carriages Baby prams Bathroom mats

Beddina Blankets

Blinds **Booster Seats**

Box spring covers **Brooms**

[Canvas -and/or- fabric]

sneakers

[Canvas -and/or- fabric -and/or- interior] Shoes

Car seats Chairs

Clothes Clothing

Color safe surfaces

Cot -and/or- mattress covers [Cotton -and/or- polyester [blend]] fabrics

Curtains Cushions²¹ Diaper bags

Dog -and/or- pet beds21

Drape[rie]s Duvet covers Exercise mats

Exterior surfaces of stuffed -and/or- plush toys²¹ [Fabric] gym bags

[Fabric] clothing laundry bags [Fabric] shower curtain

[Fabric] window treatments

Headrests Highchair seats Jersevs

[Laundry] Fabrics Linens

Luggage Mats [for day care] Mattresses²¹

Mops Pillows²¹ Purse Rags

Seat cushions [household]

Shades Sheets Fabric shoes

[School] back packs

Seats²¹-and/or- soft cushions²¹

Slippers Sofas²¹

Soft [fabric] surfaces Sports equipment [lining]

Stroller [seats] Stuffed animals²¹ Suitcases Towels

Uniforms Upholstered armchairs Upholstered couches Upholstered furniture

Upholsterv Washcloths

Wheelchair pads -and/or- seats

Table 5 Personal Protective Gear

Face shields

Full face breathing apparatus

Gas masks Goggles

Half mask respirators

Hard hats Personal protective safety

equipment

Protective headgear

Spectacles

Silicone rubber -or- PVC hearing

protectors

Vinyl-covered ear muffs

Footnotes

- ¹ This strain of Multi-drug Resistant Acinetobacter baumannii has shown resistance to the following antibiotics: Ceftazidime and Gentamicin
- ² Pseudomonas aeruginosa
- ³ Scrub with soap/detergent and then rinse with potable water
- ⁴ Staphylococcus aureus [(Staph)], Klebsiella pneumonia [(Kleb)]
- ⁵ Pseudomonas aeruginosa, Staphylococcus aureus, Salmonella enterica Methicillin Resistant Staphylococcus aureus [(MRSA)], Vancomycin Resistant Enterococcus faecium [(VRE)], Multi-Drug Resistant [(MDR)] Acinetobacter baumannii^[1], Extended Spectrum Beta-Lactamase [(ESBL)] producing Escherichia coli [(E.coli)], Carbapenem Resistant Klebsiella pneumoniae New Delhi Metallo-Beta Lactamase [(NDM-1)]
- ⁶ insert one or both Rhinovirus(es) Rhinovirus Type 14, Rhinovirus Type 39 -and/or- Human Coronavirus -and/or- Respiratory Syncytial Virus [(RSV)]
- ⁷ Avian Influenza Virus [(H5N1)]
- ⁸ Rhinovirus Type 14, Rhinovirus Type 39, Avian Influenza Virus [(H5N1)]
- ⁹ New Delhi Metallo-Beta Lactamase [(NDM-1)] producing Carbapenem Resistant Klebsiella pneumoniae
- ¹⁰ Kills Canine Distemper Virus, Coxsackievirus, Poliovirus in 5 min[utes]; kills Trichophyton interdigitale in 10 min[utes] only need to list these organisms if they are listed on the product label
- 11 when used according to [the] disinfectant directions, on non-food contact surfaces
- ¹² non-food contact surfaces
- 13 refer to organism list
- ¹⁴ food-contact surfaces
- 15 This strain of Multi-drug resistant Streptococcus pneumoniae has shown resistance to the following antibiotics: Azithromycin, Clindamycin, Meropenem, Penicillin (nonmening)
- ¹⁶ for cleaning only
- ¹⁷ Community associated methicillin resistant Staphylococcus aureus [(CA-MRSA)], Methicillin Resistant Staphylococcus aureus [(MRSA)], Multi-Drug Resistant (MDR) Acinetobacter baumannii^[1], Multi-drug resistant Streptococcus pneumoniae^[15], Vancomycin Resistant Enterococcus faecium [(VRE)]

- 18 [allow to come to] room temperature
- 19 spot treatment on soft surfac[es] [exteriors]
- ²⁰ when used according to [the] soft surface sanitization directions
- ²¹ Exterior surfaces [of -or- only]
- ♦ [tested] as Feline Calicivirus
- [tested] as Duck Hepatitis B Virus [(HBV)]
- ◊◊◊ [tested] as Bovine viral diarrhea Virus
- † Pseudomonas aeruginosa [(Pseudomonas)], Salmonella enterica [(Salmonella)], Staphylococcus aureus [(Staph)], insert a virus from the Organism table, as required for the qualified germs claim; then insert any other bacteria or virus desired from the Disinfection Organism Table
- [#] For any use site that includes electronic [components], [please] refer to manufacturers' instructions
 [for appropriate use] [before use]]
- [‡ Viruses]
- [## Bloodborne Pathogens]
- *Kills SARS-CoV-2 on hard, nonporous surfaces
- Kills SARS-CoV-2 [and] variants hCoV-19/Alpha
 [/204820464/2020] [(B.1.1.7)] [(NR-54000)], hCoV-19/Beta/
 KRISP-EC-K005321/2020] [(B.1.351)] [(NR-54008)],
 hCoV-19/Alpha[/CA_CDC_5574/2020][(B.1.1.7)] [NR-54011)]
 on hard, nonporous surfaces
- ^p [on] hard, nonporous surfaces [of] [identified on this label]
- A Corian[®] is a [registered] trademark of [E. I. du Pont de Nemours and Company] [a subsidiary of] [E. I. du Pont de Nemours and Company] [or one or more of its affiliates]
- λλ Formica[®] is a [registered] trademark of [The Diller Corporation] [a subsidiary of] [Formica] [Formica Corporation] [or one or more of its affiliates]