

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

November 14, 2012

W. Neudorff GmbH KG C/O Walter G.Talarek 1008 River Ridge Drive Great Falls, VA 22066 – 1620

Subject: Notification to make the following revisions to the product label per PRN 98-10.

- 1. Lists lawn burweed and wild geranium in the Pests sections of sub labels A, B, E and F.
- 2. Add the words, "or suppression" in the Application Directions tables of sub labels A and E.
- 3. Insert a spot treatment section on sub label E.

Product Name: NEU 1173H Concentrate.

EPA Reg. No: 67702-26.

Your Notification dated, October 23, 2012.

Dear Mr. Talarek:

The Biopesticides and Pollution Prevention Division is in receipt of your application for Notification under Pesticide Registration Notice (PRN) 98-10 dated above. A screen of this request has been conducted for its applicability under PRN 98-10, and it has been determined that the actions requested fall within the scope of this Notice. Our records have been duly noted, and the label submitted with this application has been stamped "Notification Accepted" and will be placed accordingly in our records.

Three (3) copies of final printed labeling must be submitted to the Agency before your product as modified, may be sold or distributed [PR Notice 82-2 and 40 CFR 156.10(a) (6)].

Please read instructions	on reverse before com	g form.		Form Appr	roved	3 No. 20	70-0060	, P	rint Fo	orm .
United States Environmental Protection Washington, DC 20460		Protection A	60			Registration Amendment Other		OPP Identifier Number		
		Application for	or Pestici	de - Sec	tion					
1. Compeny/Product Nui 67702-26	mber		2. EPA Product Manager Linda Hollis 3. Proposed Classification				eation Restricted			
4. Company/Product (Na NEU1173H Concentr			РМ# 91					None	<u>لــا</u>	Nestricted
W. Neudorff GmbH I c/o Walter G. Talarel Great Falls, V	c, PC 1008 Riva Ridge D		(b)(i), n to: EPA f			In accorda ilar or ident		mpositio	on and	labeling
		<u> </u>	Section -	1}		Da	te:	14/2	010	
Amendment - Exp Resubmission in Notification - Exp	response to Agency letter	dated	[]	Final printe Agency let "Me Too"	tter date Applica	ition.	ylewer:	Sylve	<u>ster</u>	Georges
		S	ection - I	(1				3 3 3	,,,	
1. Material This Product	Will Be Packaged In:									
Child-Resistant Packaging Yes* No * Certification must Unit Packaging Yes No. per Unit Packaging wgt. No. per		No. per If	Yes No "Yes" uckage wgt	No Plastic Glass es* No. per Paper		Metel Plastic Glass Paper	·			
3. Location of Net Contents Information 4. Size(s) Re		4. Size(s) Retail Co	ontainer	<u> </u>	5. Lo	cation of Lat On Label On Label			produc	et
6. Manner in Which Label is Affixed to Product Lithor Paper Stend			I	Othe	or					
		S	ection - I	V						
1. Contact Point <i>(Comp</i>	lete items directly below	for identification of i	individual to b	e contected,	, if nec	essary, to pr				
Name Walter G. Talarek		Title Aut	horized Age	nt			Telephon 703-759		clude /	Area Code)
	statements I have made or at any knowingly false or s able law.							1	Applicatived	
2, Signature	Holark	3. Tit Aut	tie horized Age	nt						
4. Typed Name Walter G. Talarek			ate tober 22, 20	12	- 					

LAW OFFICES OF

WALTER G. TALAREK, PC

1008 Riva Ridge Drive Great Falls, VA 22066-1620

PHONE: 703-759-4837 FAX: 703-759-4837 E-MAIL: <u>wtalarek@verizon.net</u> October 23, 2012

DELIVERED BY COURIER

Linda Hollis, PM 91
Biopesticides and Pollution Prevention Division
c/o Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 S. Crystal Drive
Arlington, VA 22202

Re:

NEU1173H Concentrate EPA Reg. No. 67702-26 Notification

Dear Ms. Hollis:

Please find enclosed W. Neudorff GmbH KG's ("Neudorff's") application for a notification under PR Notice 98-10 regarding its registration for NEU1173H Concentrate, EPA Reg. No. 67702-26. In essence, the notification makes the following revisions to the product's label:

- 1. Lists lawn burweed and wild geranium in the Pests sections of sublabels A, B, E and F. Please note that these pests are already approved for this product;
- 2. Adds the words "or suppression" in the Application Directions tables of sublabels A and E; and
- Inserts a spot treatment section on sublabel E. This section was approved previously but was inadvertently omitted from the label that was submitted with the last label amendment.

Two (2) copies of the revised label are enclosed for your review. One (1) copy of the revised label has the proposed changes highlighted in yellow for your convenience in reviewing this application.

This is a notification of label changes under PR Notice 98-10. This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 156.10 and 152.46, and no

other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10, and 40 CFR 156.10 and 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

If you have any questions about this notification, please feel free to call me.

Sincerely yours

Walter G. Talarek Authorized Agent

Enclosure - Notification

MASTER LABEL

NEU1173H Concentrate

Notification Accepted

Date: 11/14/2012

Reviewer: Sylvester George

 Active Ingredient:
 26.52%

 Iron HEDTA (FeHEDTA)
 26.52%

 Other Ingredients:
 73.48%

 Total:
 100.00%

SUBLABEL A: Household use on Weeds

SUBLABEL B: Household use on Weeds - Hose-end Sprayer

SUBLABEL C: Household use on Moss

SUBLABEL D: Household use on Moss - Hose-end Sprayer

SUBLABEL E: Commercial use on Weeds

SUBLABEL F: Commercial use on Weeds - Hose-end Sprayer

SUBLABEL G: Commercial use on Moss

SUBLABEL H: Commercial use on Moss - Hose-end Sprayer

EPA REG. NO. 67702-26

EPA EST. 67702-DEU-1

KEEP OUT OF REACH OF CHILDREN CAUTION

Registrant: W. Neudorff GmbH KG An der Muhle 3, Postfach 1209 D-31860 Emmerthal, Germany www.neudorff.com

Household Use: NET CONTENTS: 5 fl. oz., 10 fl. oz. (two 5 fl. oz. bottles), 12 fl. oz., 15 fl. oz., 16 fl. oz., 20 fl. oz., 24 fl. oz., 32 fl. oz., 1 gallon, 2.5 gallons, 227 gallons, 228 gal, 257 gallons.

Commercial Use: NET CONTENTS: 1 gallon, 2.5 gallons, 5 gallons, 10 gallons, 20 gallons, 30 gallons, 40 gallons, 45 gallons, 50 gallons, 55 gallons, 200 gallons, 227 gallons, 228 gallons, 250 gallons, 257 gallons.

SUBLABEL A - HOUSEHOLD USE ON WEEDS

NEU1173H Concentrate

Total:	100.00%
Other Ingredients:	<u>73.48</u> %
Iron HEDTA (FeHEDTA)	
Active Ingredient:	

KEEP OUT OF REACH OF CHILDREN

CAUTION

	FIRST AID
IF IN EYES	-Hold eye open and rinse slowly and gently with water for 15-20 minutes.
	-Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
	-Call a poison control center or doctor for treatment advice.
or doctor, or goi	ct container or label with you when calling a poison control centering for treatment. [Optionally, supplemental distributor's may use rding and own toll-free hotline number: For medical emergency may call toll free 1-XXX-XXX-XXXX [insert operating hours and

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes slight eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

ENVIRONMENTAL HAZARDS

For terrestrial uses: Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

[For containers over 5 gallons use the following language:

Effluent Discharge

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of

NEU1173H Page 3 of 71

a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA]

[One of the two following formats must be used:

Format 1:

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

[One of the two following Use Sites and Pests and Application Directions section groupings must be used on the labels of products sold or distributed in all states, except California. The second section must be used on the labels of products sold or distributed in California:

[Section 1]

Use Sites:

Use to selectively control/suppress broadleaf weeds and diseases growing in lawns.

Pests:

Controls or suppresses weeds such as but not limited to:

- Black medic (Medicago lupulina)
- Broadleaf plantain (*Plantago major*)
- Bull thistle (Cirsium vulgare)
- Canada thistle (Cirsium arvense)
- Common chickweed (Stellaria media)
- Creeping buttercup (Ranunculus repens)
- Creeping Charlie/Ground ivy (Glechoma hederacea)
- Dandelion (*Taraxicum officinale*)
- Dovefoot geranium (Geranium molle)
- English daisy (Bellis perennis)
- False dandelion (*Hypochoeris radicata*)
- Healall (Prunella vulgaris)
- Lawn burweed (Soliva ptero-sperma)
- · Moss, liverworts, algae and lichens
- Narrow-leaved plantain (Plantago lanceolata)
- Oxalis (Oxalis spp.)
- Persian Speedwell (Veronica persica)

NEU1173H

Page 4 of 71

- Prostrate knotweed (Polygonum aviculare)
- Shepherd's-purse (Capsella bursa-pastoris)
- Silverweed cinquefoil (Potentilla anserina)
- Slender speedwell (Veronica filiformis)
- White clover (*Trifolium repens*)
- Wild chamomile (Matricaria chamomilla)
- Wild geranium (Geranium robertianum)

Controls or suppresses diseases such as but not limited to:

- Dollar Spot
- Rust
- Snow Mold

[Choose one of the following:

[Application Directions:

For Broadcast Treatment:

Rate of Spray Solution	Rate of Concentrate	Weeds	Optional column [Area Treated
2.8 fl. oz./yd² or 2.5 ga/1000 ft²	12.6 fl. oz/ 1000 ft²	Rate for easy-to-control weeds: black medic (Medicago Iupulina), Persian speedwell (Veronica persica), slender speedwell (Veronica filiformis), wild geranium (Geranium robertianum), and moss. This rate can also be used for weed seedlings of: false dandelion (Hypochaeris radicata), English daisy (Bellis perennis), dandelion (Taraxacum officinale) or white clover (Trifolium repens).	xxxx ft²/xxx ga jug
5.7 fl. oz./yd² or 4.9 ga/1000 ft²	25.2 fl. oz/ 1000 ft²	Standard rate for control of most weed species: dandelion (<i>Taraxacum officinale</i>), English daisy (<i>Bellis perennis</i>), false dandelion (<i>Hypochaeris radicata</i>), Creeping Charlie/Ground ivy (<i>Glechoma hederacea</i>), Prostrate knotweed (<i>Polygonum aviculare</i>), white clover (<i>Trifolium repens</i>), bull thistle (<i>Cirsium vulgare</i>), Canada thistle (<i>Cirsium arvense</i>), common chickweed (<i>Stellaria media</i>), narrow-leaved plantain (<i>Plantago lanceolata</i>), dove's	xxxx ft²/xxx ga jug
		foot geranium (Geranium molle), oxalis (Oxalis spp.), lawn burweed (Soliva ptero-sperma), and algae, and for the SUPPRESSION of broad-leaved plantain (Plantago major)	(()) (()) (()) (()) (()) (()) (()) (()
11.3 fl oz./yd² or 9.8 ga/1000 ft²	50 fl. oz./ 1000 ft²	Rate for tough perennial weeds such as: creeping buttercup (Ranunculus repens) and broad-leaved plantain (Plantago major)	xxxxx ft²/xxxx ga jug]

Rate of Spray Solution	Rate of Concentrate	Diseases	Optional columnic [Area Treated
2.8 fl. oz./yd ² or 2.5 ga/1000 ft ²	12.6 fl. oz./1000 ft ²	Rate for control or suppression of diseases such as dollar spot, snow mold, and rust. Use the higher rate when disease pressure is high.	xxxx ft²/xxx gaʻjug

NEU1173H Page 5 of 71

5.7 fl. | 25.2 fl. | xxxx ft²/xxx ga | jug] | xxxx ft²/xxx ga | jug]

Shake well before using. Mix one part [NEU1173H] with 24 parts water (5 oz. in 1 gallon of water). Apply the mixed solution at a rate of 2.5-10 gallons/1000 ft² (2.8-11.5 fluid oz/yard²), using the chart to determine how much diluted spray to use per area. Any standard hand-held or backpack sprayer can be used. Thoroughly spray weeds. Use a coarse nozzle setting to reduce drift. Uniform coverage is important.

Repeat treatment in 3 to 4 weeks for best results.

For Spot Treatment

Shake well before using. Mix one part [NEU1173H] with 24 parts water (5 oz. in 1 gallon of water). Thoroughly spray weeds to point of runoff using any standard hand-held or backpack sprayer. Use a coarse nozzle setting to reduce drift. Repeat treatment in 3 to 4 weeks for best results.]

OR

[Application Directions

Shake well before using. Mix one part [NEU1173H] with 24 parts water (5 oz. in 1 gallon of water). Apply the mixed solution at a rate of 2.5-10 gallons/1000 ft₂ (2.8-11.5 fluid oz/yard₂). The standard rate for NEU1173H is 5.75 fl. oz./yard₂; use the higher rate (11.5 fl. oz./yard₂) on tough perennial weeds, such as buttercup and broad-leaved plantain. NEU1173H may also be used at 2.8 fl.oz./yard₂ (2.5 gallons/1000ft₂) on moss, black medic, Persian speedwell, slender speedwell, wild geranium, lawn diseases (such as dollar spot, rust, and snow mold), or on weed seedlings of false dandelion, English daisy, dandelion or white clover. Any standard hand-held or backpack sprayer can be used.

Thoroughly spray weeds. Use a coarse nozzle setting to reduce drift. Uniform coverage is important.

Repeat treatment in 3 to 4 weeks for best results.]

[Section 2]

Use Sites:

Use to selectively control/suppress broadleaf weeds growing in lawns.

Pests:

Controls weeds:

• Bull thistle (Cirsium vulgare)

NEU1173H Page 6 of 71

- Common chickweed (Stellaria media)
- Creeping buttercup (Ranunculus repens)
- Dandelion (*Taraxicum officinale*)
- English daisy (Bellis perennis)
- Moss
- Narrow-leaved plantain (Plantago lanceolata)
- Persian speedwell (Veronica persica)
- Slender speedwell (Veronica filiformis)
- White clover (Trifolium repens)

Suppresses weeds:

• Broadleaf plantain (*Plantago major*)

Application Directions:

Shake well before using. Mix one part [NEU1173H] with 24 parts water (5 oz. in 1 gallon of water). Apply the mixed solution at a rate of 2.5-10 gallons/1000 ft² (2.8-11.5 fluid oz/yard²). Any standard hand-held or backpack sprayer can be used. Thoroughly spray weeds. Use a coarse nozzle setting to reduce drift. Uniform coverage is important.

Repeat treatment in 3 to 4 weeks for best results.

What will I see?

Works quickly; dying weeds will be seen within hours of application. Treated weeds, moss, or algae will turn brown or black. Occasionally a darkening of the grass leaf blades can occur after treatment; however the grass will recover within a few days to weeks. May stain thatch (dead grass under lawn); this does not affect the health of the grass.

Use Precautions:

Do not apply to drought stressed grass; ensure lawn is well watered prior to application. Do not apply when the daytime temperature will exceed 85°F. Do not apply to bentgrass. If unsure of grass sensitivity, test spray a small area of your lawn. Do not apply to newly seeded areas prior to grass seed germination. Avoid spraying desirable plants. Any desirable plants or structures accidentally contacted should be rinsed with water. To avoid staining, wait until treated area dries before re-entry. Do not apply if rainfall is expected within 3 hours of application. Do not irrigate within 3 hours of application. Do not apply to the same area more than 4 times a year.

Format 2:

DIRECTIONS FOR U	JSE
It is a violation of Fed labeling.	deral Law to use this product in a manner inconsistent with its
BEFORE YOU USE	Shake well before using.
WHERE TO USE	Use to selectively control/suppress (broadleaf weeds) and (diseases) growing in lawns
HOW TO USE	Mix 5 fl. oz. of [NEU1173H] into 1 gallon of water. Apply the mixed solution at a rate of 0.25 - 1 gallon/100 sq. ft (2.8-11.5 fluid oz/yard²). [Optional: The standard rate for NEU1173H is 5.75 fl. oz./yard²; use the higher rate (11.5 fl. oz./yard²) on tough perennial weeds, such as buttercup and broad-leaved plantain. [NEU1173H] may also be used at 2.8 fl.oz./yard² (2.5 gallons/1000ft²) on moss, black medic, Persian speedwell, slender speedwell, wild geranium on weed seedlings of false dandelion, English daisy, dandelion or white clover; and to control lawn diseases such as rust, dollar spot, and snow mold.] Any standard hand-held or backpack sprayer can be used. Thoroughly spray weeds. Use a coarse nozzle setting to reduce drift. Uniform coverage is important.
WHAT WILL I SEE?	Works quickly; dying weeds will be seen within hours of application. Treated weeds, or moss will turn brown or black. Occasionally a darkening of the grass leaf blades can occur after treatment; however, the grass will recover within a few days to weeks. May stain thatch (dead grass under lawn); this does not affect the health of the grass.
PESTS (WEEDS, DISEASES, MOSS & ALGAE)	[insert one of pests sections from Directions for Use above]
USE PRECAUTIONS	Do not apply to drought stressed grass. Ensure that lawn is well watered prior to application.
	 Do not apply when the daytime temperature will exceed 85 °F. Do not apply to bentgrass.
	If unsure of grass sensitivity, test spray a small area of your lawn.
	Do not apply to newly seeded areas prior to grass seed germination.
	Avoid spraying desirable plants. Any desirable plants or

structures accidentally contacted should be rinsed with water.

- To avoid staining, wait until treated area dried before reentry.
- Do not apply if rainfall is expected within 3 hours of application. Do not irrigate within 3 hours of application.
- Do not apply to the same area more than 4 times a year.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store this product in its original container and keep in a secure storage area out of reach of children and domestic animals. Store unused material, tightly closed, in original container only, away from open flame. **PESTICIDE DISPOSAL AND CONTAINER HANDLING**:

Non-refillable container. Do not reuse or refill this container.

If empty: Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency [or call [insert supplemental distributor's toll free number]] for disposal instructions. Never place unused product down any indoor or outdoor drain.

BATCH CODE:

[The following claims and product information, may or may not be presented on the product's label and labeling:

-www.neudorff.com



- -Weed Killer for Lawns
- -Selective Weed Killer
- -Selective Broadleaf Weed Killer
- -Selective Weed Control
- -Selective Broadleaf Weed Control
- -Selective Control of Weeds in Lawns
- -Selective Control of Broadleaf Weeds in Lawns
- -Kills weeds not lawns
- -Kills weeds not grasses
- -Lawn Weed Killer
- -Lawn Weed Control
- Kills moss and weeds
- -Moss and weed killer for lawns
- Kills moss and weeds, not lawns
- -Kills moss and weeds, not grass
- -Water-based
- -When diluted, this bottle will treat XXX ft2
- Treats up to XXXX ft² (of lawn)

NEU1173H

Page 9 of 71

- -Works in cool weather (down to 50°F)
- -Rainfast in 3 hours
- -Works fast
- -See results the same day
- -See results in hours
- -Fast and effective
- -Mix with water
- -No unpleasant odor
- -Does not contain (2,4-D) (MCPA) (Dicamba) (Mecoprop)
- -Derived from iron (Fe)
- -For non-selective (moss) weed and grass control, use [H01 or NEU1171H insert product name]
- -Eliminates unwanted moss, algae and lichens quickly
- -Kills algae, moss and lichens
- -Kills moss and algae
- -Moss killer
- -Moss, algae and lichen killer
- -Kills moss fast
- -Kills moss, algae, and lichens quickly and effectively
- -Can be used on new lawns (1 week) after grass emergence
- -Lawn areas can be re-sown within one day of treatment with NEU1173H
- Can re-seed lawn 1 day after spraying (applying)
- -(Controls) (kills) (dandelions) (buttercup) (English daisy) (daisy) (clover)
- -One gallon of concentrate will treat up to 10000 ft² (of lawn)
- -Can be used to spot treat problem areas
- -Can be used to spot treat problem areas in lawns
- -Can be used on new lawns (1 week) after grass emergence
- Weed killer for newly planted lawn
- -Even works in cool weather
- -Also works in cool weather
- -Works in temperatures between 50°F and 85°F (10°C and 29°C)
- -Effective at temperatures from 50°F to 85°F (10°C to 29°C)
- -Patent pending
- -Patent #6,972,273
- -Makes over XX gallons
- -1 ounce = 2 tablespoons = 6 teaspoons
- -Kills weeds, down to the root
- -Kills dandelions, down to the root
- -(Helpful Hints:) Best results are obtained when applied in the Spring or Fall when environmental conditions are cool and there is ample moisture
- -(Helpful Hints:) The best times to treat weeds are in the Spring when they are small and growing and in the Fall to eliminate many of next year's weeds
- -People and pets can enter treated area when spray dries
- -Controls broadleaf weeds in lawns
- -NEU1173H is a herbicide derived from iron that is used to selectively control/suppress broadleaf weeds growing in lawns
- -See side panel for mixing instructions.
- -See bottle label inside for complete "directions for use".



NEU1173H

Page 10 of 71

- -Includes two 5 fl. oz. bottles. Makes 2 gallons [of spray]
- -Value [package]. Makes 2 gallons [of spray]
- -[Open box] [Box contains 2 bottles of product]
- -Refer to leaflet for complete [First Aid], [Directions for Use], [Precautionary Statements], and [Storage and Disposal Instructions]
- -Tough on weeds and disease, easy on lawns
- -Prevent disease and kill the weeds!
- -Kills most common lawn diseases fast!
- -Herbicide and Fungicide in 1 for the Lawn!
- -For a healthy lawn
- -Easy-to-use weed and disease killer for the lawn
- -Broadleaf weed and disease killer
- -Disease and Weed Killer in one!
- -(5 in1!) (4 in 1!) (3 in 1!) [for use with the corresponding number of the following pests]: Controls (Disease), (Weeds), (Moss), (Algae) and (Lichens) in turf
- -Controls disease in the lawn, kills the weeds.
- -Weed and disease killer for the lawn
- -Cure your weed and disease problems fast
- -Ideal weed & disease control for lawn
- -Iron-based disease & weed control for lawn
- -Lawns: Controls dollar spot, snow mold, and rust
- -Lawn Fungicide
- -Controls (dollar spot), (snow mold), and (rust) on lawns
- -Prevents and controls lawn diseases
- -Promotes healthy, weed- and disease-free lawns

-READ THE LABEL FIRST!

QUICK FACTS		
Kills Weeds Not La	awns	
Derived from Iron		
Even Works in Co.	of Weather.	
Can be Used on N	ew Lawns 1 Week After Grass Emergence	
CONTROLS	(Dandelion), (Common Chickweed), (Clover) and other Listed Broadleaf Weeds	
	• (Moss), (Algae) and (Lichens)	
	• (Rust)*, (Dollar Spot)* and (Snow Mold)*	
WHERE TO USE	On lawns (do not apply to bentgrass)	
[phone graphic]	For questions or comments, call toll-free 1-877-BayerAG (1-877-229-3724).	

^{*} Not for use in California

]

[Optional warranty statements. Registrant has choice of using any or none.

#175

NEU1173H Page 11 of 71

-NOTICE TO BUYER

Seller warrants that this product conforms to the chemical description on this label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks described above, when used in accordance with the Directions for Use under normal conditions. To the extent consistent with applicable law, this warranty does not extend to use of this product contrary to label directions, or under abnormal use conditions, or under conditions not reasonably foreseeable to Seller. To the extent consistent with applicable law, the Seller shall not be liable for any such use. To the extent consistent with applicable law, the Seller makes no other warranties, either expressed or implied.

Or

-Buyer assumes all responsibility for safety and use not in accordance with directions.

Or

-Unconditionally Guaranteed by (company name). OUR COMMITMENT TO YOUR SATISFACTION: If you are not happy with the way this product works in your garden, please let us know. We will be happy to replace the product, refund your money, or substitute another (brand name) product. Simply send your name, address and proof of purchase to (Company name & address).

Or

(company name) guarantees if for any reason you are not satisfied with this product, mail us proof of purchase to obtain a full refund of your purchase price.

OR

Warranty:

Seller warrants that this product conforms to the chemical description on this label and is reasonably fit for purposes stated on this label only when used in accordance with directions under normal use conditions. To the fullest extent permitted by law, the seller shall not be liable for damages caused by buyer's use of product contrary to label directions, or under abnormal use conditions, or under conditions not reasonably foreseeable to seller. Seller makes no other warranties, either expressed or implied.

OR

Money Back Guarantee: If you are not satisfied with this product, we will gladly refund your original purchase price.

]

SUBLABEL B - HOUSEHOLD USE ON WEEDS - Hose-end Sprayer

NEU1173H Concentrate

Active Ingredient: Iron HEDTA (FeHEDTA) 26.52% Other Ingredients: 73.48% Total:.... 100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION

	FIRST AID
IF IN EYES	-Hold eye open and rinse slowly and gently with water for 15-20 minutes.
	-Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
	-Call a poison control center or doctor for treatment advice.
or doctor, or go the following we	ct container or label with you when calling a poison control center ing for treatment. [Optionally, supplemental distributor's may use ording and own toll-free hotline number: For medical emergency a may call toll free 1-XXX-XXX-XXXX [insert operating hours and

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes slight eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking. chewing gum or using tobacco. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

ENVIRONMENTAL HAZARDS

For terrestrial uses: Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

[For containers over 5 gallons us the following language:

Effluent Discharge

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of

NEU1173H Page 13 of 71 17/75

a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA]

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

[One of the two following Use Sites, Pests and Application Directions section groupings must be used on the labels of products sold or distributed in all states, except California. The second section must be used on the labels of products sold or distributed in California:

[Section 1]

Use Sites:

Use to selectively control/suppress broadleaf weeds and diseases growing in lawns

Pests:

Controls or suppresses the following weeds such as but not limited to: Dandelion, English daisy, False dandelion, White clover, Black medic, Bull thistle, Canada thistle, Common chickweed, Creeping buttercup, Creeping Charlie/Ground ivy, Persian Speedwell, Slender speedwell, Broadleaf plantain, lawn burweed, Narrow-leaved plantain, Oxalis, Dovefoot geranium, Healall, Prostrate knotweed Shepherd's-purse, Silverweed cinquefoil, Wild chamomile, Wild geranium, Moss, Liverworts, Algae, Lichens.

Controls or suppresses diseases such as but not limited to: Dollar Spot, Rust, and Snow Mold.

Application Directions:

[Choose one of the following:

Apply this (24oz) container to 470 to 1875 square feet. Apply it to 940 ft² for standard application; apply it to 470 ft² to control tough perennial weeds, such as buttercup and broad-leaved plantain. This container may be applied to up to 1875 ft² to control moss, black medic, Persian speedwell, slender speedwell, wild geranium, lawn diseases (such as dollar spot, rust, and snow mold), or on weed seedlings of false dandelion, English daisy, dandelion or white clover.

NEU1173H Page 14 of 71 18/75

Apply this (32oz) container to 625 to 2500 square feet. Apply it to 1250 ft² for standard application; apply it to 625 ft² to control tough perennial weeds, such as buttercup and broad-leaved plantain. This container may be applied to up to 2500 ft² to control moss, black medic, Persian speedwell, slender speedwell, wild geranium, lawn diseases (such as dollar spot, rust, and snow mold), or on weed seedlings of false dandelion, English daisy, dandelion or white clover.

OR

Apply this (1 gallon) container to 2500 to 10,000 square feet. Apply it to 5000 ft² for standard application; apply it to 2500 ft² to control tough perennial weeds, such as buttercup and broad-leaved plantain. This container may be applied to up to 10 000 ft² to control moss, black medic, Persian speedwell, slender speedwell, wild geranium, lawn diseases (such as dollar spot, rust, and snow mold), or on weed seedlings of false dandelion, English daisy, dandelion or white clover.

Uniform coverage is important. Rinse treated areas 24 hours after application. Repeat treatment in 3 to 4 weeks for best results.]

[Section 2]

Use Sites:

Use to selectively control/suppress broadleaf weeds growing in lawns.

Pests:

Controls the following weeds: Dandelion, English daisy, Moss, Narrow-leaved plantain, White clover, Creeping buttercup, Common chickweed, Bull thistle, Persian speedwell, and Slender speedwell

Suppresses the following weeds: Broadleaf plantain

Application Directions:

Shake well before using. Apply 1 gallon of concentrate to 2500-10000 ft². Uniform coverage is important. Rinse treated areas 24 hours after application. Repeat treatment in 3 to 4 weeks for best results.]

[Optional hose-end sprayer directions that may be presented on the container or supplemental wording, either:






Figure 2

Deflector rotated DOWN for fan spray

NOZZLEEND

Deflector rotated UP for stream





To Use This Sprayer:

- 1. Shake container well.
- 2. Connect spray nozzle to garden hose.
- 3. Turn on the water from the faucet. Extend hose to the farthest area to be treated and work back toward the faucet so you don't come in contact with the treated area.
- 4. When you are ready to spray, turn the knob on top so that it points to the MIX position on the spray head. (Fig. 1)
- 5. The spray deflector on the front of the hose-end applicator can be rotated to give a stream or fan spray. (Fig. 2)




- 6. When you are finished spraying or if you have to stop spraying at any time, turn the knob back to the OFF position. (Fig. 3)
- 7. Turn off the water from the faucet.
- 8. Turn the knob to H2O then OFF, to drain the water from the hose. (Fig. 4)

OR


- 1. Attach garden hose to spray nozzle. Turn on water supply.
- 2. Bend safety tab down and turn control to "water".
- 3. Point nozzle toward plants and turn water control knob to "On". Product will automatically mix with water. Spray weeds thoroughly.

To Stop Spraying:

- 1. When you are finished spraying or if you have to stop spraying at any time, turn the blue knob back to the OFF position.
- 2. Turn off the water from the faucet.
- 3. Turn the blue knob to H20 then OFF, to drain the water from the hose.
- 4. Unscrew spray nozzle from hose. Remove hose end from container.
- 5. Reseal the container with the child-resistant closure. Rinse the hose-end applicator










OR


- 1. Shake container well before using.
- 2. Connect a garden hose to the Ready Spray nozzle. Make sure the dial on the nozzle is in the "OFF" position with the safety tab in the valve notch.
- 3. Turn on the water at faucet. Extend hose to the farthest area to be treated and work back toward the faucet so you don't come in contact with the treated area.
- 4. To BEGIN spraying, point nozzle toward treatment site and
 - a. Bend the safety tab back (located at the right of the yellow dial) with your thumb,

- b. Using your other hand, QUICKLY turn the dial clockwise until it stops. Water will automatically mix with the product.
- 5. Spray weeds thoroughly. Walk at a steady pace while spraying using an even sweeping motion, slightly overlapping treated areas.
- 6. To STOP spraying, QUICKLY turn the dial in the opposite direction of "ON" until it stops and the safety tab engages the notch on the valve. Turn water off at faucet. To relieve pressure before removing nozzle from hose, bend the safety tab back and turn dial "ON" until water stops spraying.
- 7. To STORE unused product, make sure the dial is in the "OFF" position with safety tab in the valve notch. Place in cool area away from heat, sunlight or open flame.











OR







- Ensure that the large Water Control Knob is turned to the "OFF" position.
- Connect sprayer to garden hose.
- Turn the small
 Product Control
 Button so that
 the flat side
 aligns with the
 tab on the right
 side of the
 button, and push
 the button all the
 way in.
- Turn on water at faucet.

- To spray, point nozzle where you want to spray and turn the large knob all the way to the left.
- To stop spraying, push small Product Control Button in from opposite side. Turn large Water Control Knob to the right to the "OFF" position and turn off faucet.
- NOTE: BEFORE DISCONNECTING HOSE (to relieve water pressure): Turn large Water Control Knob to the left; then turn "OFF" again.
- Disconnect garden hose from sprayer.
- To prevent accidental discharge when not in use, turn the small Product Control Button so that it is NOT aligned with the tab and cannot be pushed in.

What will I see?

Works quickly, dying weeds will be seen within hours of application. Treated weeds, moss or algae will turn brown or black. Occasionally a darkening of the grass leaf blades can occur after treatment; however the grass will recover within a few days to weeks. May stain thatch (dead grass under lawn); this does not affect the health of the grass.

Use Precautions:

Do not apply to drought stressed grass; ensure lawn is well watered prior to application. Do not apply when the daytime temperature will exceed 85°F. Do

NEU1173H Page 19 of 71

not apply to bentgrass. If unsure of grass sensitivity, test spray a small area of your lawn. Do not apply to newly seeded areas prior to grass seed germination. Avoid spraying desirable plants. Any desirable plants or structures accidentally contacted should be rinsed with water. To avoid staining, wait until treated area dries before re-entry. Do not apply if rainfall is expected within 3 hours of application. Do not irrigate within 3 hours of application. Do not apply to the same area more than 2 times a year.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store this product in its original container and keep in a secure storage area out of reach of children and domestic animals. Store unused material, tightly closed, in original container only, away from open flame.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Non-refillable container. Do not reuse or refill this container.

If empty: Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency [or call [insert supplemental distributor's toll free number]] for disposal instructions. Never place unused product down any indoor or outdoor drain.

BATCH CODE:

[The following claims and product information may or may not be presented on the product's label and labeling:

-www.neudorff.com



- -Weed Killer for Lawns
- -Selective Weed Killer
- -Selective Broadleaf Weed Killer
- -Selective Weed Control
- -Selective Broadleaf Weed Control
- -Selective Control of Weeds in Lawns
- -Selective Control of Broadleaf Weeds in Lawns
- -Kills weeds not lawns
- -Kills weeds not grasses
- -Lawn Weed Killer
- -Lawn Weed Control
- -Water-based
- -With the provided hose-end sprayer, this container will treat XXX ft²
- -Works in cool weather (down to 50°F)
- -Rainfast in 3 hours
- -Works fast
- -See results the same day
- -See results in hours
- -Fast and effective

NEU1173H

Page 20 of 71

- -No unpleasant odor
- -Does not contain (2,4-D) (MCPA) (Dicamba) (Mecoprop)
- -Derived from iron (Fe)
- -For non-selective (moss) weed and grass control, use [H01 or NEU1171H insert product name]
- -Eliminates unwanted moss, algae and lichens quickly
- -Kills algae, moss and lichens
- -Kills moss and algae
- -Moss killer
- -Moss, algae and lichen killer
- -Kills moss fast
- -Kills moss, algae, and lichens quickly and effectively
- Kills moss and weeds
- -Moss and weed killer for lawns
- Kills moss and weeds, not lawns
- -Kills moss and weeds, not grass
- -Lawn areas can be re-sown within one day of treatment with NEU1173H
- Can re-seed lawn 1 day after spraying (applying)
- -(Controls) (kills) (dandelions) (buttercup) (English daisy) (daisy) (clover)
- -One gallon of concentrate will treat up to 10000 ft² (of lawn)
- -Treats up to XXXX ft² (of lawn)
- -Weed killer for newly planted lawn
- -Can be used on new lawns (1 week) after grass emergence
- -Even works in cool weather
- -Also works in cool weather
- -Works in temperatures between 50°F and 85°F (10°C and 29°C)
- Effective at temperatures from 50°F to 85°F (10°C to 29°C)
- -Patent pending
- -Patent #6,972,273
- -Kills weeds, down to the root
- -Kills dandelions, down to the root
- -(Helpful Hints:) Best results are obtained when applied in the Spring or Fall when environmental conditions are cool and there is ample moisture
- -(Helpful Hints:) The best times to treat weeds are in the Spring when they are small and growing and in the Fall to eliminate many of next year's weeds
- -People and pets can enter treated area when spray dries
- -Ready-To-Spray
- -Hose-End Bottle
- -Hose-End Sprayer
- -This product is ready to spray. Just attach this bottle to your garden hose according to directions. Water automatically mixes with the concentrate as you spray.]
- -Tough on weeds and disease, easy on lawns
- -Prevent disease and kill the weeds!
- -Kills most common lawn diseases fast!
- -Herbicide and Fungicide in 1 for the Lawn!

NEU1173H

Page 21 of 71

- -For a healthy lawn
- -Easy-to-use weed and disease killer for the lawn
- -Broadleaf weed and disease killer
- -Disease and Weed Killer in one!
- -(5 in 1!) (4 in 1!) (3 in 1!) [for use with the corresponding number of the following pests]: Controls (Disease), (Weeds), (Moss), (Algae) and (Lichens) in turf
- -Controls disease in the lawn, kills the weeds.
- -Weed and disease killer for the lawn
- -Cure your weed and disease problems fast
- -Ideal weed & disease control for lawn
- -Iron-based disease & weed control for lawn
- -Lawns: Controls dollar spot, snow mold, and rust
- -Lawn Fungicide
- -Controls (dollar spot), (snow mold), and (rust) on lawns
- -Prevents and controls lawn diseases
- -Promotes healthy, weed- and disease-free lawns

[Optional warranty statements. Registrant has choice of using any or none.

-NOTICE TO BUYER

Seller warrants that this product conforms to the chemical description on this label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks described above, when used in accordance with the Directions for Use under normal conditions. To the extent consistent with applicable law, this warranty does not extend to use of this product contrary to label directions, or under abnormal use conditions, or under conditions not reasonably foreseeable to Seller. To the extent consistent with applicable law, the Seller shall not be liable for any such use. To the extent consistent with applicable law, the Seller makes no other warranties, either expressed or implied.

Or

-Buyer assumes all responsibility for safety and use not in accordance with directions.

Or

-Unconditionally Guaranteed by (company name). OUR COMMITMENT TO YOUR SATISFACTION: If you are not happy with the way this product works in your garden, please let us know. We will be happy to replace the product, refund your money, or substitute another (brand name) product. Simply send your name, address and proof of purchase to (Company name & address).

Or

(company name) guarantees if for any reason you are not satisfied with this product, mail us proof of purchase to obtain a full refund of your purchase price.]

SUBLABEL C - HOUSEHOLD USE ON MOSS

NEU1173H Concentrate

Total:	100.00%
Other Ingredients:	<u>73.48</u> %
Iron HEDTA (FeHEDTA)	26.52%
Active Ingredient:	

KEEP OUT OF REACH OF CHILDREN

CAUTION

	FIRST AID
IF IN EYES	-Hold eye open and rinse slowly and gently with water for 15-20 minutes.
	-Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
	-Call a poison control center or doctor for treatment advice.
or doctor, or goin	container or label with you when calling a poison control center g for treatment. [Optionally, supplemental distributor's may use
, –	ding and own toll-free hotline number: For medical emergency may call toll free 1-XXX-XXX-XXXX [insert operating hours and

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes slight eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

ENVIRONMENTAL HAZARDS

For terrestrial uses: Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

[For containers over 5 gallons us the following language: **Effluent Discharge**

NEU1173H Page 23 of 71 27/75

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA]

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

[One of the two following Use Sites, Pests and Application Directions section groupings must be used on the labels of products sold or distributed in all states, except California. The second section must be used on the labels of products sold or distributed in California:

[Section 1]

Use Sites:

Use to selectively control moss, algae, lichens, liverworts, and diseases growing in lawns.

Pests:

Controls moss, algae, lichens, liverworts, and lawn diseases (such as dollar spot, snow mold, and rust).

Application Directions:

Shake well before using. Mix one part [NEU1173H] with 24 parts water (5 oz. in 1 gallon of water). Apply the mixed solution at a rate of 2.5-5 gallons/1000 ft² (2.8-5.75 oz/yard²). Any standard hand-held or backpack sprayer can be used. Use a coarse nozzle setting to reduce drift. Uniform coverage is important. Repeat treatment if needed.

Repeat treatment in 3 to 4 weeks for best results.

[Section 2]

Use Sites:

Use to selectively control moss, algae, lichens, and liverworts growing in lawns.

Pests:

NEU1173H Page 24 of 71 26/75

Controls moss, algae, lichens, and liverworts

Application Directions

Shake well before using. Mix one part [NEU1173H] with 24 parts water (5 oz. in 1 gallon of water). Apply the mixed solution at a rate of 2.5-5 gallons/1000 ft² (2.8-5.75 oz/yard²). Any standard hand-held or backpack sprayer can be used. Use a coarse nozzle setting to reduce drift. Uniform coverage is important. Repeat treatment if needed.

Repeat treatment in 3 to 4 weeks for best results. 1

What will I see?

Works quickly. Treated moss or algae will turn brown or black. Occasionally a darkening of the grass leaf blades can occur after treatment; however the grass will recover within a few days to weeks. May stain thatch (dead grass under lawn); this does not affect the health of the grass.

Use Precautions:

Do not apply to drought stressed grass; ensure lawn is well watered prior to application. Do not apply when the daytime temperature will exceed 85°F. Do not apply to bentgrass. If unsure of grass sensitivity, test spray a small area of your lawn. Do not apply to newly seeded areas prior to grass seed germination. Avoid spraying desirable plants. Any desirable plants or structures accidentally contacted should be rinsed with water. To avoid staining, wait until treated area dries before re-entry. Do not apply if rainfall is expected within 3 hours of application. Do not irrigate within 3 hours of application. Do not apply to the same area more than 4 times a year.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store this product in its original container and keep in a secure storage area out of reach of children and domestic animals. Store unused material, tightly closed, in original container only, away from open flame.

PESTICIDE DISPOSAL AND CONTAINER HANDLING:

Nonrefillable container. Do not reuse or refill this container.

If empty: Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency [or call [insert supplemental distributor's toll free number]] for disposal instructions. Never place unused product down any indoor or outdoor drain.

BATCH CODE:

[The following claims and product information, may or may not be presented on the product's label and labeling:

NEU1173H Page 25 of 71 -www.neudorff.com



- -Selective Moss Killer
- -Selective Moss Control
- -Kills Moss Without Harming Lawn Grasses
- -Kills moss not lawns
- -Kills moss not grasses
- -Lawn Moss Killer
- -Lawn Moss Control
- -Water-based
- -When diluted, this bottle will treat XXX ft2
- -Works in cool weather (down to 50°F)
- -Rainfast in 3 hours
- -Works fast
- -See results the same day
- -See results in hours
- -Fast and effective
- -No unpleasant odor
- -Mix with water
- -Does not contain (2,4-D) (MCPA) (Dicamba) (Mecoprop)
- -Derived from iron (Fe)
- -For non-selective (moss) weed and grass control, use [H01 or NEU1171H insert product name]
- -Eliminates unwanted moss, algae and lichens guickly
- -Kills algae, moss and lichens
- -Kills moss and algae
- -Moss killer
- -Moss, algae and lichen killer
- Kills moss and weeds
- -Moss and weed killer for lawns
- Kills moss and weeds, not lawns
- -Kills moss and weeds, not grass
- -Kills moss fast
- -Kills moss, algae, and lichens quickly and effectively
- -Lawn areas can be re-sown within one day of treatment with NEU1173H
- Can re-seed lawn 1 day after spraying (applying)
- -(Controls) (kills) (dandelions) (buttercup) (English daisy) (daisy) (clover)
- -One gallon of concentrate will treat up to 10000 ft² (of lawn)
- -Treats up to XXXX ft2 (of lawn)
- -Can be used to spot treat problem areas
- -Can be used to spot treat problem areas in lawns
- -Can be used on new lawns (1 week) after grass emergence
- Weed killer for newly planted lawn
- -Even works in cool weather
- -Also works in cool weather

Page 26 of 71

- -Works in temperatures between 50°F and 85°F (10°C and 29°C)
- Effective at temperatures from 50°F to 85°F (10°C to 29°C)
- -Patent pending
- -Patent #6,972,273
- -Makes over XX gallons
- -1 ounce = 2 tablespoons = 6 teaspoons
- -(Helpful Hints:) Best results are obtained when applied in the Spring or Fall when environmental conditions are cool and there is ample moisture
- -People and pets can enter treated area when spray dries]
- -Tough on moss and disease, easy on lawns
- -Prevent disease and kill the moss!
- -Kills most common lawn diseases fast!
- -Herbicide and Fungicide in 1 for the Lawn!
- -For a healthy lawn
- -Easy-to-use moss and disease killer for the lawn
- -Broadleaf moss and disease killer
- -Disease and Moss Killer in one!
- -(5 in 1!) (4 in 1!) (3 in 1!) [for use with the corresponding number of the following pests]: Controls (Disease), (Weeds), (Moss), (Algae) and (Lichens) in turf
- -Controls disease in the lawn, kills the moss.
- -Moss and disease killer for the lawn
- -Cure your moss and disease problems fast
- -Ideal moss & disease control for lawn
- -Iron-based disease & moss control for lawn
- -Lawns: Controls dollar spot, snow mold, and rust
- -Lawn Fungicide
- -Controls (dollar spot), (snow mold), and (rust) on lawns
- -Prevents and controls lawn diseases
- -Promotes healthy, weed- and disease-free lawns

[Optional warranty statements. Registrant has choice of using any or none.

-NOTICE TO BUYER

Seller warrants that this product conforms to the chemical description on this label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks described above, when used in accordance with the Directions for Use under normal conditions. To the extent consistent with applicable law, this warranty does not extend to use of this product contrary to label directions, or under abnormal use conditions, or under conditions not reasonably foreseeable to Seller. To the extent consistent with applicable law, the Seller shall not be liable for any such use. To the extent consistent with applicable law, the Seller makes no other warranties, either expressed or implied.

NEU1173H Page 27 of 71

-Buyer assumes all responsibility for safety and use not in accordance with directions.

Or

-Unconditionally Guaranteed by (company name). OUR COMMITMENT TO YOUR SATISFACTION: If you are not happy with the way this product works in your garden, please let us know. We will be happy to replace the product, refund your money, or substitute another (brand name) product. Simply send your name, address and proof of purchase to (Company name & address).

Or

(company name) guarantees if for any reason you are not satisfied with this product, mail us proof of purchase to obtain a full refund of your purchase price.]

NEU1173H Page 28 of 71

SUBLABEL D - HOUSEHOLD USE ON MOSS - Hose-end Sprayer

NEU1173H Concentrate

Total:	100.00%
Other Ingredients:	<u>73.48</u> %
Iron HEDTA (FeHEDTA)	
Active Ingredient:	

KEEP OUT OF REACH OF CHILDREN

CAUTION

FIRST AID				
IF IN EYES	-Hold eye open and rinse slowly and gently with water for 15-20 minutes.			
	-Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.			
	-Call a poison control center or doctor for treatment advice.			
or doctor, or going the following wo	t container or label with you when calling a poison control centering for treatment. [Optionally, supplemental distributor's may use rding and own toll-free hotline number: For medical emergency may call toll free 1-XXX-XXX-XXXX [insert operating hours and			

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes slight eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

ENVIRONMENTAL HAZARDS

For terrestrial uses: Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

[For containers over 5 gallons us the following language:

Effluent Discharge

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the

NEU1173H

Page 29 of 71

permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA]

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

[One of the two following Use Sites, Pests and Application Directions section groupings must be used on the labels of products sold or distributed in all states, except California. The second section must be used on the labels of products sold or distributed in California:

[Section 1]

Use Sites:

Use to selectively control moss, algae, lichens, liverworts, and diseases growing in lawns.

Pests:

Controls moss, algae, lichens, liverworts, and lawn diseases (such as dollar spot, snow mold, and rust).

Application Directions

Shake well before using.

[Choose one of the following:

Apply this (24 oz) container to 940 to 1875 ft2.

OR

Apply this (32 oz) container to 1250 to 2500 ft².

OR

Apply this (1 gallon) container to 5000 to 10000ft².

Uniform coverage is important. Rinse treated areas 24 hours after application. Repeat treatment in 3 to 4 weeks for best results.

[Section 2]

Use Sites:

NEU1173H Page 30 of 71

Use to selectively control moss, algae, lichens, and liverworts growing in lawns.

Pests:


Controls moss, algae, lichens, and liverworts.

Application Directions


Shake well before using. Apply 1 gallon of concentrate to 2500-10000 ft². Uniform coverage is important. Rinse treated areas 24 hours after application. Repeat treatment in 3 to 4 weeks for best results.]


Page 31 of 71

[Optional hose-end sprayer directions that may be presented on the container or supplemental wording, either:









To Use This Sprayer:

- 1. Shake container well.
- 2. Connect spray nozzle to garden hose.
- 3. Turn on the water from the faucet. Extend hose to the farthest area to be treated and work back toward the faucet so you don't come in contact with the treated area.
- 4. When you are ready to spray, turn the knob on top so that it points to the MIX position on the spray head. (Fig. 1)
- 5. The spray deflector on the front of the hose-end applicator can be rotated to give a stream or fan spray. (Fig. 2)


To Stop Spraying

- 1. When you are finished spraying or if you have to stop spraying at any time, turn the knob back to the OFF position. (Fig. 3)
- 2. Turn off the water from the faucet.
- 3. Turn the knob to H2O then OFF, to drain the water from the hose. (Fig. 4)


- 1. Attach garden hose to spray nozzle. Turn on water supply.
- 2. Bend safety tab down and turn control to "water".
- 3. Point nozzle toward plants and turn water control knob to "On". Product will automatically mix with water. Spray moss surfaces thoroughly.

To Stop Spraying:

- 1. When you are finished spraying or if you have to stop spraying at any time, turn the blue knob back to the OFF position.
- 2. Turn off the water from the faucet.
- 3. Turn the blue knob to H20 then OFF, to drain the water from the hose.
- 4. Unscrew spray nozzle from hose. Remove hose end from container.
- 5.Reseal the container with the child-resistant closure. Rinse the hose-end applicator









OR


- 1. Shake container well before using.
- 2. Connect a garden hose to the Ready Spray nozzle. Make sure the dial on the nozzle is in the "OFF" position with the safety tab in the valve notch.
- 3. Turn on the water at faucet. Extend hose to the farthest area to be treated and work back toward the faucet so you don't come in contact with the treated area.
- 4. To BEGIN spraying, point nozzle toward treatment site and
 - a. Bend the safety tab back (located at the right of the yellow dial) with your thumb,
 - b. Using your other hand, QUICKLY turn the dial clockwise until it stops. Water will automatically mix with the product.
- 5. Spray moss thoroughly. Walk at a steady pace while spraying using an even sweeping motion, slightly overlapping treated areas.
- 6. To STOP spraying, QUICKLY turn the dial in the opposite direction of "ON" until it stops and the safety tab engages the notch on the valve. Turn water off at faucet. To relieve pressure before removing nozzle from hose, bend the safety tab back and turn dial "ON" until water stops spraying.


Page 33 of 71

7. To STORE unused product, make sure the dial is in the "OFF" position with safety tab in the valve notch. Place in cool area away from heat, sunlight or open flame.











OR







- Ensure that the large Water Control Knob is turned to the "OFF" position.
- Connect sprayer to garden hose.
- Product Control
 Button so that
 the flat side
 aligns with the
 tab on the right
 side of the
 button, and push
 the button all the
 way in.
- Turn on water at faucet.

- To spray, point nozzle where you want to spray and turn the large knob all the way to the left.
- To stop spraying, push small Product Control Button in from opposite side. Turn large Water Control Knob to the right to the "OFF" position and turn off faucet.
- NOTE: BEFORE
 DISCONNECTING HOSE (to
 relieve water pressure): Turn large
 Water Control Knob to the left;
 then turn "OFF" again.
- Disconnect garden hose from sprayer.
- To prevent accidental discharge when not in use, turn the small Product Control Button so that it is NOT aligned with the tab and cannot be pushed in.

NEU1173H Page 34 of 71 What will I see?

Works quickly. Treated moss or algae will turn brown or black. Occasionally a darkening of the grass leaf blades can occur after treatment; however the grass will recover within a few days to weeks. May stain thatch (dead grass under lawn); this does not affect the health of the grass.

Use Precautions:

Do not apply to drought stressed grass; ensure lawn is well watered prior to application. Do not apply when the daytime temperature will exceed 85°F. Do not apply to bentgrass. If unsure of grass sensitivity, test spray a small area of your lawn. Do not apply to newly seeded areas prior to grass seed germination. Avoid spraying desirable plants. Any desirable plants or structures accidentally contacted should be rinsed with water. To avoid staining, wait until treated area dries before re-entry. Do not apply if rainfall is expected within 3 hours of application. Do not irrigate within 3 hours of application. Do not apply to the same area more than 2 times a year.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store this product in its original container and keep in a secure storage area out of reach of children and domestic animals. Store unused material, tightly closed, in original container only, away from open flame. **PESTICIDE DISPOSAL AND CONTAINER HANDLING:**

Nonrefillable container. Do not reuse or refill this container.

If empty: Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency [or call [insert supplemental distributor's toll free number]] for disposal instructions. Never place unused product down any indoor or outdoor drain.

BATCH CODE:

[The following claims and product information, may or may not be presented on the product's label and labeling:

-www.neudorff.com



- -Selective Moss Killer
- -Selective Moss Control
- -Kills Moss Without Harming Lawn Grasses
- -Kills moss not lawns
- -Kills moss not grasses
- -Lawn Moss Killer
- -I awn Moss Control
- -Water-based
- -With the provided hose-end sprayer, this container will treat XXX ft²

Page 35 of 71

- -Works in cool weather (down to 50°F)
- -Rainfast in 3 hours
- -Works fast
- -See results the same day
- -See results in hours
- -Fast and effective
- -No unpleasant odor
- -Does not contain (2,4-D) (MCPA) (Dicamba) (Mecoprop)
- -Derived from iron (Fe)
- -For non-selective (moss) weed and grass control, use [H01 or NEU1171H insert product name]
- -Eliminates unwanted moss, algae and lichens quickly
- -Kills algae, moss and lichens
- -Kills moss and algae
- -Moss killer
- -Moss, algae and lichen killer
- -Kills moss fast
- -Kills moss, algae, and lichens quickly and effectively
- Kills moss and weeds
- -Moss and weed killer for lawns
- Kills moss and weeds, not lawns
- -Kills moss and weeds, not grass
- -Lawn areas can be re-sown within one day of treatment with NEU1173H
- Can re-seed lawn 1 day after spraying (applying)
- -(Controls) (kills) (dandelions) (buttercup) (English daisy) (daisy) (clover)
- -One gallon of concentrate will treat up to 10000 ft² (of lawn)
- -Treats up to XXXX ft² (of lawn)
- -Can be used on new lawns (1 week) after grass emergence
- Weed killer for newly planted lawn
- -Even works in cool weather
- -Also works in cool weathers
- -Works in temperatures between 50°F and 85°F (10°C and 29°C)
- -Effective at temperatures from 50°F to 85°F (10°C to 29°C)
- -Patent pending
- -Patent #6,972,273
- -(Helpful Hints:) Best results are obtained when applied in the Spring or Fall when environmental conditions are cool and there is ample moisture
- -People and pets can enter treated area when spray dries
- -Ready-To-Spray
- -Hose-End Bottle
- -Hose-End Sprayer
- -This product is ready to spray. Just attach this bottle to your garden hose according to directions. Water automatically mixes with the concentrate as you spray.]
- -Tough on moss and disease, easy on lawns
- -Prevent disease and kill the moss!
- -Kills most common lawn diseases fast!

Page 36 of 71

- -Herbicide and Fungicide in 1 for the Lawn!
- -For a healthy lawn
- -Easy-to-use moss and disease killer for the lawn
- -Broadleaf moss and disease killer
- -Disease and Moss Killer in one!
- -(5 in1!) (4 in 1!) (3 in 1!) [for use with the corresponding number of the following pests]: Controls (Disease), (Weeds), (Moss), (Algae) and (Lichens) in turf
- -Controls disease in the lawn, kills the moss.
- -Moss and disease killer for the lawn
- -Cure your moss and disease problems fast
- -Ideal moss & disease control for lawn
- -Iron-based disease & moss control for lawn
- -Lawns: Controls dollar spot, snow mold, and rust
- -Lawn Fungicide
- -Controls (dollar spot), (snow mold), and (rust) on lawns
- -Prevents and controls lawn diseases
- -Promotes healthy, weed- and disease-free lawns

Optional warranty statements. Registrant has choice of using any or none.

-NOTICE TO BUYER

Seller warrants that this product conforms to the chemical description on this label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks described above, when used in accordance with the Directions for Use under normal conditions. To the extent consistent with applicable law, this warranty does not extend to use of this product contrary to label directions, or under abnormal use conditions, or under conditions not reasonably foreseeable to Seller. To the extent consistent with applicable law, the Seller shall not be liable for any such use. To the extent consistent with applicable law, the Seller makes no other warranties, either expressed or implied.

Or

-Buyer assumes all responsibility for safety and use not in accordance with directions.

Or

-Unconditionally Guaranteed by (company name). OUR COMMITMENT TO YOUR SATISFACTION: If you are not happy with the way this product works in your garden, please let us know. We will be happy to replace the product, refund your money, or substitute another (brand name) product. Simply send your name, address and proof of purchase to (Company name & address).

Or

41/75

NEU1173H Page 37 of 71

(company name) guarantees if for any reason you are not satisfied with this product, mail us proof of purchase to obtain a full refund of your purchase price.

NEU1173H
Page 38 of 71
SUBLABEL E - COMMERCIAL USE ON WEEDS

NEU1173H Concentrate

Total:	100.00%
Other Ingredients:	<u>73.48</u> %
Iron HEDTA (FeHEDTA)	
Active Ingredient:	

KEEP OUT OF REACH OF CHILDREN

CAUTION

	FIRST AID
IF IN EYES	-Hold eye open and rinse slowly and gently with water for 15-20 minutes.
	-Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
	-Call a poison control center or doctor for treatment advice.
	et container or label with you when calling a poison control center
the following wo	ng for treatment. [Optionally, supplemental distributor's may use rding and own toll-free hotline number: For medical emergency may call toll free 1-XXX-XXX-XXXX [insert operating hours and

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes slight eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

ENVIRONMENTAL HAZARDS

For terrestrial uses: Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

[For containers over 5 gallons us the following language:

Effluent Discharge

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the

43/95

NEU1173H

Page 39 of 71

permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPAI

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Read and follow all applicable directions and precautions on this label before using.

SITES: Lawns, turf (use on rights of way or non-crop areas), golf courses, parks, playgrounds, cemeteries, athletic fields

[One of the two following Pest and Application Directions sections must be used. on the labels of products sold or distributed in all states, except California. The second section must be used on the labels of products sold or distributed in California:

[Section 1]

PESTS:

Controls or suppresses weeds such as but not limited to:

- Black medic (Medicago lupulina)
- Broadleaf plantain (Plantago major)
- Bull thistle (Cirsium vulgare)
- Canada thistle (Cirsium arvense)
- Common chickweed (Stellaria media)
- Creeping buttercup (Ranunculus repens)
- Creeping Charlie/Ground ivy (Glechoma hederacea)
- Dandelion (Taraxicum officinale)
- Dovefoot geranium (Geranium molle)
- English daisy (Bellis perennis)
- False dandelion (Hypochoens radicata)
- Healall (Prunella vulgaris)
- Lawn burweed (Soliva ptero-sperma)
- Moss, liverworts, algae and lichens
- Narrow-leaved plantain (Plantago lanceolata)
- Oxalis (Oxalis spp.)
- Persian Speedwell (Veronica persica)
- Prostrate knotweed (Polygonum aviculare)
- Shepherd's-purse (Capsella bursa-pastoris)
- Silverweed cinquefoil (Potentilla anserina)
- Slender speedwell (Veronica filiformis)
- White clover (Trifolium repens)

Page 40 of 71

- Wild chamomile (Matricaria chamomilla)
- Wild geranium (Geranium robertianum)

Controls or suppresses diseases such as but not limited to:

- Dollar Spot
- Rust
- Snow Mold

[Choose one of the following:

Application Directions:

For Broadcast Treatment:

Rate of Spray Solution	Rate of Concentrate	Weeds	Optional column [Area Treated
2.8 fl. oz./yd² or 2.5 ga/1000 ft²	12.6 fl. oz/ 1000 ft²	Rate for easy-to-control weeds: black medic (Medicago lupulina), Persian speedwell (Veronica persica), slender speedwell (Veronica filiformis), wild geranium (Geranium robertianum), and moss. This rate can also be used for weed seedlings of: false dandelion (Hypochaeris radicata), English daisy (Bellis perennis), dandelion (Taraxacum officinale) or white clover (Trifolium repens).	xxxx ft²/xxx ga jug
5.7 fl. oz./yd² or 4.9 ga/1000 ft²	25.2 fl. oz/ 1000 ft²	Standard rate for control of most weed species: dandelion (<i>Taraxacum officinale</i>), English daisy (<i>Bellis perennis</i>), false dandelion (<i>Hypochaeris radicata</i>), Creeping Charlie/Ground ivy (<i>Glechoma hederacea</i>), Prostrate knotweed (<i>Polygonum aviculare</i>), white clover (<i>Trifolium repens</i>), bull thistle (<i>Cirsium vulgare</i>), Canada thistle (<i>Cirsium arvense</i>), common chickweed (<i>Stellaria media</i>), narrow-leaved plantain (<i>Plantago lanceolata</i>), dove's foot geranium (<i>Geranium molle</i>), oxalis (<i>Oxalis spp.</i>), lawn burweed (<i>Soliva pterosperma</i>), and algae, and for the SUPPRESSION of broad-leaved plantain (<i>Plantago major</i>)	xxxx ft²/xxx ga jug
11.3 fl oz./yd² or 9.8 ga/1000 ft²	50 fl. oz./ 1000 ft²	Rate for tough perennial weeds such as: creeping buttercup (Ranunculus repens) and broad-leaved plantain (Plantago major)	xxxx ft²/xxx ga jug]

Rate of Spray Solution	Rate of Concentrate	Diseases	Optional column [Area Treated
2.8 fl. oz./yd ² or 2.5 ga/1000 ft ²	12.6 fl. oz./1000 ft ²	Rate for control or suppression of diseases such as dollar spot, snow mold, and rust. Use the higher rate when disease pressure is high.	xxxx ft²/xxx ga jug
5.7 fl. oz./yd ² or 4.9 ga/1000 ft ²	25.2 fl. oz./1000 ft ²		xxxx ft²/xxx ga jug]

Shake well before using. Mix one part [NEU1173H] with 24 parts water (5 oz. in 1 gallon of water). Apply the mixed solution at a rate of 2.5-10 gallons/1000 ft² (2.8-11.5 fluid oz/yard²), using the chart to determine how much diluted spray to use per area. Any standard hand-held or backpack sprayer can be used.

Page 41 of 71

Thoroughly spray weeds. Use a coarse nozzle setting to reduce drift. Uniform coverage is important.

Repeat treatment in 3 to 4 weeks for best results.

For Spot Treatment

Shake well before using. Mix one part [NEU1173H] with 24 parts water (5 oz. in 1 gallon of water). Thoroughly spray weeds to point of runoff using any standard hand-held or backpack sprayer. Use a coarse nozzle setting to reduce drift. Repeat treatment in 3 to 4 weeks for best results.

OR

Application Directions:

Shake well before using. Mix one part [NEU1173H] with 24 parts water (5 oz. in 1 gallon of water). Apply the mixed solution at a rate of 2.5-10 gallons/1000 ft₂ (2.8-11.5 fluid oz/yard₂). The standard rate for NEU1173H is 5.75 fl. oz./yard₂; use the higher rate (11.5 fl. oz./yard₂) on tough perennial weeds, such as buttercup and broad-leaved plantain. NEU1173H may also be used at 2.8 fl.oz./yard₂ (2.5 gallons/1000ft₂) on moss, black medic, Persian speedwell, slender speedwell, wild geranium, turf diseases (such as dollar spot, rust, and snow mold), or on weed seedlings of false dandelion, English daisy, dandelion or white clover. Any standard hand-held or backpack sprayer can be used. Thoroughly spray weeds. Use a coarse nozzle setting to reduce drift. Uniform coverage is important.

Repeat treatment in 3 to 4 weeks for best results.]

[Section 2]

PESTS:

Controls weeds:

- Bull thistle (Cirsium vulgare)
- Common chickweed (Stellaria media)
- Creeping buttercup (Ranunculus repens)
- Dandelion (Taraxicum officinale)
- English daisy (Bellis perennis)
- Moss
- Narrow-leaved plantain (Plantago lanceolata)
- Persian speedwell (Veronica persica)
- Slender speedwell (Veronica filiformis)
- White clover (*Trifolium repens*)

Suppresses weeds:

• Broadleaf plantain (*Plantago major*)

NEU1173H Page 42 of 71

46/75

Application Directions:

Shake well before using. Mix one part [NEU1173H] with 24 parts water (5 oz. in 1 gallon of water). Apply the mixed solution at a rate of 2.5-10 gallons/1000 $\rm ft^2$ (2.8 -11.5 fluid oz/yard²). Any standard hand-held or backpack sprayer can be used. Thoroughly spray weeds. Use a coarse nozzle setting to reduce drift. Uniform coverage is important.

Repeat treatment in 3 to 4 weeks for best results.

What will I see?

Works quickly; dying weeds will be seen within hours of application. Treated weeds, moss or algae will turn brown or black. Occasionally a darkening of the grass leaf blades can occur after treatment; however the grass will recover within a few days to weeks. May stain thatch (dead grass under turf); this does not affect the health of the grass.

Use Precautions:

Do not apply to drought stressed grass; ensure turf is well watered prior to application. Do not apply when the daytime temperature will exceed 85°F. Do not apply to bentgrass. If unsure of grass sensitivity, test spray a small area of the turf. Do not apply to newly seeded areas prior to grass seed germination. Avoid spraying desirable plants. Any desirable plants or structures accidentally contacted should be rinsed with water. To avoid staining, wait until treated area dries before re-entry. Do not apply if rainfall is expected within 3 hours of application. Do not irrigate within 3 hours of application. Do not apply to the same area more than 4 times a year.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in a secure place, away from open fire or flame. Keep container closed and reseal after use. If spilled, use absorbent materials and dispose of in an approved manner.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows:

(For containers equal to or less than five gallons use these directions:) Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix

Page 43 of 71

tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Offer for recycling, if available.

(For containers greater than five gallons use these directions:) Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Offer for recycling, if available.

BATCH CODE:

[The following claims and product information, may or may not be presented on the product's label and labeling:

-www.neudorff.com



- -Weed Killer for Turf
- -Selective Weed Killer
- -Selective Broadleaf Weed Killer
- -Selective Weed Control
- -Selective Broadleaf Weed Control
- -Selective Control of Weeds in Turf
- -Selective Control of Broadleaf Weeds in Turf
- -Kills weeds not turf
- -Kills weeds not grasses
- -Turf Weed Killer
- Turf Weed Control
- -Water-based
- -When diluted, this bottle will treat XXX ft2
- -Works in cool weather down to 50°F
- -Rainfast in 3 hours
- -Works fast
- -See results the same day
- -See results in hours
- -Fast and effective
- -Mix with water
- -No unpleasant odor
- -Does not contain (2,4-D) (MCPA) (Dicamba) (Mecoprop)
- -Derived from iron (Fe)
- -For non-selective (moss) weed and grass control, use [H01 or NEU1171H insert product name]
- -Eliminates unwanted moss, algae and lichens quickly

Page 44 of 71

- -Kills algae, moss and lichens
- -Kills moss and algae
- -Moss killer
- -Moss, algae and lichen killer
- -Kills moss fast
- -Kills moss, algae, and lichens quickly and effectively
- Moss and weed killer for turf
- -Turf areas can be re-sown within one day of treatment with NEU1173H
- Can re-seed turf 1 day after spraying (applying)
- -(Controls) (kills) (dandelions) (buttercup) (English daisy) (daisy) (clover)
- -One gallon of concentrate will treat up to 10000 ft² (of turf)
- -Can be used to spot treat problem areas
- -Can be used to spot treat problem areas in turf
- -Can be used on new turf (1 week) after grass emergence
- -Even works in cool weather
- -Also works in cool weather
- -Works in temperatures between 50°F and 85°F (10°C and 29°C)
- -Effective at temperatures from 50°F to 85°F (10°C to 29°C)
- -Treats up to XXXX ft² (of turf)
- -Patent pending
- -Patent #6,972,273
- -Makes over XX gallons
- -1 ounce = 2 tablespoons = 6 teaspoons
- -Kills weeds, down to the root
- -Kills dandelions, down to the root
- -(Helpful Hints:) Best results are obtained when applied in the Spring or Fall when environmental conditions are cool and there is ample moisture
- -(Helpful Hints:) The best times to treat weeds are in the Spring when they are small and growing and in the Fall to eliminate many of next year's weeds
- -People and pets can enter treated area when spray dries]
- -Tough on weeds and disease, easy on turf
- -Prevent disease and kill the weeds!
- -Kills most common turf diseases fast!
- -Herbicide and Fungicide in 1 for Turf!
- -For healthy turf
- -Easy-to-use weed and disease killer for turf
- -Broadleaf weed and disease killer
- -Disease and Weed Killer in one!
- -(5 in1!) (4 in 1!) (3 in 1!) [for use with the corresponding number of the following pests]: Controls (Disease), (Weeds), (Moss), (Algae) and (Lichens) in turf
- -Controls (Disease), (Weeds), (Moss), (Algae) and (Lichens) in turf
- -Controls disease in the turf, kills the weeds.
- -Weed and disease killer for turf
- -Cure your weed and disease problems fast
- -Ideal weed & disease control for turf
- -Iron-based disease & weed control for turf
- -Turf: Controls dollar spot, snow mold, and rust
- Turf Fungicide

NEU1173H Page 45 of 71

-Controls (dollar spot), (snow mold), and (rust) on turf

-Prevents and controls turf diseases

-Promotes healthy, weed- and disease-free turf

[Optional warranty statements. Registrant has choice of using any or none.

-NOTICE TO BUYER

Seller warrants that this product conforms to the chemical description on this label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks described above, when used in accordance with the Directions for Use under normal conditions. To the extent consistent with applicable law, this warranty does not extend to use of this product contrary to label directions, or under abnormal use conditions, or under conditions not reasonably foreseeable to Seller. To the extent consistent with applicable law, the Seller shall not be liable for any such use. To the extent consistent with applicable law, the Seller makes no other warranties, either expressed or implied.

Or

-Buyer assumes all responsibility for safety and use not in accordance with directions.

Or

-Unconditionally Guaranteed by (company name). OUR COMMITMENT TO YOUR SATISFACTION: If you are not happy with the way this product works in your garden, please let us know. We will be happy to replace the product, refund your money, or substitute another (brand name) product. Simply send your name, address and proof of purchase to (Company name & address).]

Or

(company name) guarantees if for any reason you are not satisfied with this product, mail us proof of purchase to obtain a full refund of your purchase price.

SUBLABEL F - COMMERCIAL USE ON WEEDS - Hose-end Sprayer

NEU1173H Concentrate

 Active Ingredient:
 26.52%

 Iron HEDTA (FeHEDTA)
 26.52%

 Other Ingredients:
 73.48%

 Total:
 100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION

FIRST AID	
IF IN EYES	-Hold eye open and rinse slowly and gently with water for 15-20 minutes.
	-Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
	-Call a poison control center or doctor for treatment advice.
or doctor, or goin the following work	container or label with you when calling a poison control center g for treatment. [Optionally, supplemental distributor's may use ding and own toll-free hotline number: For medical emergency
information, you indicated days of service]	may call toll free 1-XXX-XXX-XXXX [insert operating hours and

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes slight eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

ENVIRONMENTAL HAZARDS

For terrestrial uses: Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

[For containers over 5 gallons us the following language:

Effluent Discharge

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the

Page 47 of 71

permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA]

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Read and follow all applicable directions and precautions on this label before using.

SITES: Lawns, turf (use on rights of way or non-crop areas), golf courses, parks, playgrounds, cemeteries, athletic fields

[One of the two following sections must be used. The first section may be used on the labels of products sold or distributed in all states, except California. The second section must be used on the labels of products sold or distributed in California:

[Section 1]

PESTS:

Controls or suppresses weeds such as but not limited to:

- Black medic (Medicago lupulina)
- Broadleaf plantain (Plantago major)
- Bull thistle (Cirsium vulgare)
- Canada thistle (Cirsium arvense)
- Common chickweed (Stellaria media)
- Creeping buttercup (Ranunculus repens)
- Creeping Charlie/Ground ivy (Glechoma hederacea)
- Dandelion (*Taraxicum officinale*)
- Dovefoot geranium (Geranium molle)
- English daisy (Bellis perennis)
- False dandelion (Hypochoeris radicata)
- Healall (Prunella vulgaris)
- Lawn burweed (Soliva ptero-sperma)
- Moss, liverworts, algae and lichens
- Narrow-leaved plantain (*Plantago lanceolata*)
- Oxalis (Oxalis spp.)
- Persian Speedwell (Veronica persica)
- Prostrate knotweed (Polygonum aviculare)
- Shepherd's-purse (Capsella bursa-pastoris)
- Silverweed cinquefoil (Potentilla anserina)
- Slender speedwell (Veronica filiformis)

5//75

NEU1173H Page 48 of 71

52/75

- White clover (*Trifolium repens*)
- Wild chamomile (Matricaria chamomilla)
- wild geranium (Geranium robertianum)

Controls or suppresses diseases such as but not limited to:

- Dollar Spot
- Rust
- Snow Mold

Application Directions:

Shake well before using. Apply 1 gallon of concentrate to 2500-10,000 ft₂. Apply it to 5000 ft₂ for standard application; apply it to 2500 ft₂ to control tough perennial weeds, such as buttercup and broad-leaved plantain. This container may be applied to up to 10,000 ft₂ to control moss, black medic, Persian speedwell, slender speedwell, wild geranium, turf diseases (such as dollar spot, rust, and snow mold), or on weed seedlings of false dandelion, English daisy, dandelion or white clover. Uniform coverage is important. Rinse treated areas 24 hours after application. Repeat treatment in 3 to 4 weeks for best results.

[Section 2]

PESTS:

Controls the following weeds: Dandelion, English daisy, Moss, Narrow-leaved plantain, White clover, Creeping buttercup, Common chickweed, Bull thistle, Persian speedwell, and slender speedwell.

Suppresses the following weeds: Broadleaf plantain

Application Directions:

Shake well before using. Apply 1 gallon of concentrate to 2500-10000 ft². Uniform coverage is important. Rinse treated areas 24 hours after application. Repeat treatment in 3 to 4 weeks for best results.]

[Optional hose-end sprayer directions that may be presented on the container or supplemental wording, either:






Figure 2

Deflector rotated DOWN for fan spray NOZZLEEND

Deflector rotated UP for stream





To Use This Sprayer:

- 1. Shake container well.
- 2. Connect spray nozzle to garden hose.
- 3. Turn on the water from the faucet. Extend hose to the farthest area to be treated and work back toward the faucet so you don't come in contact with the treated area.
- 4. When you are ready to spray, turn the knob on top so that it points to the MIX position on the spray head. (Fig. 1)
- 5. The spray deflector on the front of the hose-end applicator can be rotated to give a stream or fan spray. (Fig. 2)

To Stop Spraying

- 6. When you are finished spraying or if you have to stop spraying at any time, turn the knob back to the OFF position. (Fig. 3)
- 7. Turn off the water from the faucet.
- 8. Turn the knob to H2O then OFF, to drain the water from the hose. (Fig. 4)


OR


1. Attach garden hose to spray nozzle. Turn on water supply.


- 2. Bend safety tab down and turn control to "water".
- 3. Point nozzle toward plants and turn water control knob to "On". Product will automatically mix with water. Throroughly spray weeds.

To Stop Spraying:

- 1. When you are finished spraying or if you have to stop spraying at any time, turn the blue knob back to the OFF position.
- 2. Turn off the water from the faucet.
- 3. Turn the blue knob to H20 then OFF, to drain the water from the hose.
- 4. Unscrew spray nozzle from hose. Remove hose end from container.
- 5. Reseal the container with the child-resistant closure. Rinse the hose-end applicator










OR


- 1. Shake container well before using.
- 2. Connect a garden hose to the Ready Spray nozzle. Make sure the dial on the nozzle is in the "OFF" position with the safety tab in the valve notch.
- 3. Turn on the water at faucet. Extend hose to the farthest area to be treated and work back toward the faucet so you don't come in contact with the treated area.
- 4. To BEGIN spraying, point nozzle toward treatment site and
 - a. Bend the safety tab back (located at the right of the yellow dial) with your thumb,
 - b. Using your other hand, QUICKLY turn the dial clockwise until it stops. Water will automatically mix with the product.
- 5. Spray weeds thoroughly. Walk at a steady pace while spraying using an even sweeping motion, slightly overlapping treated areas.
- 6. To STOP spraying, QUICKLY turn the dial in the opposite direction of "ON" until it stops and the safety tab engages the notch on the valve. Turn water off at faucet. To relieve pressure before removing nozzle from hose, bend the safety tab back and turn dial "ON" until water stops spraying.
- 7. To STORE unused product, make sure the dial is in the "OFF" position with safety tab in the valve notch. Place in cool area away from heat, sunlight or open flame.

NEU1173H Page 51 of 71











NEU1173H Page 52 of 71 OR







- Ensure that the large Water Control Knob is turned to the "OFF" position.
- Connect sprayer to garden hose.
- Turn the small
 Product Control
 Button so that
 the flat side
 aligns with the
 tab on the right
 side of the
 button, and push
 the button all the
 way in.
- Turn on water at faucet.

- To spray, point nozzle where you want to spray and turn the large knob all the way to the left.
- To stop spraying, push small Product Control Button in from opposite side. Turn large Water Control Knob to the right to the "OFF" position and turn off faucet.
- NOTE: BEFORE
 DISCONNECTING HOSE (to
 relieve water pressure): Turn large
 Water Control Knob to the left;
 then turn "OFF" again.
- Disconnect garden hose from sprayer.
- To prevent accidental discharge when not in use, turn the small Product Control Button so that it is NOT aligned with the tab and cannot be pushed in.

What will I see?

Works quickly; dying weeds will be seen within hours of application. Treated weeds, moss or algae will turn brown or black. Occasionally a darkening of the grass leaf blades can occur after treatment; however the grass will recover within a few days to weeks. May stain thatch (dead grass under turf); this does not affect the health of the grass.

Use Precautions:

1

NEU1173H Page 53 of 71 57/75

Do not apply to drought stressed grass; ensure turf is well watered prior to application. Do not apply when the daytime temperature will exceed 85°F. Do not apply to bentgrass. If unsure of grass sensitivity, test spray a small area of turf. Do not apply to newly seeded areas prior to grass seed germination. Avoid spraying desirable plants. Any desirable plants or structures accidentally contacted should be rinsed with water. To avoid staining, wait until treated area dries before re-entry. Do not apply if rainfall is expected within 3 hours of application. Do not irrigate within 3 hours of application. Do not apply to the same area more than 2 times a year.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in a secure place, away from open fire or flame. Keep container closed and reseal after use. If spilled, use absorbent materials and dispose of in an approved manner.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING: Non-refillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows:

(For containers equal to or less than five gallons use these directions:) Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Offer for recycling, if available.

(For containers greater than five gallons use these directions:) Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Offer for recycling, if available.

BATCH CODE:

[The following claims and product information, may or may not be presented on the product's label and labeling:

-www.neudorff.com



- -Weed Killer for Turf
- -Selective Weed Killer

Page 54 of 71

- -Selective Broadleaf Weed Killer
- -Selective Weed Control
- -Selective Broadleaf Weed Control
- -Selective Control of Weeds in Turf
- -Selective Control of Broadleaf Weeds in Turf
- -Kills weeds not turf
- -Kills weeds not grasses
- Turf Weed Killer
- Turf Weed Control
- -Water-based
- -With the provided hose-end sprayer, this container will treat XXX ft²
- -Works in cool weather (down to 50°F)
- -Rainfast in 3 hours
- -Works fast
- -See results the same day
- -See results in hours
- -Fast and effective
- -No unpleasant odor
- -Does not contain (2,4-D) (MCPA) (Dicamba) (Mecoprop)
- -Derived from iron (Fe)
- -For non-selective (moss) weed and grass control, use [NEU1170H or NEU1171H insert product name]
- -Eliminates unwanted moss, algae and lichens quickly
- -Kills algae, moss and lichens
- -Kills moss and algae
- -Moss killer
- -Moss, algae and lichen killer
- -Kills moss fast
- -Kills moss, algae, and lichens quickly and effectively
- -Moss and weed killer for turf
- Turf areas can be re-sown within one day of treatment with NEU1173H
- Can re-seed turf 1 day after spraying (applying)
- -(Controls) (kills) (dandelions) (buttercup) (English daisy) (daisy) (clover)
- -One gallon of concentrate will treat up to 10000 ft² (of turf)
- -Can be used on new turf (1 week) after grass emergence
- -Even works in cool weather
- -Also works in cool weather
- -Works in temperatures between 50°F and 85°F (10°C and 29°C)
- -Effective at temperatures from 50°F to 85°F (10°C to 29°C)
- -Treats up to XXXX ft² (of turf)
- -Patent pending
- -Patent #6,972,273
- -Kills weeds, down to the root
- -Kills dandelions, down to the root
- -(Helpful Hints:) Best results are obtained when applied in the Spring or Fall when environmental conditions are cool and there is ample moisture
- -(Helpful Hints:) The best times to treat weeds are in the Spring when they are small and growing and in the Fall to eliminate many of next year's weeds

Page 55 of 71

- -People and pets can enter treated area when spray dries
- -Ready-To-Spray
- -Hose-End Bottle
- -Hose-End Sprayer
- -This product is ready to spray. Just attach this bottle to your garden hose according to directions. Water automatically mixes with the concentrate as you spray.]
- -Tough on weeds and disease, easy on turf
- -Prevent disease and kill the weeds!
- -Kills most common turf diseases fast!
- -Herbicide and Fungicide in 1 for the turf!
- -For healthy turf
- -Easy-to-use weed and disease killer for turf
- -Broadleaf weed and disease killer
- -Disease and Weed Killer in one!
- -(5 in1!) (4 in 1!) (3 in 1!) [for use with the corresponding number of the following pests]: Controls (Disease), (Weeds), (Moss), (Algae) and (Lichens) in turf
- -Controls disease in turf, kills the weeds.
- -Weed and disease killer for turf
- -Cure your weed and disease problems fast
- -Ideal weed & disease control for turf
- -Iron-based disease & weed control for turf
- Turf: Controls dollar spot, snow mold, and rust
- Turf Fungicide
- -Controls (dollar spot), (snow mold), and (rust) on turf
- -Prevents and controls turf diseases
- -Promotes healthy, weed- and disease-free turf

[Optional warranty statements. Registrant has choice of using any or none.

-NOTICE TO BUYER

Seller warrants that this product conforms to the chemical description on this label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks described above, when used in accordance with the Directions for Use under normal conditions. To the extent consistent with applicable law, this warranty does not extend to use of this product contrary to label directions, or under abnormal use conditions, or under conditions not reasonably foreseeable to Seller. To the extent consistent with applicable law, the Seller shall not be liable for any such use. To the extent consistent with applicable law, the Seller makes no other warranties, either expressed or implied.

Or

-Buyer assumes all responsibility for safety and use not in accordance with directions.

NEU1173H Page 56 of 71 66/75

-Unconditionally Guaranteed by (company name). OUR COMMITMENT TO YOUR SATISFACTION: If you are not happy with the way this product works in your garden, please let us know. We will be happy to replace the product, refund your money, or substitute another (brand name) product. Simply send your name, address and proof of purchase to (Company name & address).]

Or

(company name) guarantees if for any reason you are not satisfied with this product, mail us proof of purchase to obtain a full refund of your purchase price.

6

SUBLABEL G - COMMERCIAL USE ON MOSS

NEU1173H Concentrate

 Active Ingredient:
 26.52%

 Iron HEDTA (FeHEDTA)
 73.48%

 Total:
 100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION

FIRST AID	
IF IN EYES	-Hold eye open and rinse slowly and gently with water for 15-20 minutes.
	-Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
	-Call a poison control center or doctor for treatment advice.
or doctor, or going the following word	container or label with you when calling a poison control center g for treatment. [Optionally, supplemental distributor's may use ling and own toll-free hotline number: For medical emergency hay call toll free 1-XXX-XXX-XXXX [insert operating hours and

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes slight eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

ENVIRONMENTAL HAZARDS

For terrestrial uses: Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

[For containers over 5 gallons us the following language:

Effluent Discharge

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the

Page 58 of 71

permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA]

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Read and follow all applicable directions and precautions on this label before using.

SITES: Lawns, turf (use on rights of way or non-crop areas), golf courses, parks, playgrounds, cemeteries, athletic fields.

[One of the two following Pests and Application Directions section groupings must be used on the labels of products sold or distributed in all states, except California. The second section must be used on the labels of products sold or distributed in California:

[Section 1]

PESTS: Use to selectively control moss, algae, lichens, liverworts, and diseases (such as dollar spot, snow mold, and rust) growing in turf.

Application Directions

Shake well before using.

Mix one part NEU1173H concentrate with 24 parts water (5 oz. in 1 gallon of water). Apply the mixed solution at a rate of 2.5-5 gallons/1000 ft² (2.8-5.75 oz/yard²). Any standard hand-held or backpack sprayer can be used. Use a coarse nozzle setting to reduce drift. Uniform coverage is important. Repeat treatment if needed.

Repeat treatment in 3 to 4 weeks for best results.

[Section 2]

PESTS: Use to selectively control moss, algae, lichens and liverworts growing in turf.

Application Directions

Shake well before using.

Mix one part NEU1173H concentrate with 24 parts water (5 oz. in 1 gallon of water). Apply the mixed solution at a rate of 2.5-10 gallons/1000 ft² (2.8 -11.5 fluid oz/yard²). Any standard hand-held or backpack sprayer can be used. Use

NEU1173H Page 59 of 71

a coarse nozzle setting to reduce drift. Uniform coverage is important. Repeat treatment if needed.

Repeat treatment in 3 to 4 weeks for best results.]

What will I see?

Works quickly. Treated moss or algae will turn brown or black. Occasionally a darkening of the grass leaf blades can occur after treatment; however the grass will recover within a few days to weeks. May stain thatch (dead grass under turf); this does not affect the health of the grass.

Use Precautions:

Do not apply to drought stressed grass; ensure turf is well watered prior to application. Do not apply when the daytime temperature will exceed 85°F. Do not apply to bentgrass. If unsure of grass sensitivity, test spray a small area of turf. Do not apply to newly seeded areas prior to grass seed germination. Avoid spraying desirable plants. Any desirable plants or structures accidentally contacted should be rinsed with water. To avoid staining, wait until treated area dries before re-entry. Do not apply if rainfall is expected within 3 hours of application. Do not irrigate within 3 hours of application. Do not apply to the same area more than 4 times a year.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in a secure place, away from open fire or flame. Keep container closed and reseal after use. If spilled, use absorbent materials and dispose of in an approved manner.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows:

(For containers equal to or less than five gallons use these directions:) Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Offer for recycling, if available.

(For containers greater than five gallons use these directions:) Empty the remaining contents into application equipment or a mix tank. Fill the container ½ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use

NEU1173H Page 60 of 71

or disposal. Repeat this procedure two more times. Offer for recycling, if available.

BATCH CODE:

[The following claims and product information, may or may not be presented on the product's label and labeling:

-www.neudorff.com



- -Selective Moss Killer
- -Selective Moss Control
- -Kills Moss Without Harming Turf Grasses
- -Kills moss not turf
- -Kills moss not grasses
- Turf Moss Killer
- Turf Moss Control
- -Water-based
- -When diluted, this bottle will treat XXX ft²
- -Works in cool weather (down to 50°F)
- -Rainfast in 3 hours
- -Works fast
- -See results the same day
- -See results in hours
- -Fast and effective
- -No unpleasant odor
- -Mix with water
- -Does not contain (2,4-D) (MCPA) (Dicamba) (Mecoprop)
- -Derived from iron (Fe)
- -For non-selective (moss) weed and grass control, use [NEU1170H or NEU1171H insert product name]
- -Eliminates unwanted moss, algae and lichens quickly
- -Kills algae, moss and lichens
- -Kills moss and algae
- -Moss killer
- -Moss, algae and lichen killer
- -Kills moss fast
- -Kills moss, algae, and lichens quickly and effectively
- Moss and weed killer for turf
- Turf areas can be re-sown within one day of treatment with NEU1173H
- -(Controls) (kills) (dandelions) (buttercup) (English daisy) (daisy) (clover)
- -One gallon of concentrate will treat up to 10000 ft² (of turf)
- -Can be used to spot treat problem areas
- -Can be used to spot treat problem areas in turf
- -Can be used on new turf (1 week) after grass emergence

NEU1173H Page 61 of 71

- Can re-seed turf 1 day after spraying (applying)
- -Even works in cool weather
- -Also works in cool weather
- -Works in temperatures between 50°F and 85°F (10°C and 29°C)
- -Effective at temperatures from 50°F to 85°F (10°C to 29°C)
- -Treats up to XXXX ft² (of turf)
- -Patent pending
- -Patent #6,972,273
- -Makes over XX gallons
- -1 ounce = 2 tablespoons = 6 teaspoons
- -(Helpful Hints:) Best results are obtained when applied in the Spring or Fall when environmental conditions are cool and there is ample moisture
- -People and pets can enter treated area when spray dries]
- -Tough on moss and disease, easy on turf
- -Prevent disease and kill the moss!
- -Kills most common turf diseases fast!
- -Herbicide and Fungicide in 1 for Turf!
- -For healthy turf
- -Easy-to-use moss and disease killer for turf
- Moss and disease killer
- -Disease and Moss Killer in one!
- -(5 in 1!) (4 in 1!) (3 in 1!) [for use with the corresponding number of the following pests]: Controls (Disease), (Weeds), (Moss), (Algae) and (Lichens) in turf
- -Controls disease in turf, kills the weeds.
- -Controls disease in turf, kills the moss.
- -Moss and disease killer for turf
- -Cure your moss and disease problems fast
- -Ideal moss & disease control for turf
- -Iron-based disease & moss control for turf
- Turf: Controls dollar spot, snow mold, and rust
- Turf Fungicide
- -Controls (dollar spot), (snow mold), and (rust) on Turf
- -Prevents and controls turf diseases
- -Promotes healthy, moss- and disease-free turf

[Optional warranty statements. Registrant has choice of using any or none.

-NOTICE TO BUYER

Seller warrants that this product conforms to the chemical description on this label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks described above, when used in accordance with the Directions for Use under normal conditions. To the extent consistent with applicable law, this warranty does not extend to use of this product contrary to label directions, or under abnormal use conditions, or under conditions not reasonably foreseeable to Seller. To the extent consistent with applicable law,

Page 62 of 71

the Seller shall not be liable for any such use. To the extent consistent with applicable law, the Seller makes no other warranties, either expressed or implied.

Or

-Buyer assumes all responsibility for safety and use not in accordance with directions.

Or

-Unconditionally Guaranteed by (company name). OUR COMMITMENT TO YOUR SATISFACTION: If you are not happy with the way this product works in your garden, please let us know. We will be happy to replace the product, refund your money, or substitute another (brand name) product. Simply send your name, address and proof of purchase to (Company name & address).]

Or

(company name) guarantees if for any reason you are not satisfied with this product, mail us proof of purchase to obtain a full refund of your purchase price.

67/7

NEU1173H Concentrate

 Active Ingredient:
 26.52%

 Iron HEDTA (FeHEDTA)
 26.52%

 Other Ingredients:
 73.48%

 Total:
 100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION

FIRST AID	
IF IN EYES	-Hold eye open and rinse slowly and gently with water for 15-20 minutes.
	-Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
	-Call a poison control center or doctor for treatment advice.
or doctor, or going the following word	container or label with you when calling a poison control center g for treatment. [Optionally, supplemental distributor's may use ding and own toll-free hotline number: For medical emergency may call toll free 1-XXX-XXX-XXXX [insert operating hours and

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

ENVIRONMENTAL HAZARDS

For terrestrial uses: Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

[For containers over 5 gallons us the following language:

Effluent Discharge

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the

Page 64 of 71

68/75

permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA]

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Read and follow all applicable directions and precautions on this label before using.

SITES: Lawns, turf (use on rights of way or non-crop areas), golf courses, parks, playgrounds, cemeteries, athletic fields.

[One of the two following Pests and Application Directions section groupings must be used on the labels of products sold or distributed in all states, except California. The second section must be used on the labels of products sold or distributed in California:

[Section 1]

PESTS: Controls moss, algae, lichens, liverworts and diseases (such as dollar spot, snow mold, and rust) growing in lawns and turf.

Application Directions

Shake well before using. Apply 1 gallon of concentrate to 5000-10,000 ft₂. Uniform coverage is important. Rinse treated areas 24 hours after application. Repeat treatment if needed.

[Section 2]

PESTS: Controls moss, algae, lichens and liverworts growing in lawns and turf.

Application Directions

Shake well before using. Apply 1 gallon of concentrate to 2500-10000 ft². Uniform coverage is important. Rinse treated areas 24 hours after application. Repeat treatment if needed.]

[Optional hose-end sprayer directions that may be presented on the container or supplemental wording, either:






Figure 2

Deflector rotated DOWN for fan apray

NOZZLEEND

Deflector rotated UP for stream





To Use This Sprayer:

- 1. Shake container well.
- 2. Connect spray nozzle to garden hose.
- 3. Turn on the water from the faucet. Extend hose to the farthest area to be treated and work back toward the faucet so you don't come in contact with the treated area.
- 4. When you are ready to spray, turn the knob on top so that it points to the MIX position on the spray head. (Fig. 1)
- 5. The spray deflector on the front of the hose-end applicator can be rotated to give a stream or fan spray. (Fig. 2)

To Stop Spraying:

- 1. When you are finished spraying or if you have to stop spraying at any time, turn the knob back to the OFF position. (Fig. 3)
- 2. Turn off the water from the faucet.
- 3. Turn the knob to H2O then OFF, to drain the water from the hose. (Fig. 4)

Page 66 of 71


1. Attach garden hose to spray nozzle. Turn on water supply.


2. Bend safety tab down and turn control to "water".


3. Point nozzle toward plants and turn water control knob to "On". Product will automatically mix with water. Spray moss thoroughly.

To Stop Spraying

- 1. When you are finished spraying or if you have to stop spraying at any time, turn the blue knob back to the OFF position.
- 2. Turn off the water from the faucet.
- 3. Turn the blue knob to H20 then OFF, to drain the water from the hose.
- 4. Unscrew spray nozzle from hose. Remove hose end from container.
- 5. Reseal the container with the child-resistant closure. Rinse the hose-end applicator











OR

- 1. Shake container well before using.
- 2. Connect a garden hose to the Ready Spray nozzle. Make sure the dial on the nozzle is in the "OFF" position with the safety tab in the valve notch.
- 3. Turn on the water at faucet. Extend hose to the farthest area to be treated and work back toward the faucet so you don't come in contact with the treated area.
- 4. To BEGIN spraying, point nozzle toward treatment site and
 - a. Bend the safety tab back (located at the right of the yellow dial) with your thumb.
 - b. Using your other hand, QUICKLY turn the dial clockwise until it stops. Water will automatically mix with the product.
- 5. Spray moss thoroughly. Walk at a steady pace while spraying using an even sweeping motion, slightly overlapping treated areas.
- 6. To STOP spraying, QUICKLY turn the dial in the opposite direction of "ON" until it stops and the safety tab engages the notch on the valve. Turn water off at faucet. To relieve pressure before removing nozzle from hose, bend the safety tab back and turn dial "ON" until water stops spraying.
- 7. To STORE unused product, make sure the dial is in the "OFF" position with safety tab in the valve notch. Place in cool area away from heat, sunlight or open flame.











OR







- Ensure that the large Water Control Knob is turned to the "OFF" position.
- Connect sprayer to garden hose.
- Product Control
 Button so that
 the flat side
 aligns with the
 tab on the right
 side of the
 button, and push
 the button all the
 way in.
- Turn on water at faucet.

- To spray, point nozzle where you want to spray and turn the large knob all the way to the left.
- To stop spraying, push small Product Control Button in from opposite side. Turn large Water Control Knob to the right to the "OFF" position and turn off faucet.
- NOTE: BEFORE
 DISCONNECTING HOSE (to
 relieve water pressure): Turn large
 Water Control Knob to the left;
 then turn "OFF" again.
- Disconnect garden hose from sprayer.
- To prevent accidental discharge when not in use, turn the small Product Control Button so that it is NOT aligned with the tab and cannot be pushed in.

NEU1173H Page 68 of 71

Works quickly. Treated moss or algae will turn brown or black. Occasionally a darkening of the grass leaf blades can occur after treatment, however the grass will recover within a few days to weeks. May stain thatch (dead grass under turf); this does not affect the health of the grass.

Use Precautions:

Do not apply to drought stressed grass; ensure turf is well watered prior to application. Do not apply when the daytime temperature will exceed 85°F. Do not apply to bentgrass. If unsure of grass sensitivity, test spray a small area of turf. Do not apply to newly seeded areas prior to grass seed germination. Avoid spraying desirable plants. Any desirable plants or structures accidentally contacted should be rinsed with water. To avoid staining, wait until treated area dries before re-entry. Do not apply if rainfall is expected within 3 hours of application. Do not irrigate within 3 hours of application. Do not apply to the same area more than 2 times a year.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in a secure place, away from open fire or flame. Keep container closed and reseal after use. If spilled, use absorbent materials and dispose of in an approved manner.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows:

(For containers equal to or less than five gallons use these directions:) Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Offer for recycling, if available.

(For containers greater than five gallons use these directions:) Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Offer for recycling, if available.

BATCH CODE:

[The following claims and product information may or may not be presented on the product's label and labeling:

NEU1173H Page 69 of 71

-www.neudorff.com



- -Selective Moss Killer
- -Selective Moss Control
- -Kills Moss Without Harming Turf Grasses
- -Kills moss not turf
- -Kills moss not grasses
- Turf Moss Killer
- Turf Moss Control
- -Water-based
- -With the provided hose-end sprayer, this container will treat XXX ft²
- -Works in cool weather(down to 50°F)
- -Rainfast in 3 hours
- -Works fast
- -See results the same day
- -See results in hours
- -Fast and effective
- -No unpleasant odor
- -Mix with water
- -Does not contain (2,4-D) (MCPA) (Dicamba) (Mecoprop)
- -Derived from iron (Fe)
- -For non-selective (moss) weed and grass control, use [NEU1170H or NEU1171H insert product name]
- -Eliminates unwanted moss, algae and lichens quickly
- -Kills algae, moss and lichens
- -Kills moss and algae
- -Moss killer
- -Moss, algae and lichen killer
- -Kills moss fast
- -Kills moss, algae, and lichens quickly and effectively
- Moss and weed killer for turf
- Turf areas can be re-sown within one day of treatment with NEU1173H
- Can re-seed turf 1 day after spraying (applying)
- -(Controls) (kills) (dandelions) (buttercup) (English daisy) (daisy) (clover)
- -One gallon of concentrate will treat up to 10000 ft² (of turf)
- -Can be used on new turf (1 week) after grass emergence
- -Even works in cool weather
- -Also works in cool weather
- -Works in temperatures between 50°F and 85°F (10°C and 29°C)
- -Effective at temperatures from 50°F to 85°F (10°C to 29°C)
- -Treats up to XXXX ft² (of turf)
- -Patent pending
- -Patent #6.972.273

Page 70 of 71

- 74/75
- -(Helpful Hints:) Best results are obtained when applied in the Spring or Fall when environmental conditions are cool and there is ample moisture
- -(Helpful Hints:) The best times to treat weeds are in the Spring when they are small and growing and in the Fall to eliminate many of next year's weeds
- -People and pets can enter treated area when spray dries
- -Ready-To-Spray
- -Hose-End Bottle
- -Hose-End Sprayer
- -This product is ready to spray. Just attach this bottle to your garden hose according to directions. Water automatically mixes with the concentrate as you spray.]
- -Tough on moss and disease, easy on turf
- -Prevent disease and kill the moss!
- -Kills most common turf diseases fast!
- -Herbicide and Fungicide in 1 for turf!
- -For healthy turf
- -Easy-to-use moss and disease killer for turf
- -Broadleaf moss and disease killer
- -Disease and Moss Killer in one!
- -(5 in1!) (4 in 1!) (3 in 1!) [for use with the corresponding number of the following pests]: Controls (Disease), (Weeds), (Moss), (Algae) and (Lichens) in turf
- -Controls disease in turf, kills the moss.
- -Moss and disease killer for turf
- -Cure your moss and disease problems fast
- -Ideal moss & disease control for turf
- -Iron-based disease & moss control for turf
- Turf: Controls dollar spot, snow mold, and rust
- Turf Fungicide
- -Controls (dollar spot), (snow mold), and (rust) on turf
- -Prevents and controls turf diseases
- -Promotes healthy, moss- and disease-free turf

[Optional warranty statements. Registrant has choice of using any or none.

-NOTICE TO BUYER

Seller warrants that this product conforms to the chemical description on this label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks described above, when used in accordance with the Directions for Use under normal conditions. To the extent consistent with applicable law, this warranty does not extend to use of this product contrary to label directions, or under abnormal use conditions, or under conditions not reasonably foreseeable to Seller. To the extent consistent with applicable law, the Seller shall not be liable for any such use. To the extent consistent with applicable law, the Seller makes no other warranties, either expressed or implied.

NEU1173H Page 71 of 71

-Buyer assumes all responsibility for safety and use not in accordance with directions.

Or

-Unconditionally Guaranteed by (company name). OUR COMMITMENT TO YOUR SATISFACTION: If you are not happy with the way this product works in your garden, please let us know. We will be happy to replace the product, refund your money, or substitute another (brand name) product. Simply send your name, address and proof of purchase to (Company name & address).]

Or

(company name) guarantees if for any reason you are not satisfied with this product, mail us proof of purchase to obtain a full refund of your purchase price.