



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

November 2, 2017

Katie P. Davis
US Regulatory Affairs Manager
Syngenta Crop Protection, LLC
9 Davis Drive
Research Triangle Park, NC 27709

Subject: Labeling Notification per Pesticide Registration Notice (PRN) 98-10 –
General housekeeping of items including entity name and address
Product Name: Bt11 x MIR04 x TC1507 x 5307 Corn
EPA Registration Number: 67979-24
Application Date: December 2, 2016
OPP Decision Number: 534967

Dear Ms. Davis:

The U.S. Environmental Protection Agency (EPA) is in receipt of your application for notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Biopesticides and Pollution Prevention Division (BPPD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The labeling submitted with this application has been stamped "Notification" and will be placed in our records. You must submit one (1) copy of the final printed labeling with the modifications.

Should you wish to add/retain a reference to your company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) and is subject to review by the EPA. If the website is false or misleading, the product will be considered to be misbranded and sale or distribution of the product is unlawful under FIFRA section 12(a)(1)(E). 40 CFR § 156.10(a)(5) lists examples of statements the EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the EPA find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA-approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

Page 2 of 2
EPA Reg. No. 67979-24
OPP Decision No. 534967

If you have any questions, please contact Matt Weiner of my team by phone at (703) 347-0333 or via email at weiner.matthew@epa.gov.

Sincerely,

A handwritten signature in black ink, appearing to read 'Alan Reynolds', with a long horizontal flourish extending to the right.

Alan Reynolds, Team Leader
Emerging Technologies Branch
Biopesticides and Pollution
Prevention Division (7511P)
Office of Pesticide Programs

Enclosure

NOTIFICATION

67979-24

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

11/02/2017

Plant-incorporated Protectant Label

Bt11 × MIR604 × TC1507 × 5307 Corn

Alternate Brand Names:

Agrisure Duracade® 5122 Refuge Renew™

Agrisure Duracade® 5122A Refuge Renew™

OECD Unique Identifier: SYN-BT011-1 × SYN-IR604-5 × DAS-1507-1 × SYN-05307-1

This product is effective in controlling corn leaf, stalk, ear, and root feeding damage caused by lepidopteran and corn rootworm pests.

Active Ingredients:

Bacillus thuringiensis Cry1Ab protein and the genetic material necessary for its production (via elements of vector pZO1502) in Bt11 corn (SYN-BT011-1) ≤0.00460%*

Bacillus thuringiensis mCry3A protein and the genetic material necessary for its production (via elements of vector pZM26) in MIR604 corn (SYN-IR604-5) ≤0.00041%*

Bacillus thuringiensis Cry1F protein and the genetic material necessary for its production (via elements of vector PHP8999) in TC1507 corn (DAS-01507-1) ≤0.00103%*

Bacillus thuringiensis eCry3.1Ab protein and the genetic material necessary for its production (via elements of vector pSYN12274) in 5307 corn (SYN- 05307-1) ≤0.00335%*

Other Ingredients:

Phosphinothricin acetyltransferase marker protein and the genetic material necessary for its production (via elements of vector pZO1502) in Bt11 corn (SYN-BT011-1) and (via elements of vector PHP8999) in TC1507 corn (DAS-01507-1) ≤0.00022%*

Phosphomannose isomerase marker protein and the genetic material necessary for its production (via elements of vector pZM26) in MIR604 corn (SYN-IR604-5) and (via elements of vector pSYN12274) in 5307 corn (SYN- 05307-1) ≤0.00132%*

*Percent (wt/wt) of whole plant on a dry weight basis

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

EPA Registration No. 67979-24
EPA Establishment No. 66736-NC-01

Syngenta Seeds, LLC – Field Crops – NAFTA
~~9 Davis Drive P.O. Box 12257~~
~~3054 East Cornwallis Road~~
Research Triangle Park, NC 27709

DIRECTIONS FOR USE

It is a violation of federal law to use this product in any manner inconsistent with this labeling.

This plant-incorporated protectant may be combined through conventional breeding with other registered plant-incorporated protectants that are similarly approved for use in combination, through conventional breeding, with other registered plant-incorporated protectants to produce inbred corn lines and hybrid corn varieties with combined pesticidal traits.

All seed corn that contains the plant-incorporated protectant sold or distributed by Syngenta Seeds, LLC or its distributors must be accompanied by informational material (*e.g.* a bag tag) indicating the registration number and the active ingredients, and stipulating that growers read the Syngenta Stewardship Guide (or equivalent guidance) prior to planting the seed. The refuge size requirement must be displayed on the seed bag or bag tag in both text and graphic format.

Insects Controlled or Suppressed

Field corn has been genetically transformed to produce the insecticidal proteins, Cry1Ab, mCry3A, Cry1F, and eCry3.1Ab for control or suppression of the following coleopteran and lepidopteran insects:

European corn borer (*Ostrinia nubilalis*)
Southwestern corn borer (*Diatraea grandiosella*)
Southern cornstalk borer (*Diatraea crambidoides*)
Corn earworm (*Helicoverpa zea*)
Fall armyworm (*Spodoptera frugiperda*)
Black cutworm (*Agrotis ipsilon*)
Western bean cutworm (*Striacosta albicosta*)
Sugarcane borer (*Diatraea saccharalis*)
Lesser cornstalk borer (*Elasmopalpus lignosellus*)
Common stalk borer (*Papaipema nebris*)
True armyworm (*Pseudaletia unipuncta*)
Western corn rootworm (*Diabrotica virgifera virgifera*)
Northern corn rootworm (*Diabrotica barberi*)
Mexican corn rootworm (*Diabrotica virgifera zea*)

Insect Resistance Management

The following information regarding commercial production of Bt11_xMIR604_xTC1507_x5307 corn must be included in the Syngenta Stewardship Guide (or equivalent). Growers must plant a refuge when using this product. Grower agreements (also known as stewardship agreements) will specify that growers must adhere to the refuge requirements as described in the Syngenta Stewardship guide/product use guide and/or in supplements to the Stewardship guide. Growers have two options for deployment of the refuge:

Refuge Option 1

The first option is planting a common refuge for both corn borers and corn rootworms. The common refuge must be planted with corn hybrids that do not contain Bt technologies for the control of corn pests. The refuge area must represent at least 5% (or 20% in cotton growing regions) of the grower's corn acres (*i.e.*, sum of Bt11 × MIR604 × TC1507 × 5307 corn acres and refuge acres). It must be planted as a block adjacent to the Bt11 × MIR604 × TC1507 × 5307 corn field, perimeter strips, or in-field strips. If perimeter or in-field strips are implemented, the strips must be at least four consecutive rows wide. If the common refuge is planted on rotated ground, then Bt11 × MIR604 × TC1507 × 5307 corn must also be planted on rotated ground. If the common refuge is planted in continuous corn, the Bt11 × MIR604 × TC1507 × 5307 corn field may be planted on either continuous or rotated land.

The common refuge can be treated with a soil-applied or seed-applied insecticide to control rootworm larvae and other soil pests. The refuge can also be treated with a non-Bt foliar insecticide for control of late season pests, if pest pressure reaches an economic threshold for damage; however, if rootworm adults are present at the time of foliar applications, then the Bt11 × MIR604 × TC1507 × 5307 corn field must be treated in a similar manner. Economic thresholds will be determined using methods recommended by local or regional professionals (*e.g.*, Extension Service agents or crop consultants). Pests other than adult corn rootworms can be treated with an appropriate pest-labeled insecticide on the common refuge acres without treating the Bt11 × MIR604 × TC1507 × 5307 corn acres only if treatment occurs when adult corn rootworms are not present. Pests on the Bt11 × MIR604 × TC1507 × 5307 corn acres can be treated as needed without having to treat the common refuge.

Refuge Option 2

The second option is planting separate refuge areas for corn borers and corn rootworms. The corn borer refuge must be planted with a non-Bt/lepidopteran-protected hybrid, must represent at least 5% (or 20% in cotton growing regions) of the grower's corn acres (*i.e.*, sum of Bt11 × MIR604 × TC1507 × 5307 corn acres and corn borer refuge acres), and must be planted within ½ mile of the Bt11 × MIR604 × TC1507 × 5307 corn field. Refuge planting options include separate fields, blocks within fields (*e.g.*, along the edges or headlands), perimeter strips, or in-field strips. If perimeter or in-field strips are implemented, the strips must be at least four consecutive rows wide. The corn borer refuge can be treated with a soil-applied or seed-applied insecticide for corn rootworm larval control or a non-Bt foliar-applied insecticide for corn borer control, if pest pressure reaches an economic threshold for damage. Economic thresholds will be determined using methods recommended by local or regional professionals (*e.g.*, Extension Service agents or crop consultants).

The corn rootworm refuge cannot be planted with a corn rootworm-protected Bt hybrid, but can be planted with a non-Bt hybrid or a Bt corn hybrid that controls corn borers. The corn rootworm refuge must represent at least 5% (or 20% in cotton growing regions) of the grower's corn acres (*i.e.*, sum Bt11 × MIR604 × TC1507 × 5307 corn acres and rootworm refuge acres) and must be planted as an adjacent block, perimeter strips, or in-field strips. If perimeter or in-field strips are implemented, the strips must be at least four consecutive rows wide. If the rootworm refuge is planted on rotated ground, then Bt11 × MIR604 × TC1507 × 5307 corn must also be planted on rotated ground. If the rootworm refuge is planted in continuous corn, the Bt11 × MIR604 ×


TC1507 × 5307 cornfield may be planted on either continuous or rotated land. More generally, the corn rootworm refuge should utilize comparable agronomic practices as the Bt11 × MIR604 × TC1507 × 5307 corn acres. The corn rootworm refuge can be treated with a soil-applied or seed-applied insecticide to control rootworm larvae and other soil pests. The refuge can also be treated with a non-Bt foliar insecticide for control of late season pests; however, if rootworm adults are present at the time of foliar applications, then the Bt11 × MIR604 × TC1507 × 5307 corn field must be treated in a similar manner. Pests other than adult corn rootworms can be treated on the rootworm refuge acres without treating the Bt11 × MIR604 × TC1507 × 5307 corn acres only if treatment occurs when adult corn rootworms are not present or if a pesticide without activity against adult corn rootworms is used. Pests on the Bt11 × MIR604 × TC1507 × 5307 corn acres can be treated as needed without having to treat the rootworm refuge.

Cotton-Growing Areas Requiring 20% Refuge Corn

| State | Counties Identified by EPA as Cotton-Growing Areas | | | | |
|----------------|---|---|---|---------------------------|-----------------------------|
| Alabama | All Counties | | | | |
| Arkansas | All Counties | | | | |
| Florida | All Counties | | | | |
| Georgia | All Counties | | | | |
| Louisiana | All Counties | | | | |
| Mississippi | All Counties | | | | |
| Missouri | Dunklin | New Madrid | Pemiscot | Scott | Stoddard |
| North Carolina | All Counties | | | | |
| Oklahoma | Beckham Harmon Washita | Caddo Jackson | Comanche Kay | Custer Kiowa | Greer Tillman |
| South Carolina | All Counties | | | | |
| Tennessee | Carroll Franklin Lake Rutherford | Chester Gibson Lauderdale Shelby | Crockett Hardeman Lincoln Tipton | Dyer Hardin Madison | Fayette Haywood Obion |
| Texas | All counties with the exception of the following: Carson Lipscomb | | | | |
| | Dallam Moore | Hansford Ochiltree | Hartley Roberts | Hutchinson Sherman | |
| Virginia | Dinwiddie Southampton | Franklin City Suffock City | Greensville Surrey | Isle of Wright Sussex | Northampton |


The following are schematics of the various refuge deployment options:

Adjacent



Can be separated by a road, path, ditch, etc., but not by another field.

1/2 Mile Option



Corn Borer Refuge Option Only



The following text and graphic indicating the refuge size requirement will appear on Bt11 × MIR604 × TC1507 × 5307 seed corn bags or bag tags.

**Important grower information.
This hybrid requires you to plant:**



**For more information please refer
to the Syngenta Stewardship Guide.**