



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs  
Registration Division (7505T)  
1200 Pennsylvania Ave., N.W.  
Washington, D.C. 20460

EPA Reg. Number:

91586-13

Date of Issuance:

6/17/22

NOTICE OF PESTICIDE:

Registration  
 Reregistration  
(under FIFRA, as amended)

Term of Issuance:

Unconditional

Name of Pesticide Product:

CHP-08-T

Name and Address of Registrant (include ZIP Code):

Heather Bjornson-Lam  
Regulatory Consultant to Champion USA, LLC  
Champion USA LLC  
1900 Glades Road 4th Floor, Ste. 500  
Boca Raton, FL 33431

**Note:** Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA).

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA section 3(c)(5) provided that you:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product when the Agency requires all registrants of similar products to submit such data.
2. The data requirements for storage stability and corrosion characteristics (Guidelines 830.6317 and 830.6320) are not satisfied. You have 18 months from the date of registration to provide these data.

*Continues page 2*

Signature of Approving Official:

Tamica Cain, Product Manager 10  
Invertebrate & Vertebrate Branch 2  
Registration Division (7505P)

Date:

6/17/22

EPA Form 8570-6

3. Make the following label changes before you release the product for shipment:
  - Revise the EPA Registration Number to read, “EPA Reg. No. 91586-13.”
4. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) lists examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA’s Office of Enforcement and Compliance.


If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

The record for this product currently contains the following CSF(s):

- Basic CSF dated 10/10/2021
- Alternate CSF 1 dated 10/10/2021

If you have any questions, please contact Christopher M. Taylor by phone at 202-566-2928, or via email at [taylor.christopher.m@epa.gov](mailto:taylor.christopher.m@epa.gov).

Enclosure



DIFLUBENZURON	GROUP	<b>15</b>	INSECTICIDE
---------------	-------	-----------	-------------

## CHP-08-T

A [nutritional] [protein] [mineral] [and] [vitamin] supplement for beef and dairy cattle containing diflubenzuron for continuous feeding during the fly season

Prevents the emergence of horn flies, face flies and stable flies from manure of treated cattle

Reduces the emergence of house flies from the manure of treated cattle

House fly, horn fly, face fly, stable fly larivicide for cattle

Controls horn fly, face fly and stable fly larvae [developing] [growing] in manure of treated cattle

Prevents the development of horn fly, face fly and stable fly larvae in manure of treated cattle

Reduces the development of house fly larvae in the manure if treated cattle

Contains Diflubenzuron [a chitin synthesis inhibitor]

Breaks the house fly, horn fly, face fly and stable fly larvae life cycle in cattle

May be used in an integrated pest management program for cattle.

Solid Feed supplement for all classes of beef and dairy cattle

*{Note to reviewer: [ ] = alternate language to give marketing options}*

**ACTIVE INGREDIENT**

Diflubenzuron* (CAS# 35367-38-5)	0.08%
----------------------------------	-------

**OTHER INGREDIENTS**

	99.92%
Total	100.00%

\*Contains 363.2 milligrams of diflubenzuron/lb

### FEED INGREDIENTS\*\*

Molasses products, Forage products, Grain products, Plant Protein Products, Processed Grain By-Products, Roughage products, Mineral products (except calcium iodate, calcium periodate, potassium iodate, sodium iodate), Vitamins, Food Additives Permitted in Animal Feed/Drinking Waater, GRAS ingredients, Non-Protein Nitrogen (urea), Fats/Oils, Animal products, Animal Protein products\*\*\*, Chemical Preservatives, Amino Acids & related products, Brewers products, Fermentation products, Distillers products, Enzymes, Citrus products, Marine products, Milk products, Oilseed products, special Purpose products.

\*\*AAFCO approved feed ingredients may vary depending upon the nutritional requirements in different geographic regions of the country.

This product is made in a ruminant feed manufacturing facility that does not handle or store products containing animal proteins prohibited from ruminant feed [21 CFR 589.2000].

This product contains selenium. Consumption of selenium should not exceed 3 mg/head/day. Cattle can be fed 3 mg/head/day of selenium from feed supplements.

### GUARANTEED ANALYSIS

Will vary depending on geographic area and regional feeding requirements

**KEEP OUT OF REACH OF CHILDREN**

## CAUTION

SEE [BACK FOR] ADDITIONAL PRECAUTIONARY STATEMENTS

CHAMPION USA LLC  
1900 Glades Road, 4<sup>th</sup> Floor, Ste. 500  
Boca Raton, FL 33431

NET CONTENTS xx lbs [xx kg]

EPA Reg No. 91586-X

EPA Est. No. xxxxx-xxx-xxx

**Batch Number**

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS  
CAUTION**

Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Wear long-sleeved shirt and long pants, socks, shoes, and gloves. Remove and wash contaminated clothing before reuse.

<b>FIRST AID</b>	
<b>If swallowed</b>	<ul style="list-style-type: none"> <li>• Call a poison control center or doctor immediately for treatment advice.</li> <li>• Have a person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to by a poison control center or doctor.</li> <li>• Do not give anything to an unconscious person.</li> </ul>
<b>If on skin</b>	<ul style="list-style-type: none"> <li>• Take off contaminated clothing</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>If in eyes</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.</li> <li>• Call poison control center or doctor for treatment advice.</li> </ul>
<p><b>HOT LINE NUMBER</b> Have the product container or label with you when calling a poison control center, doctor, or going for treatment. For emergency information concerning this product, call the National Pesticide Information Center (NPIC) at 1-800-858-7378 seven days a week, 6:30am to 4:30pm PST (NPIC Web site: <a href="http://www.npic.orst.edu">www.npic.orst.edu</a>).</p>	

**ENVIRONMENTAL HAZARDS**

Do not apply directly to water, or to areas where surface water is present of to intertidal areas below the high water mark.

**DIRECTIONS FOR USE**

**It is a violation of Federal law to use this product in a manner inconsistent with its labeling.**

**FEEDING AND MANAGEMENT INSTRUCTIONS**

Provide CHP-08-T as a free choice source of nutritional supplementation [salt] [and] [minerals] for your cattle. When used as directed, CHP-08-T will provide sufficient diflubenzuron to {*Note to reviewer: “prevent” and “control” will be used if only 3 flies (horn, stable and face flies) are claimed and “reduce” will be used if all four flies, or just house fly, are claimed on the label but ONE will be present on the label*} [prevent] [control] [reduce] the {*Note to reviewer: either “development” or “emergence” will be used but one will be present on the label. House Flies will only be listed if the above claim uses “reduce”*} [development] [emergence] of horn flies, face flies, [house flies,] and stable flies in the manure of treated cattle. Existing adult flies will not be affected. Start feeding this product early in spring before flies begin to appear and continue

feeding throughout the summer and into the fall until cold weather restricts fly activity. Allow free choice to cattle. Cattle should consume an average of 0.2 ounces of this product per 100 lbs. of animal body weight per day, which is equivalent to 2 ounces per day for a 1000 pound cow. Cattle should consume an average of 0.10 mg of diflubenzuron/kg of body wt./day.

To Open: Remove top [cardboard] [and] [plastic cover] [protective] sheet [and score several times with a knife to encourage initial consumption].

1. Assure cattle are not starved for nutrients prior to feeding this product.
2. [This product contains added copper. Do not feed to sheep and other species that have a low tolerance to supplemental copper]. *{Note to reviewer: statement dependent on copper concentration}* [Do not use in association with feeds containing supplemental selenium.] *{Note to reviewer: statement required dependent on selenium concentration}*
3. *{Note to reviewer: It is likely that each tub/block size will have its own separate market label, but for flexibility, keeping them as "optional" is best. One of the following statements will be on the market label}* [For Tubs/blocks of 2-50 lbs offered to individually housed animals: Offer each cow 1 block when being housed individually.] *[For tubs/blocks under 51 lbs: Offer cattle 1 block for every range 3 to 5 heads.] [For tubs/blocks of 51 – 119 lbs: Offer cattle 1 block for every 5 to 15 heads.] [For tubs/blocks of 120 – 250 lbs: Offer cattle 1 block for every 15 to 25 heads.]*
4. Remove all other self limiting nutritional supplements.
5. Locate this product where cattle congregate (watering, loafing shade areas).
6. Replenish this block on a regular basis as needed.
7. If intake of this product is below 0.2 oz/100 lbs animal body weight/day, increase the number of feeding locations and/or change locations(s) to areas more frequented by cattle. If intake of this product is above 0.2 oz/100 lbs animal body weight/day, reduce the number of feeding locations and/or change locations(s) to areas less frequented by cattle.
8. Introduction of this product after adult fly infestations is established may require treatment of the cattle with supplemental sprays to reduce the adult fly population coming from outside sources.

## STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE	Store in a cool, dry place.
PESTICIDE DISPOSAL	Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.
CONTAINER HANDLING	[For plastic tubs, 2-250 lbs.]: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available, or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities.  [For shrink wrapped blocks]: Completely empty [wrapper] [container]. Dispose of [wrapper] [container] in a sanitary landfill or by other procedures approved by state and local authorities.

## **WARRANTY**

Champion USA, LLC, warrants that this product conforms to the chemical description on the label. Champion USA, LLC, neither makes nor authorizes any agent or representative to make any other warranty of fitness of merchantability, guarantee or representation, express or implied, concerning this product. To the extent consistent with applicable law, Champion USA, LLC's maximum liability for breach of this warranty shall not exceed that purchase price of this product. To the extent consistent with applicable law, buyer and user acknowledge and assume all risks and liabilities resulting from the handling, storage and use of this product which extend beyond the use of this product under normal conditions in accord with the statements on this label.