



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

January 19, 2022

Mr. Matthew Bucy
Pesticide Product Registration Specialist
Oregon Department of Agriculture- Pesticides Program
635 Capitol St. NE, Salem, OR 97301-2532

Subject: FIFRA 24(c) Registration –SLN Amendment Acknowledgment Letter
SLN Registration Number: OR-160001
EPA Decision Number: 578086, 579609
SLN Expiration Date: 12/31/2025
Parent EPA Reg. No.: 100-953
Product Name: Switch 62.5WG

Dear Mr. Bucy:

This letter acknowledges receipt of an amendment for the above-listed Special Local Need (SLN) registration pursuant to Section 24(c) of the Federal Insecticide, Fungicide, and Rodenticide Act, as amended. The SLN registration acknowledges the updates made to the label to comply with Registration Review by adding the Mode of Action to the label and also permits an extension of the expiration date for the use of Switch 62.5 WG in the state of Oregon to December 31st, 2025. All other aspects remain the same.

The Agency has completed a review of the amendment of this use and acknowledges the State's Special Local Need registration, as amended. Please inform the registrant that we have placed a copy of the amended SLN label in our files. If you have any questions, please contact Maya Wheeler by phone at (202) 566-2957 or via email at wheeler.maya.b@epa.gov.

Sincerely,

A handwritten signature in black ink, appearing to read "Eric W. Bohnenblust", is located below the "Sincerely," text.

Eric W. Bohnenblust, Ph.D.
Minor Use and Emergency Response Branch, Chief
Registration Division
Office of Pesticide Programs

CC: Chad Schulze, USEPA Region 10 Coordinator
Derek Terada, USEPA Region 10 Tribal Coordinator



ITERA

Section 24(c) Special Local Need Label

CYPRODINIL	GROUP	9	FUNGICIDE
FLUDIOXONIL	GROUP	12	FUNGICIDE

FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF OREGON

Switch® 62.5WG
EPA Reg. No. 100-953
EPA SLN No. OR-160001

For Control of Several Diseases on Specified Brassica Vegetable Crops Grown for Seed

This label for Switch 62.5WG is valid until December 31, 2025 or until otherwise amended, withdrawn, cancelled, or suspended.

Active Ingredient:

Cyprodinil* 37.5%
Fluidoxonil** 25.0%

Other Ingredients: 37.5%

Total: 100.0%

*CAS No. 121552-61-2

**CAS No. 131341-86-1

Switch 62.5WG is a water dispersible granule.

KEEP OUT OF REACH OF CHILDREN
CAUTION

Environmental Hazards: This pesticide is toxic to fish, aquatic invertebrates, oysters and shrimp. For terrestrial uses: Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate.

Groundwater Advisory: This chemical has properties and characteristics associated with chemicals detected in groundwater. This chemical may leach into groundwater if used in areas where soils are permeable, particularly where the water table is shallow.

Surface Water Advisory: This chemical may contaminate water through drift of spray in wind. This chemical has a high potential for runoff for several months or more after application. Poorly draining soils and soils with shallow water tables are more prone to produce runoff that contains this chemical. A level, well maintained vegetative buffer strip between areas to which

this chemical is applied and surface water features such as ponds, streams, and springs will reduce the potential for contamination of water from rainfall runoff. Runoff of this chemical will be reduced by avoiding applications when conditions favor runoff (such as when soils are saturated and/or significant rainfall is forecast in the next 48 hours). Sound erosion control practices will reduce this chemical's contribution to surface water contamination.

DIRECTIONS FOR USE

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This FIFRA Section 24(c) label and the EPA-registered Reflex Herbicide label must be in the possession of the user at the time of application.
- Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on the EPA-registered label.

Brassica Vegetable Crops Grown for Seed: Broccoli, Broccoli raab, Brussels sprout, Cabbage, Cauliflower, Chinese cabbage, Chinese broccoli (Chinese kale), Collard, Kale, Kohlrabi, Mustard (including Chinese mustard), Radish (other than Daikon), Rape, Rutabaga, Spinach mustard, Turnip.

Pests Controlled: *Alternaria* Leaf/Pod Spot (*Alternaria brassicicola* and *Alternaria brassicae*), White Mold (*Sclerotinia sclerotiorum*), and Gray Mold (*Botrytis cinerea*).

Application Rate: Apply 14 oz of Switch 62.5WG per acre.

Application Method/Frequency/Timing: Apply in sufficient water to provide thorough coverage.

Begin applications preventively at early bloom and repeat on a 7-10 day interval if conditions remain favorable for disease development.

Restrictions/Precautions

- Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 12 hours.
- Do not apply more than 56 oz of Switch 62.5WG per acre per year.
- Do not apply more than 1.3 lb ai of cyprodinil containing products and 0.9 lb a.i. of fludioxonil containing products per acre per year.
- Do not apply within 7 days of harvest (7-day PHI).
- Resistance Management: After 2 applications of Switch 62.5WG, alternate with another fungicide with a different mode of action for 2 applications.
- Chemigation: For use under this SLN label do not apply this product through any type of irrigation system.

SPECIAL CROP USE RESTRICTIONS

The pesticide applicator, the producer of the crop, and the seed conditioner must be aware that use of this product according to this labeling is deemed a nonfeed/non-food use by the Oregon Department of Agriculture, and is regulated by Oregon Administrative Rule (OAR) 603-057-0535, Pesticide Use On Crops Grown For Seed. If the applicator of this pesticide is not the producer, the applicator must provide a copy of this labeling to the producer of the crop.

Producers of this crop who use this product, or cause the product to be used on a field they operate, must provide a copy of this pesticide label to the seed conditioner.

This pesticide does not have an established pesticide residue tolerance for this crop. Consequently, no portion of this seed may be used or distributed for food or feed for 1 year (365 days) after the last application of this product. This restriction pertains to, but is not limited to: green chop, hay, pellets, meal, whole seed, cracked seed, straw, roots, bulbs, foliage or seed screenings, and to the grazing of the crop field, stubble or regrowth. All seed screenings shall be disposed of in such a manner that the screenings cannot be distributed or used for food or feed purposes, as indicated in OAR 603-057-0535. Additional regulations concerning seed screenings are stated in OAR 603-057-0535.

Any seed from a field treated with this pesticide product shall bear specific and conspicuous container labeling, or if shipped in bulk, on the shipment invoice or bill of lading. The labeling shall contain the following statement:

"This seed was produced using one or more products for which the United States Environmental Protection Agency has not established pesticide residue tolerances. This seed, in whole, as sprouts, or in any form, may not be used for human consumption or animal feed. Failure to comply with this condition may violate requirements of the Federal Food and Drug Administration, the Oregon Department of Agriculture and other regulatory agencies."

©2020 Syngenta

Switch® and the Syngenta logo trademarks of a Syngenta Group Company

24(c) Registrant:
Syngenta Crop Protection, LLC
P. O. Box 18300
Greensboro, NC 27419-8300

Label Code: OR0953189CA1220