



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

April 15, 2022

Ricky Kyaw
Regulatory Product Manager
Syngenta Crop Protection, LLC
PO Box 18300
Greensboro, NC 27419

Subject: Registration Review Label Mitigation for Cyprodinil and Fludioxonil–SLN
Amendment Acknowledgment Letter
Product Name: Switch 62.5WG
EPA Registration Number: WA-020016
Parent EPA Reg. No.: 100-953
Application Date: 5/31/2018; 2/1/2019
Decision Number: 578089; 583409

Dear Mr. Kyaw:

The Agency acknowledges receipt of the label for the above-listed Special Local Need (SLN) registration pursuant to Section 24(c) of the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, submitted to support the Registration Review of Cyprodinil and Fludioxonil. The Agency has completed its review of the SLN label and acknowledges that the label, as amended, complies with the Cyprodinil and Fludioxonil Interim Decision(s).

We have placed a copy of the amended SLN label in our files. Please inform your state agency and work with them if additional actions are needed. If you have any questions, please contact Darius Stanton by phone at (202) 566-2332 or via email at Stanton.darius@epa.gov.

Sincerely,

A handwritten signature in blue ink, appearing to read "Linda Arrington", is located below the "Sincerely," text.

Linda Arrington, Branch Chief
Risk Management and Implementation Branch 4
Pesticide Re-Evaluation Division
Office of Pesticide Programs

Cc: RD PM contact: Nathan Mellor, PM 21
RD MUERB PM contact: Ruthanne Loudon
Matt Sunseri, Washington State Department of Agriculture



CYPRODINIL	GROUP	9	FUNGICIDE
FLUDIOXONIL	GROUP	12	FUNGICIDE

NITRA

Section 24(c) Special Local Need Label

FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF WASHINGTON

Switch® 62.5WG

EPA Reg. No. 100-953
EPA SLN No. WA-020016

For Control of Several Diseases on Specified Brassica Vegetable Crops Grown for Seed

This label for Switch 62.5WG expires and must not be distributed or used in accordance with this SLN registration after December 31, 2019.

Directions for Use

- It is a violation of federal law to use this product in a manner inconsistent with its labeling.
- This label must be in the possession of the user at the time of application.
- **Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on the EPA registered label.**

Brassica Vegetable Crops Grown for Seed: Broccoli, Broccoli raab, Brussels sprout, Cabbage, Cauliflower, Chinese cabbage, Chinese broccoli (Chinese kale), Collard, Kale, Kohlrabi, Mustard (including Chinese mustard), Radish (other than Daikon), Rape, Rutabaga, Spinach mustard, Turnip.

Pests Controlled: *Alternaria* Leaf/Pod Spot (*Alternaria brassicicola* and *Alternaria brassicae*), White Mold (*Sclerotinia sclerotiorum*), and Gray Mold (*Botrytis cinerea*)

Application Rate: Apply 14 oz. of Switch 62.5WG per acre.

Application Method/Frequency/Timing: Apply in sufficient water to provide thorough coverage using ground application equipment only.

Begin applications preventively at early bloom and repeat on a 7-10 day interval if conditions remain favorable for disease development.

Restrictions/Precautions

- Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 12 hours.

- Do not apply more than 56 oz. of Switch 62.5WG per acre per year.
- Do not apply more than 1.3 lb. a.i. of cyprodinil containing products and 0.9 lb. a.i. of fludioxonil containing products per acre per year.
- Do not apply within 7 days of harvest (7-day PHI).
- Resistance Management: After 2 applications of Switch 62.5WG, alternate with another fungicide with a different mode of action for 2 applications.
- Chemigation: For use under this SLN label do not apply this product through any type of irrigation system.
- Ground Water Advisory: This chemical has properties and characteristics associated with chemicals detected in ground water. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in ground water contamination.
- Surface Water Advisory: This chemical may contaminate water through drift of spray in wind. This chemical has a high potential for runoff for several months or more after application. Poorly draining soils and soils with shallow water tables are more prone to produce runoff that contains this chemical. A level, well maintained vegetative buffer strip between areas to which this chemical is applied and surface water features such as ponds, streams, and springs will reduce the potential for contamination of water from rainfall runoff. Runoff of this chemical will be reduced by avoiding applications when conditions favor runoff (such as when soils are saturated and/or significant rainfall is forecast in the next 48 hours). Sound erosion control practices will reduce this chemical's contribution to surface water contamination.
- This pesticide is toxic to fish, aquatic invertebrates, oysters and shrimp. Switch 62.5WG should not be used under this SLN label where impact on listed threatened or endangered species is likely. You may refer to the WSDA Endangered Species Program web site at <http://agr.wa.gov/PestFert/NatResources/EndangSpecies.aspx>, or contact the Washington Department of Fish & Wildlife, National Marine Fisheries Service (NOAA Fisheries) or US Fish & Wildlife Service for information regarding aquatic species listed as threatened or endangered. Consult the federal label for additional restrictions and precautions to protect aquatic organisms.

Seed Crop Requirements

1. All Brassica vegetable seed screenings shall be disposed of in such a way that they cannot be distributed or used for human food or animal feed. The seed conditioner shall keep records of screening disposal for three years from the date of disposal and shall furnish the records to the director immediately upon request. Conditioner disposal records shall consist of documentation of on-farm disposal, disposal at a controlled dumpsite, incinerator, composter or other equivalent disposal site and shall include the lot numbers, amount of material disposed of, the grower(s), and the date of disposal.
2. No portion of the Brassica vegetable seed plant, including but not limited to green chop, hay, pellets, meal, whole seed, cracked seed, roots, bulbs, leaves and seed screenings may be used or distributed for food or feed purposes.
3. Brassica vegetable seed shall bear a tag or container label which forbids use of the seed for human consumption or animal feed.
4. Brassica vegetable seed may not be distributed for human consumption or animal feed.

Producers of Brassica vegetable seed who use this product are required to inform, in writing, conditioners receiving seed produced on fields treated with this product. A copy of this labeling is required to be provided to the conditioner by the producer.

WSDA Container Disposal Guidance: Pesticide containers must be properly cleaned prior to disposal. The best time to clean empty pesticide containers is during mixing and loading,

because residue can be difficult to remove after it dries. Triple rinse (or pressure rinse) the pesticide container, empty all pesticide rinse water into the spray tank, and apply to a labeled crop or site. Recycling cleaned containers is the best method of container disposal. Information regarding the recycling of empty and cleaned plastic pesticide containers in Washington is available on the WSDA Waste Pesticide Program web site at <http://agr.wa.gov/PestFert/Pesticides/WastePesticide.aspx>. Cleaned containers may also be disposed of in a sanitary landfill, if permitted by the county. Burning is not a legal method of container disposal in Washington.

Switch® and the Syngenta logo trademarks of a Syngenta Group Company

©2014 Syngenta

Section 24(c) Registrant:
Syngenta Crop Protection, LLC
P. O. Box 18300
Greensboro, North Carolina 27419

Label Code: WA0953038EA0414