

ADEQ

ARKANSAS
Department of Environmental Quality

RECEIVED - 6PDL
AIR PLANNING SEC.
15 JUL 20 PM 5:24

July 16, 2015

Mr. Mark Hansen
Acting Associate Director for Air Programs
U.S. Environmental Protection Agency, Region VI
1445 Ross Avenue, Suite 1200
Dallas, Texas 75202-2733

Dear Mr. Hansen,

The 2015–2016 Annual Network Plan for the Ambient Air Monitoring Network for the State of Arkansas is enclosed, fulfilling the requirement set forth in 40 CFR 58.10. The plan underwent a 30-day public comment period from June 13, 2015 to July 13, 2015. A copy of the public notice proof is attached. There were no comments received by our agency.

Please contact us with comments or questions.

Sincerely,



Stuart Spencer
Chief, Air Division
501-682-0750
spencer@adeq.state.ar.us



Lessie Redican
Chief, Technical Services Division
501-682-0937
redican@adeq.state.ar.us

Enclosure

Arkansas Democrat Gazette

STATEMENT OF LEGAL ADVERTISING

ADEQ
5301 NORTSHORE DR
NORTH LITTLE ROCK AR 72118

REMIT TO:
ARKANSAS DEMOCRAT-GAZETTE, INC.
P.O. BOX 2221
LITTLE ROCK, AR 72203

ATTN: Fiscal Office
DATE : 06/13/15 INVOICE #: 3006617
ACCT #: L844316 P.O. #:

BILLING QUESTIONS CALL 378-3812

STATE OF ARKANSAS,)
COUNTY OF PULASKI,) ss.

I, Yvette Hines, do solemnly swear that I am the Legal Billing Clerk of the Arkansas Democrat - Gazette, a daily newspaper printed and published in said County, State of Arkansas; that I was so related to this publication at and during the publication of the annexed legal advertisement in the matter of:

PERMIT


pending in the Court, in said County, and at the dates of the several publications of said advertisement stated below, and that during said periods and at said dates, said newspaper was printed and had a bona fide circulation in said County; that said newspaper had been regularly printed and published in said County, and had a bona fide circulation therein for the period of one month before the date of the first publication of said advertisement; and that said advertisement was published in the regular daily issues of said newspaper as stated below.

DATE	DAY	LINAGE	RATE	DATE	DAY	LINAGE	RATE
06/13	Sat	73	1.35				

TOTAL COST -----
Billing Ad #: 73210736

RECEIVED
JUN 17 REC'D
BY: 98.55

OFFICIAL SEAL - #12381364
BENNIE J. FULLER
NOTARY PUBLIC - ARKANSAS
PULASKI COUNTY
MY COMMISSION EXPIRES: 3-21-2021

Subscribed and sworn to me this 15
day of June, 2015

Notary Public

AD COPY

Notice of Public Review Period for Arkansas Air Monitoring Network

Pursuant to 40 CFR Part 58, Subpart B, states are required to submit an annual air monitoring network plan to the US Environmental Protection Agency (EPA). The Arkansas Department of Environmental Quality (ADEQ) will submit Arkansas's plan to the US EPA Region 6 office in Dallas, TX after a 30-day public review period for comments. The public review period will expire on July 13, 2015 at 4:30 p.m.

This network plan is required to provide the framework for establishment and maintenance of an air quality surveillance system for the state. The document includes proposed changes to the Arkansas air monitoring network for Fiscal Year 2015, and represents ADEQ's efforts to effectively protect the health of the citizens of Arkansas through ambient air monitoring using the latest and best technology that is commercially available and to communicate the data collected as quickly and accurately as possible.

The proposed Arkansas plan is available for public inspection on the ADEQ's web site at the following address: http://www.adeq.state.ar.us/air/pdfs/2015_ar_annual_network_plan.pdf. In addition, a paper copy of the proposed plan can be obtained by contacting Miriam Talbert in the ADEQ Air Lab via telephone or e-mail (501-682-0925; miriam@adeq.state.ar.us).

Any comments should be sent no later than 4:30 p.m. on July 13, 2015, to:

Miriam Talbert, Air Lab Supervisor

Arkansas Department of Environmental Quality

5301 Northshore Drive
North Little Rock, AR 72118
501-682-0925
miriam@adeq.state.ar.us
Published June 13, 2015
73210736f

**ARKANSAS AMBIENT AIR MONITORING NETWORK
ANNUAL NETWORK PLAN 2015–2016**

Prepared By

Planning & Air Quality Analysis Branch, Air Division
Air Laboratory Division, Technical Services Division
Arkansas Department of Environmental Quality
5301 Northshore Dr., North Little Rock, AR 72118

Table of Contents

1. Introduction	1
2. Population Statistics	1
3. ADEQ Monitoring Network.....	2
3.1 Ozone Network	5
3.2 Particulate Matter Network	7
3.2.1 Fine Particulate Matter (PM _{2.5}).....	7
3.2.2 Particulate Matter (PM ₁₀).....	10
3.2.3 Coarse Particulate Matter (PM _{10-2.5}).....	10
3.2.4 Chemical Speciation	11
3.3 Sulfur Dioxide Network.....	11
3.4 Nitrogen Dioxide Network.....	12
3.5 Carbon Monoxide Network.....	12
3.6 Lead Network.....	13
3.6.1 Waivers Renewal Requested.....	14
3.6.2 Waivers No Longer Needed.....	16
4. Contact Information	21

List of Tables

Table 1. Population Statistics for Metropolitan Statistical Areas (MSAs) in Arkansas	1
Table 2. ADEQ Operated SLAMS Monitor Information	3
Table 3. Required Minimum Number of Ozone SLAMS for MSAs in Arkansas.....	5
Table 4. Proposed Schedule and Latest Design Value for ADEQ Ozone Sites	5
Table 5. Required Minimum Number of PM _{2.5} SLAMS for MSAs in Arkansas	7
Table 6. Continuous PM _{2.5} AQI Monitoring Site Information	8
Table 7. Proposed Schedule and Latest Design Value for ADEQ PM _{2.5} Sites	9
Table 8. Required Minimum Number of PM ₁₀ SLAMS for MSAs in Arkansas.....	10
Table 9. Proposed Schedule and Latest Estimated Exceedance for ADEQ PM ₁₀ Sites	10
Table 10. Required Minimum Number of SO ₂ SLAMS for MSAs in Arkansas.....	11
Table 11. Source-Oriented Lead Waiver Status by Facility	13

List of Figures

Figure 1. Map of ADEQ Air Monitoring Network.....	2
Figure 2. Historical 4 th Daily Maximum Ozone Concentration for Little Rock MSA Monitors ...	6
Figure 3. Historical PM _{2.5} NAAQS (Annual and 24-Hour) for Newport (05-067-0001).....	8
Figure 4. Lead Emissions for Entergy Arkansas, Inc. (Independence Plant)	14
Figure 5. Lead Emissions for Entergy Arkansas, Inc. (White Bluff Plant)	15
Figure 6. Lead Emissions for Arkansas Steel Associates, LLC	16
Figure 7. Lead Emissions for Georgia Pacific, LLC (Crossett Paper Operations).....	17
Figure 8. Lead Emissions for Gerdau MacSteel	18
Figure 9. Lead Emissions for Nucor Corporation (Nucor Steel, Arkansas)	19
Figure 10. Lead Emissions for Nucor-Yamato Steel Company	20

1. Introduction

The United States Environmental Protection Agency (EPA) has been responsible for establishing and updating the National Ambient Air Quality Standard (NAAQS) under the Federal Clean Air Act. In accordance with 40 CFR Part 58, Subpart B § 58.10, the State of Arkansas is required to submit an annual air monitoring network plan to EPA:

... the State, or where applicable local, agency shall adopt and submit to the Regional Administrator an annual monitoring network plan which shall provide for the establishment and maintenance of an air quality surveillance system that consists of a network of SLAMS monitoring stations including FRM, FEM, and ARM monitors that are part of SLAMS, NCore stations, STN stations, State speciation stations, SPM stations, and/or, in serious, severe and extreme ozone nonattainment areas, PAMS stations, and SPM monitoring stations...

The State of Arkansas's 2015–2016 Annual Network Plan will be submitted to EPA Region 6 in Dallas, Texas. Federal regulations require that the plan be made available for public inspection for 30 days prior to submission to EPA Region 6.

This network plan provides the framework for the establishment and maintenance of an air quality surveillance system. This plan represents Arkansas Department of Environmental Quality's (ADEQ's) commitment to protect the health of the citizens of Arkansas through ambient air monitoring using the latest and best technology that is commercially available, and to communicate the data collected as quickly and accurately as possible. Any proposed modifications to the network, as determined by the annual network review process each year, will be stated in the document.

2. Population Statistics

Minimum monitoring requirements vary for each pollutant and are based on a combination of factors such as population data, previous year's concentration levels, and metropolitan area boundaries. Table 1 contains the population statistics for the Metropolitan Statistical Areas (MSAs) located fully or partially in Arkansas.

Table 1. Population Statistics for Metropolitan Statistical Areas (MSAs) in Arkansas

Metropolitan Statistical Area (MSA)	2010 Census
Fayetteville-Springdale-Rogers, AR-MO	463,204
Fort Smith, AR-OK	280,467
Hot Springs, AR	96,024
Jonesboro, AR	121,026
Little Rock-North Little Rock-Conway, AR	699,757
Memphis, TN-MS-AR	1,324,829
Pine Bluff, AR	100,258
Texarkana, TX-AR	149,198

3. ADEQ Monitoring Network

ADEQ maintains its ambient air monitoring network in accordance with the quality assurance requirements of 40 CFR Part 58, App. A, designs its network in accordance with App. D, and locates its sites to meet all requirements of App. E. ADEQ operates numerous air monitors at various monitoring sites throughout the State of Arkansas as shown in Figure 1. Monitors operated by ADEQ are currently maintained by the Air Laboratory Division of the Technical Services Division. Data from these monitoring sites are entered into the national Air Quality Systems (AQS) database and made available to the public within 90 days following the end of each calendar quarter. A brief site summary for ADEQ operated monitors is detailed in Table 2. The AQS identification number in column one of Table 2 is a unique site identification number that is assigned to each and every monitoring site in the network.




Figure 1. Map of ADEQ Air Monitoring Network

Table 2. ADEQ Operated SLAMS Monitor Information

AQS ID #	Site Name	Address/Location	Latitude, Longitude	Station Type	Pollutants Measured	Method Code	Sampling Method
05-001-0011	Stuttgart	1703 N. Beurkle	34.518392, -91.558822	SLAMS	PM _{2.5}	143	R&P 2000 FRM
05-003-0005	Crossett	201 Unity Rd.	33.136708, -91.950233	SLAMS	PM _{2.5}	143	R&P 2000 FRM
05-035-0005	Marion	Polk & Colonial Dr.	35.197178, -90.193047	SLAMS	PM _{2.5}	143	R&P 2000 FRM
				SLAMS	PM _{2.5}	105	R&P TEOM
				SLAMS	Ozone		UV Photometric
				SLAMS	NO ₂		Chemiluminescence
05-051-0003	Ilot Springs	300 Werner	34.469309, -93.000000	SLAMS	PM _{2.5} *	143	R&P 2000 FRM
05-067-0001	Newport	7648 Victory Blvd.	35.638069, -91.189381	SLAMS	PM _{2.5}	143	R&P 2000 FRM
05-101-0002	Deer	Hwy 16	35.832633, -93.208072	SLAMS	Ozone		UV Photometric
05-113-0002	Mena	Hornbeck Rd	34.583581, -94.226019	SLAMS	PM _{2.5}	143	R&P 2000 FRM
05-113-0003	Eagle Mtn	463 Polk 631	34.454428, -94.143317	SLAMS	Ozone		UV Photometric
05-119-0007	PARR (NCore)	Pike Ave at River Road	34.756072, -92.281139	SLAMS	PM _{2.5} *	145	R & P 2025 FRM
				SLAMS	PM _{2.5}	105	R&P TEOM
				SLAMS	PM ₁₀ *	127	Gravimetric
				SLAMS	PM ₁₀ *2.5*	176	Gravimetric/FRM
				SLAMS	Ozone		UV Photometric
				SLAMS	NO _x		Chemiluminescence
				SLAMS	Speciation	810	Low Volume
				SLAMS	NO _y		Chemiluminescence
				SLAMS	Trace SO ₂		Infrared
				SLAMS	Trace CO		
				SLAMS	Pb*	81	Gravimetric
05-119-1002	NLRAP	Remount Rd	34.835606, -92.260425	SLAMS	Ozone		UV Photometric
05-119-1004	Adams Field	1701 S. Bond	34.729486, -92.243431	SLAMS	PM _{2.5}	143	R&P 2000 FRM
05-119-1007	VA	4300 Block of West 7 th	34.744814, -92.319906	SLAMS	PM10	127	Gravimetric
05-119-1008	DSR	Doyle Springs Rd	34.681225, -92.328539	SLAMS	PM _{2.5}	143	R&P 2025 FRM
				SLAMS	PM _{2.5}	105	R&P TEOM
				SLAMS	Ozone		UV Photometric
40-135-9021	Roland, OK	207 Cherokee Blvd	35.40814, -94.524413	SLAMS	PM _{2.5}	145	R&P 2025 FRM
05-139-0006	El Dorado	Union Memorial Hospital	33.220122, -92.669453	SLAMS	PM _{2.5}	143	R&P 2000 FRM
				SLAMS	PM _{2.5}	105	R&P TEOM
				SLAMS	SO ₂		Pulsed Fluorescent
05-143-0005	Springdale	600 S. Old Missouri Rd	36.179617, -94.116611	SLAMS	PM _{2.5}	145	R&P 2025 FRM
				SLAMS	PM _{2.5}	105	R&P TEOM
				SLAMS	Ozone		UV Photometric
05-143-0006	Fayetteville	429 Ernest Lancaster Dr.	36.011703, -94.167436	SLAMS	Ozone		UV Photometric

* Collocated Monitors

Table 2. ADEQ Operated SLAMS Monitor Information (continued)

AQS ID #	Site Name	Pollutants Measured	Operating Schedule	Monitoring Objective	Spatial Scale	NAAQS Comp.	MSA
05-001-0011	Stuttgart	PM _{2.5}	Daily 1 in 3	Population Exposure	Neighborhood	Yes	Not in a MSA
05-003-0005	Crossett	PM _{2.5}	Daily 1 in 3	Population Exposure	Neighborhood	Yes	Not in a MSA
05-035-0005	Marion	PM _{2.5} PM _{2.5} Ozone NO ₂	Daily 1 in 3 Continuous Continuous Continuous	Regional Transport	Neighborhood Neighborhood Neighborhood Neighborhood Area Wide	Yes No Yes Yes	Memphis
05-051-0003	Hot Springs	PM _{2.5} *	Daily 1 in 3	Population Exposure	Neighborhood	Yes	Hot Springs
05-067-0001	Newport	PM _{2.5}	Daily 1 in 3	Population Exposure	Neighborhood	Yes	Not in a MSA
05-101-0002	Deer	Ozone	Continuous	Background	Neighborhood	Yes	Not in a MSA
05-113-0002	Mena	PM _{2.5}	Daily 1 in 3	Regional Background	Neighborhood	Yes	Not in a MSA
05-113-0003	Eagle Mtn	Ozone	Continuous	Regional Transport	Neighborhood	Yes	Not in a MSA
05-119-0007	PARR (NCore)	PM _{2.5} * PM _{2.5} PM ₁₀ * Ozone NO _x Speciation CO NO _y Trace SO ₂ Trace CO Pb*	Daily 1 in 1 Continuous Daily 1 in 3 Continuous Continuous Daily 1 in 3 Continuous Continuous Continuous Continuous Daily 1 in 6 Continuous	Population Exposure Population Exposure Population Exposure Population Exposure Susceptible and Vulnerable Population Exposure Population Exposure Population Exposure Population Exposure Population Exposure Population Exposure Population Exposure Population Exposure	Neighborhood Neighborhood Neighborhood Neighborhood Neighborhood Neighborhood Neighborhood Neighborhood Neighborhood Neighborhood Neighborhood Neighborhood	Yes No Yes Yes Yes No Yes No Yes No No Yes	Little Rock
05-119-1002	NLRAP	Ozone	Continuous	Population Exposure	Neighborhood	Yes	Little Rock
05-119-1004	Adams Field	PM _{2.5}	Daily 1 in 3	Population Exposure	Neighborhood	Yes	Little Rock
05-119-1007	V/A	PM ₁₀	Daily 1 in 6	Population Exposure	Neighborhood	Yes	Little Rock
05-119-1008	DSR	PM _{2.5} PM _{2.5} Ozone	Daily 1 in 3 Continuous Continuous	Population Exposure	Neighborhood Neighborhood Neighborhood	Yes No Yes	Little Rock
40-135-9021	Roland, OK	PM _{2.5}	Daily 1 in 3	Population Exposure	Neighborhood	Yes	Fort Smith
05-139-0006	El Dorado	PM _{2.5} PM _{2.5} SO ₂	Daily 1 in 3 Continuous Continuous	Population Exposure Population Exposure Population Exposure	Neighborhood Neighborhood Neighborhood	Yes No Yes	Not in a MSA
05-143-0005	Springdale	PM _{2.5} PM _{2.5} Ozone	Continuous Daily 1 in 3	Population Exposure Population Exposure	Neighborhood Neighborhood	No Yes	Fayetteville
05-143-0006	Fayetteville	Ozone	Continuous	Population Exposure	Neighborhood	Yes	Fayetteville

* Collocated Monitors

3.1 Ozone Network

The required number of ozone monitors for MSAs in Arkansas is listed in Table 3. The minimum number of ozone monitors is determined by the MSA population from the latest Census and the previous year's design value for the area according to Table D-2 of 40 CFR Part 58 App. D § 4.1.

Table 3. Required Minimum Number of Ozone SLAMS for MSAs in Arkansas

Metropolitan Statistical Area (MSA)	2010 Census	Monitors Required ¹
Fayetteville-Springdale-Rogers, AR-MO	463,204	2
Fort Smith, AR-OK	280,467	1
Hot Springs, AR	96,024	0
Jonesboro, AR	121,026	0
Little Rock-North Little Rock-Conway, AR	699,757	2
Memphis, TN-MS-AR	1,324,829	2
Pine Bluff, AR	100,258	0
Texarkana, TX-AR	149,198	0

¹ Based on 2014 design value

Arkansas meets or exceeds the SLAMS ozone requirement for each MSA. ADEQ operates three monitors in the Little Rock-North Little Rock-Conway, AR MSA and two in the Fayetteville-Springdale-Rogers, AR-MO MSA. ADEQ only operates one of the five SLAMS ozone monitors in the Memphis, TN-MS-AR MSA, with the other four operated by either Memphis/Shelby County Health Department (MSCHD) or Mississippi Department of Environmental Quality (MDEQ). The required monitor in the Fort Smith, AR-OK MSA is covered by the ozone monitor in Roland, OK, which is operated by Cherokee Nation. There are two additional SLAMS ozone monitors in the rural areas of Deer and Eagle Mountain which are used to enhance EPA's AIRNOW ozone mapping program and to determine background and transport ozone.

Table 4. Proposed Schedule and Latest Design Value for ADEQ Ozone Sites

AQS ID #	Sampling Schedule		8-Hour Ozone (ppm)				
	Current	Proposed	2012	2013	2014	DV	DV % NAAQS
05-035-0005	Continuous	Continuous	0.079	0.067	0.067	0.071	95%
05-101-0002	Continuous	Continuous	0.068	0.064	0.063	0.066	87%
05-113-0003	Continuous	Continuous	0.071	0.065	0.065	0.067	89%
05-119-0007	Continuous	Continuous	0.076	0.064	0.066	0.068	91%
05-119-1002	Continuous	Discontinue	0.079	0.070	0.065	0.071	95%
05-119-1008	Continuous	Continuous	0.080	0.068	0.065	0.071	95%
05-143-0005	Continuous	Continuous	0.076	0.065	0.061	0.067	89%
05-143-0006	Continuous	Continuous	0.079	0.066	0.064	0.069	92%

ADEQ plans to discontinue the ozone monitor at the North Little Rock Airport (05-119-1002) by September 1, 2015 due to the current lease expiration date. ADEQ is unable to enter into an

agreeable long term lease agreement given resource and funding limitations which are beyond agency control. The remaining continuous monitoring network will continue to satisfy EPA monitoring requirements for all MSAs. ADEQ remains focused on maintaining compliance of the NAAQS and based on evaluation of historical data believes that discontinuation of this site will not compromise meaningful and representative data collection needed for implementation of the ozone NAAQS. The North Little Rock Airport monitor data and historical data trends have been consistent with the two other Little Rock-North Little Rock-Conway, AR MSA monitors (Figure 2), one of which is also located on the northern side of Pulaski County. As the number of monitors in the Little Rock-North Little Rock-Conway, AR MSA currently exceeds the monitoring requirement, discontinuation of the North Little Rock Airport monitor will leave the Little Rock-North Little Rock-Conway, AR MSA with two ozone monitors in locations which are most representative of highest population density areas and which will continue to meet the monitoring requirements as set by 40 CFR Part 58 App. D. The additional monitoring equipment will be available to be utilized by ADEQ to conduct special purpose monitoring as needed to inform air quality planning decisions for the Little Rock-North Little Rock-Conway, AR MSA and/or other MSAs.

ADEQ is not proposing any other changes to the monitoring network at this time. ADEQ will re-evaluate the ozone network in the 2016 Annual Network Plan with EPA's finalization of the revised ozone NAAQS in October 2015. Information regarding the SLAMS ozone monitoring sites operated by ADEQ is listed in Table 4.




Figure 2. Historical 4th Daily Maximum Ozone Concentration for Little Rock MSA Monitors

In addition to the SLAMS network, EPA operates one ozone monitor (05-019-9991) as part of the Clean Air Status and Trends Network (CASTNET). This ozone monitor is compliant with the regulatory requirements in 40 CFR Parts 50, 53 and 58; therefore, ozone measurements from this site may also be used to determine if an area meets, or exceeds, the NAAQS.

3.2 Particulate Matter Network

3.2.1 Fine Particulate Matter (PM_{2.5})

The number of SLAMS PM_{2.5} monitors for MSAs in Arkansas is listed in Table 5. According to the criteria listed in Table D-5 of 40 CFR Part 58 App. D § 4.7.1, the number of PM_{2.5} monitors is determined by the MSA population from the latest Census and the previous year's design value for the area.

Table 5. Required Minimum Number of PM_{2.5} SLAMS for MSAs in Arkansas

Metropolitan Statistical Area (MSA)	2010 Census	Monitors Required ¹
Fayetteville-Springdale-Rogers, AR-MO	463,204	0
Fort Smith, AR-OK	280,467	0
Hot Springs, AR	96,024	0
Jonesboro, AR	121,026	0
Little Rock-North Little Rock-Conway, AR	699,757	2
Memphis, TN-MS-AR	1,324,829	2
Pine Bluff, AR	100,258	0
Texarkana, TX-AR	149,198	0

¹ Based on 2014 design value

Arkansas has met or exceeded the SLAMS requirement for each MSA. ADEQ operates three monitors in the Little Rock-North Little Rock-Conway, AR MSA. In addition to the one monitor operated by ADEQ in the Memphis, TN-MS-AR MSA, there are three additional SLAMS monitors operated by either MSCHD or MDEQ. The Fayetteville-Springdale-Rogers, AR-MO MSA, Fort Smith, AR-OK MSA, and Hot Springs, AR MSA each have one monitor in operation. In addition, the Texas Commission on Environmental Quality (TCEQ) operates a monitor in Texarkana, TX that covers the Texarkana, TX-AR MSA.

ADEQ also operates an additional five PM_{2.5} monitoring sites not located in MSAs. Additional information regarding the PM_{2.5} monitoring sites operated by ADEQ is listed in Table 7. The collocated FRM monitors for Hot Springs (05-051-0003) and PARR (05-119-0007) are operating on a 1:12 sampling schedule. In addition, the following sites are collocated with TEOM continuous monitor: Marion (05-035-0005), PARR (05-119-0007), DSR (05-119-1008), El Dorado (05-139-0006), and Springdale (05-143-0005).

Table 6 lists the monitoring sites that are used for daily Air Quality Index (AQI) reporting. The monitors at these locations also report hourly data to the AIRNOW web page to be used for real-time air quality particulate mapping.

Table 6. Continuous PM_{2.5} AQI Monitoring Site Information

AQS ID #	Site Name	Sampling Frequency
05-143-0005	Springdale	Hourly
05-119-0007	PARR	Hourly

The only change to the PM_{2.5} network that ADEQ is proposing is to discontinue the PM_{2.5} monitor in Newport (05-067-0001) on January 1, 2016. ADEQ is proposing the removal of the monitor due to problems with electricity at the site; in addition, the current location will in the near future no longer meet EPA's siting criteria due to tree growth on adjacent property. After analysis, ADEQ believes that removal of the Newport monitor will not compromise the data collection needed for implementation of the PM_{2.5} NAAQS, as the Newport monitor have been consistently been under 80 percent for both the annual and 24-hour NAAQS as shown in Figure 3.




Figure 3. Historical PM_{2.5} NAAQS (Annual and 24-Hour) for Newport (05-067-0001)

Table 7. Proposed Schedule and Latest Design Value for ADEQ PM_{2.5} Sites

AQSI #	Sampling Schedule		24-Hour PM _{2.5} (µg/m ³)					Annual PM _{2.5} (µg/m ³)					Collocated with TEOM
	Current	Proposed	2012	2013	2014	DV	DV % NAAQS	2012	2013	2014	DV	DV % NAAQS	
			2012	2013	2014	DV	DV % NAAQS	2012	2013	2014	DV	DV % NAAQS	
05-001-0011	1:3	1:3	18.5	22.1	22.4	21	60%	10.0	9.5	9.1	9.5	79%	No
05-003-0005	1:3	1:3	21.0	20.6	22.6	21	60%	10.0	9.1	8.6	9.2	77%	No
05-035-0005	1:3	1:3	24.7	21.9	24.7	24	69%	10.0	10.0	9.3	9.8	82%	Yes
05-051-0003	1:3	1:3	22.0	20.3	21.3	21	60%	10.5	9.4	9.1	9.7	81%	No
05-067-0001	1:3	Discontinue	18.6	20.9	23.4 ¹	21	60%	9.4	9.1	9.6 ¹	9.3	78%	No
05-113-0002	1:3	1:3	22.6	22.6	22.0	22	63%	10.0	9.9	9.4	9.8	82%	No
05-119-0007	1:1	1:1	22.6	20.7	21.9	22	63%	11.3	10.4	10.1	10.6	88%	Yes
05-119-1004	1:3	1:3	25.8	28.6	22.1	26	74%	11.1	10.6	9.4	10.4	87%	No
05-119-1008	1:3	1:3	27.1	22.6	23.3	24	69%	11.6	11.0	10.8	11.1	93%	Yes
05-139-0006	1:3	1:3	24.5	20.4	19.0	21	60%	10.9	9.6	9.0	9.8	82%	Yes
05-143-0005	1:3	1:3	20.0	19.6	21.2	20	57%	9.6	9.3	8.7	9.2	77%	Yes
40-135-9021	1:3	1:3	22.2	21.8	22.2	22	63%	10.2	9.7	9.3	9.7	81%	No

¹ Site did not meet data completeness

3.2.2 Particulate Matter (PM₁₀)

The range of number of SLAMS PM₁₀ monitors for Arkansas MSA is listed in Table 8, as determined by Table D-4 of 40 CFR Part 58 App. D § 4.6. The range of PM₁₀ monitors a determined by the population size of the MSA from the latest Census and the previous year's design value for the area.

Table 8. Required Minimum Number of PM₁₀ SLAMS for MSAs in Arkansas

Metropolitan Statistical Area (MSA)	2010 Census	Monitors Required ¹
Fayetteville-Springdale-Rogers, AR-MO	463,204	0-1
Fort Smith, AR-OK	280,467	0-1
Hot Springs, AR	96,024	0
Jonesboro, AR	121,026	0
Little Rock-North Little Rock-Conway, AR	699,757	1-2
Memphis, TN-MS-AR	1,324,829	2-4
Pine Bluff, AR	100,258	0
Texarkana, TX-AR	149,198	0

¹ Based on 2014 design value

ADEQ is operating two PM₁₀ monitoring sites, both operating in the Little Rock-North Little Rock-Conway, AR MSA. The PARR site (05-119-0007) also has a collocated PM₁₀ monitor operating on a 1:12 sampling schedule. The two PM₁₀ sites in the Memphis, TN-MS-AR MSA are operated by MSCHD.

Information regarding the two existing PM₁₀ sites operated by ADEQ in the Little Rock-North Little Rock-Conway, AR MSA is located in Table 9. ADEQ will continue to monitor the population using the latest Census for each MSA to determine the number of monitors required as described in 40 CFR 58 App. D § 4.6.

Table 9. Proposed Schedule and Latest Estimated Exceedance for ADEQ PM₁₀ Sites

AQS ID #	Sampling Schedule		Estimated Exceedance				
	Current	Proposed	2012	2013	2014	3-Yr Avg.	% NAAQS
05-119-0007	1:3	1:3	0.0	0.0	0.0	0.0	0%
05-119-1007	1:6	1:6	0.0	0.0	0.0	0.0	0%

3.2.3 Coarse Particulate Matter (PM_{10-2.5})

The PM_{10-2.5} monitoring is performed at the PARR (05-119-0007) as part of the NCore requirement. The monitor is also operating on a 1:3 sampling schedule as required. No changes are being requested for this monitor.

3.2.4 Chemical Speciation

PM_{2.5} speciation sampling is performed at the PARR (05-119-0007) as part of the NCore requirement. No changes are being requested for this monitor.

3.3 Sulfur Dioxide Network

The minimum number of SLAMS SO₂ monitors for Arkansas core based statistical areas (CBSAs) by the Population Weighted Emissions Index (PWEI) is listed in Table 10, as determined by 40 CFR Part 58 App. D § 4.4.2. The minimum number of SO₂ monitors is determined by CBSA population and the total SO₂ emitted within the CBSA. Population data is based on the most current Census or estimate and emissions data is from the most recent National Emissions Inventory (NEI).

Table 10. Required Minimum Number of SO₂ SLAMS for MSAs in Arkansas

Core Based Statistical Area (CBSA)	2014 Estimate	2011 NEI SO ₂ Emissions (tpy)	PWEI	Monitors Required
Metropolitan Statistical Area				
Fayetteville-Springdale-Rogers, AR-MO	501,653	9,020	4,525	0
Fort Smith, AR-OK	279,592	4,269	1,193	0
Hot Springs, AR	97,322	85	8	0
Jonesboro, AR	126,764	302	38	0
Little Rock-North Little Rock-Conway, AR	729,135	648	473	0
Memphis, TN-MS-AR	1,343,230	21,205	28,483	1
Pine Bluff, AR	94,716	33,791	3,201	0
Texarkana, TX-AR	149,235	2,444	365	0
Micropolitan Statistical Area				
Arkadelphia, AR	22,576	215	5	0
Batesville, AR	36,959	34,008	1,257	0
Blytheville, AR	44,235	3,696	164	0
Camden, AR	30,030	166	5	0
El Dorado, AR	40,227	398	16	0
Forrest City, AR	26,899	100	3	0
Harrison, AR	45,100	182	8	0
Helena-West Helena, AR	19,930	189	4	0
Magnolia, AR	23,933	1,589	38	0
Malvern, AR	33,368	133	4	0
Mountain Home, AR	40,857	242	10	0
Paragould, AR	43,694	76	3	0
Russellville, AR	85,152	387	33	0
Searcy, AR	78,592	122	10	0

The Memphis, TN-MS-AR CBSA area is the only CBSA that requires a SO₂ monitor. The required SO₂ monitor in the Memphis CBSA is operated by MSCHD. ADEQ will continue to monitor the PWEI value for the Fayetteville-Springdale-Rogers, AR-MO CBSA. ADEQ also operates two additional SO₂ monitoring sites in the state: PARR (05-119-0007) and El Dorado (05-139-0006). EPA Region 6 approved ADEQ's request, from the 2014 Annual Network Plan, to remove the routine SO₂ monitor at site PARR. The routine monitor was removed on January 1, 2015. The trace SO₂ monitor remains in operation as part of the NCore requirement. There are no proposed changes to the SO₂ network at this time.

In addition, if ADEQ opts to characterize areas through monitoring for the 2010 1-hour NAAQS, any additional changes to the SO₂ network will be addressed in the next annual network plan. Source oriented monitors are not required to be operational until January 1, 2017 according to the proposed SO₂ Data Requirements Rule. ADEQ will adjust the timeframe accordingly if the monitor operational date changes in the finalized SO₂ Data Requirements Rule.

3.4 Nitrogen Dioxide Network

There are two NO₂ sites in Arkansas operated by ADEQ: PARR (05-119-0007) and Marion (05-035-0005). The Marion monitor operated by ADEQ was approved by EPA Region 6 to fulfill the area-wide requirement for the Memphis, TN-MS-AR MSA. Area-wide requirement is determined by population size of the CBSA. Memphis, TN-MS-AR MSA is required to have one area-wide NO₂ monitor as the CBSA population exceeded 1,000,000. The PARR site meets the criteria for the RA-40 national requirement for susceptible and vulnerable populations as listed in 40 CFR Part 58, App. D § 4.3.4. There are no proposed changes to ADEQ's NO₂ network at this time.

The near-road NO₂ monitor for the Little Rock-North Little Rock-Conway, AR MSA will be address by ADEQ in the next annual network plan, as the near-road NO₂ monitors are not required to be operational until January 1, 2017. The near-road NO₂ monitor required for the Memphis, TN-MS-AR MSA was addressed by MSCHD and began operating on July 1, 2014.

NO/NO_y measurements are monitored at the PARR site as part of the NCore requirement. This monitor produces conservative estimates for NO₂ as indicated in 40 CFR Part 58, App. D § 4.3.6.

3.5 Carbon Monoxide Network

ADEQ currently operates one CO monitor at site PARR (05-119-0007), the required trace CO monitor for NCore monitoring. EPA Region 6 approved ADEQ's request, from the 2014 Annual Network Plan, to remove the routine CO monitor at site PARR. The routine monitor was removed on January 1, 2015. There are no proposed changes to the CO network at this time.

The requirement for collocation of a CO monitor at the near-road NO₂ site for the Memphis, TN-MS-AR MSA was addressed by MSCHD.

3.6 Lead Network

ADEQ has a lead sampler as part of the NCore monitoring requirement. This site also has a collocated Pb-PM₁₀ monitor operating on a 1:12 sampling schedule.

ADEQ currently does not have any source-oriented monitors for lead. Source-oriented monitoring is not required if Arkansas facilities are either below half-a-ton per year of actual lead emissions or have active lead waivers. Lead emissions are to be determined based on either the most recent NEI or other scientifically justifiable methods and data, such as the State Emission Inventory (State EI) or the Toxics Release Inventory (TRI). Waivers are also to be renewed every five years in accordance with 40 CFR Part 58.10(d).

Seven facilities in Arkansas have active waivers:

1. Arkansas Steel Associates, LLC
2. Entergy Arkansas, Inc. (Independence Plant)
3. Entergy Arkansas, Inc. (White Bluff Plant)
4. Georgia Pacific, LLC (Crossett Paper Operations)
5. Gerdau MacSteel (formerly Quanex Corp. - MacSteel Division)
6. Nucor Corporation (Nucor Steel, Arkansas)
7. Nucor-Yamato Steel Company

ADEQ is only requesting waiver renewals for two facilities: Entergy Arkansas, Inc. (Independence Plant) and Entergy Arkansas, Inc. (White Bluff Plant). In addition, no new waivers are being requested. Waiver renewal status for each facility can be found in Table 11 and in the next two subsections.

Table 11. Source-Oriented Lead Waiver Status by Facility

EIS #	Facility Name	2011 NEI	2013 State EI	2013 TRI	Renewal Requested
1083611	Arkansas Steel Associates, LLC	0.10	n/a ¹	0.19	No
1083411	Entergy Arkansas, Inc. (Independence Plant)	0.37	1.31	0.16	Yes
893911	Entergy Arkansas, Inc. (White Bluff Plant)	0.37	1.35	0.12	Yes
1091211	Georgia Pacific, LLC (Crossett Paper Operations)	0.08	0.09	0.17	No
976111	Gerdau MacSteel	0.47	n/a ¹	0.05	No
1084511	Nucor Corporation (Nucor Steel, Arkansas)	0.03	0.02	0.02	No
1008911	Nucor-Yamato Steel Company	0.21	0.09	0.09	No

¹ Facility only required to report triennially

3.6.1 Waivers Renewal Requested

Entergy Arkansas, Inc. (Independence Plant)

A lead waiver for Entergy Arkansas, Inc. (Independence Plant) was approved by EPA on January 20, 2011, based on AERMOD modeling results that indicated a maximum three-month average concentration level of 0.03 micrograms per cubic meter ($\mu\text{g}/\text{m}^3$). A waiver was requested as lead emissions for the facility was at 1.42 tpy based on the 2008 State EI. ADEQ is requesting to renew the lead waiver for the Entergy Arkansas, Inc. (Independence Plant) due to lead emissions level of 1.31 tpy according to the 2013 State EI (Table 11 & Figure 4). There have been no significant changes to the facility or its lead emission level since the initial waiver request; therefore no new modeling was conducted.




Figure 4. Lead Emissions for Entergy Arkansas, Inc. (Independence Plant)

Entergy Arkansas, Inc. (White Bluff Plant)

A lead waiver was also requested for Entergy Arkansas, Inc. (White Bluff Plant) based on the 2008 State EI level of 1.43 tpy and was subsequently approved by EPA on January 20, 2011. The approval was also based on AERMOD results, which indicated a maximum three-month average concentration level less than $0.01 \mu\text{g}/\text{m}^3$. ADEQ is requesting to renew the lead waiver for Entergy Arkansas, Inc. (White Bluff Plant) due to lead emissions level of 1.35 tpy according to the 2013 State EI (Table 11 & Figure 5). There have been no significant changes to the facility or its lead emission level since the initial waiver request; therefore no new modeling was conducted.




Figure 5. Lead Emissions for Entergy Arkansas, Inc. (White Bluff Plant)

3.6.2 Waivers No Longer Needed

Arkansas Steel Associates, LLC

The 2008 NEI lead emissions for Arkansas Steel Associates, LLC was at 0.91 tpy, which prompted ADEQ to request a waiver for source-oriented lead monitoring in 2011. In the initial waiver request, ADEQ modeled to determine the impact the facility had on ambient lead NAAQS. The AERMOD results indicated that the facility contributed to 30.6 percent of the NAAQS with a maximum three-month average concentration level of $0.046 \mu\text{g}/\text{m}^3$. The waiver request for the facility was approved on July 13, 2012. ADEQ is not requesting to renew the lead waiver for Arkansas Steel Associates, LLC as it is no longer needed as actual emissions have decreased since the 2008 NEI and emissions have remained below the 0.5 tpy threshold since 2009 (Table 11 & Figure 6). Actual lead emissions used for renewal determination included the 2011 NEI, the 2011 State EI, and the 2013 TRI.




Figure 6. Lead Emissions for Arkansas Steel Associates, LLC

Georgia Pacific, LLC (Crossett Paper Operations)

ADEQ requested a waiver for Georgia Pacific, LLC (Crossett Paper Operations) based on the facility's permitted emission of 23.7 tpy, even though a waiver was not required as the facility had a 2008 NEI lead emission of 0.22 tpy. The waiver request for the facility was approved by EPA on January 20, 2011. ADEQ is not requesting to renew the lead waiver for Georgia Pacific, LLC (Crossett Paper Operations) as it is no longer needed as actual emissions have decreased and emissions have remained below the 0.5 tpy threshold (Table 11 & Figure 7). In addition, the facility permitted emission was reduced to 0.53 tpy. Actual lead emissions used for renewal determination included the 2011 NEI, the 2013 State EI, and the 2013 TRI.




Figure 7. Lead Emissions for Georgia Pacific, LLC (Crossett Paper Operations)

Gerdau MacSteel

Lead waiver was also requested for Gerdau MacSteel, previously Quanex Corp. - MacSteel Division in the initial waiver request, based on the facility's permitted emission of 1.0 tpy. The facility was not required to have an active waiver as lead emission was below the 0.5 tpy threshold at 0.10 tpy according to the 2008 NEI. EPA approved the waiver request for the facility on January 20, 2011. ADEQ is not requesting to renew the lead waiver for Gerdau MacSteel as it is no longer needed due to actual emissions remaining below the 0.5 tpy threshold (Table 11 & Figure 8). Actual lead emission was determined using the 2011 NEI, the 2011 State EI, and the 2013 TRI.




Figure 8. Lead Emissions for Gerdau MacSteel

Nucor Corporation (Nucor Steel, Arkansas)

A lead waiver request for Nucor Corporation (Nucor Steel, Arkansas) was based on the facility's permitted lead emission of 3.59 tpy. The facility was not required to have a waiver as actual emission at the time of the initial waiver request was 0.02 tpy, below the 0.5 tpy threshold. The waiver was approved on January 20, 2011. ADEQ is not requesting to renew the lead waiver for Nucor Corporation (Nucor Steel, Arkansas) as it is no longer needed due to actual emissions remaining below the 0.5 tpy threshold (Table 11 & Figure 9). Lead emissions used for renewal determination included the 2011 NEI, the 2013 State EI, and the 2013 TRI.




Figure 9. Lead Emissions for Nucor Corporation (Nucor Steel, Arkansas)

Nucor-Yamato Steel Company

ADEQ is not requesting a waiver renewal for Nucor-Yamato Steel Company, as a waiver is no longer needed due to actual emissions remaining below the 0.5 tpy threshold (Table 11 & Figure 10). Lead emissions were determined from the 2011 NEI, the 2013 State EI, and the 2013 TRI. ADEQ submitted the initial waiver request for the facility based on the permitted emission level of 2.2 tpy and was subsequently approved on January 20, 2011; however, the facility was not required to have a waiver as actual emission at the time of the waiver request was at 0.10 tpy according to the 2008 NEI.




Figure 10. Lead Emissions for Nucor-Yamato Steel Company

4. Contact Information

Questions concerning lead emissions and waivers should be sent to:

Mark McCorkle
Arkansas Department of Environmental Quality
5301 Northshore Dr.
North Little Rock, AR 72118
501-682-0736
mac@adeq.state.ar.us

Any other comments or questions should be sent to:

Miriam Talbert - Air Lab Supervisor
Arkansas Department of Environmental Quality
5301 Northshore Dr.
North Little Rock, AR 72118
501-682-0925
miriam@adeq.state.ar.us